



PRICELIST 2026



ALWAYS THE RIGHT TOOL.

OPTIMUM AVAILABILITY • BROAD RANGE OF PRODUCTS
CUSTOM PRODUCTION

700
EMPLOYEES

YOU ALREADY HOLD THE FUTURE IN YOUR HANDS TODAY.

LUKAS has been manufacturing leading-edge tools for over 85 years. We know that new challenges call for new solutions – so that's exactly what we're working on every day. Our claim is to combine quality and safety with future-oriented answers to new developments in different industries. This focus gave us the lead early in the market and still does to this day.

GRINDING •

30 000
CUSTOMERS WORLD-WIDE

FIRMLY ESTABLISHED IN THE MARKET.

With about 700 employees, three state-of-the-art production sites, an enormous wealth of experience and a broad product portfolio, LUKAS is well established in the market. Human touch, customer-oriented, flexible and highly innovative.



POLISHING • MILLING • CUTTING • CUSTOMIZED TOOLS

39
REGISTERED
PATENTS

SPECIALIST FOR INNOVATIVE SOLUTIONS.

Today we are the internationally recognized specialist for innovative solutions and the production of high-performance tools. Even if standard solutions don't fit your specific applications: We develop individual solutions to every problem to make sure that not only our products, but especially yours, are orientated towards the future.

10 000 CUSTOM SOLUTIONS AND NUMEROUS
INNOVATIONS IN USE GLOBALLY



TOP-LEVEL QUALITY.

We don't talk about quality, we let it speak for itself, every day, and in everything we do. This practice makes LUKAS tools a safe, reliable factor in your manufacturing process and ensures the best possible production quality.

- Made in Germany
- Top-quality raw materials
- State-of-the-art test facilities
- Quality management systems according to EN ISO 9001:2015
- Active membership in trade associations



OUR PRODUCT LINES

The product line is indicated with a simple star system:



High Performance



Industry




Base

THE RIGHT POWER TOOLS


Straight grinder




Free-hand angle grinder




Pneumatic angle grinder



Flexible shaft grinder



Drilling machine





OUR SERVICES TO YOU.

We know what your working day consists of and the challenges that go with it. Both our office staff and our external sales force are fully experienced in both theory and practice and are all happy to pick up an angle grinder themselves when the occasion calls for it. They speak your language and can give you effective, tailored advice on choosing the right tool.



WE SHARE OUR KNOWLEDGE.

Visit our TECHNIKUM - where you can get hands-on with our expertise. Straight after the theory into practice in our adjacent grinding centre. And if you have any specific application problems, our application and design engineers have an answer to (almost) every question.

Make the most of our "mobile TECHNIKUM," too. The LUKAS van contains everything you need for a professional tool seminar. Why not use the LUKAS van for a time-saving staff training session at your own premises?

WE WELCOME
JUST UNDER

200

PARTICIPANTS TO OUR
SEMINARS ANNUALLY



Sales

Sales Policy

1. All prices quoted are exclusive of VAT.
2. All prices are subject to alteration without prior notice.
3. Minimum Order Value is R500.00 excluding VAT and R1000.00 excluding VAT for outlying Areas.
For COD customers to qualify for free delivery a minimum order value of R500.00 excluding VAT applies.
4. Furthermore, our Terms and Conditions on our website www.lukas.co.za will apply.

Goods Return Policy

LUKAS ABRASIVES SA (PTY) LTD will accept merchandise returned under the following conditions:

1. All goods should be immediately checked upon receipt and any errors reported without delay. No claims for goods incorrectly supplied will be accepted after 7 days from receipt of goods.
2. Returns require the approval of the Lukas Sales Manager of the appropriate distributing branch prior to return of any material.
3. Any items must be received in good saleable condition and returned within 7 days. Only full box quantities will be accepted back for credit. Credit will then be passed, and a 10% handling fee may be applied.
4. The responsibility of transport and any risk of damage will be that of the sender.
5. LUKAS as the manufacturer only has an obligation with respect to the replacement of any of the quantity of goods that is proven to be defective

Head Office & Branches LUKAS ABRASIVES SA (PTY) LTD.

Head Office:

1288 Harriet Avenue, Driehoek, Germiston 1401
PO Box 800, Germiston 1400
Tel: (011) 825-1550/4
E-mail: abrasives@lukas.co.za
www.lukas.co.za


Branches:

Cape Town

Unit 4 Twickenham Park
Marconi Road, Montague Gardens 7441
Tel: (021) 551-0090/1/2
E-mail: capetown@lukas.co.za

Pinetown

16D Kyalami Industrial Park
26 Kyalami Road, Westmead 3610
PO Box 2146, Pinetown 3600
Tel: (031) 700-2183
E-mail: pinetown@lukas.co.za



Port Elizabeth

Unit 5 Fairview Business Park
Leadwood Crescent, Fairview
Port Elizabeth
Tel: (041) 453-8049 / 453-8058
E-mail: portelz@lukas.co.za

Index

A	Abrasive Sponges.....	51	M	Marbling Point.....	20
NEW	ASVT Nylon Discs.....	37		Masonry Cutting Discs.....	27
	Angled Sheets – Floor Paper.....	45		Mounted Points.....	12-16
B	Backing Pads.....	51		Mounted Ponto Set.....	16
	Belts Cloth.....	49	N	Notched Sheets - Floor Paper.....	45
	Branches.....	6	P	Pencil Brushes.....	25
	Burnishing Machine.....	49		Polish Compounds.....	22
	Burrs.....	8-11		Polishing Points.....	17-19
	Burr Sets.....	8		Polishing Mops/Buf.....	21-22
C	Caps & Holders.....	43		Portable Belts.....	49
	Ceramic Resin Fibre.....	46		Polishing Tools.....	21-22
	Compact Grain Polishing Wheel.....	21		Production Rolls.....	45
	Cones.....	16		Product Display Stands.....	58
	Cool Jobber Disc.....	28		Pre-Pack Belts.....	49
	Cup Stones.....	29		PG Easy & Purple Grain Discs.....	36 NEW
	Cup Wire Brushes.....	23	Q	Quick Change Discs.....	48
	Cutting Discs.....	26-27	R	Resin Bonded Cup Stones.....	29
	Cutting Discs - Ultra Thin.....	26-27		Resin Bonded Rubbing Bricks.....	51
D	Diamond Blades.....	32-34		Resin Fibre Discs.....	46
	Diamond Cup Turbo.....	31		Rubber Encapsulated Brush.....	46
	Drills.....	52-56	S	Sales Policy.....	6
	Diamond Cutting Discs - Vacuum Brazed.....	31		Scotchbrite/Non-Woven Rolls/Hand pads.....	50
E	Emery Cloth Sheets.....	44		Semiflex Discs.....	46
	Economy Handy Rolls.....	45		Sheets.....	44
F	Felt Surface Conditioning Flap Discs.....	22		SLT Flex Flap Disc.....	36
NEW	Felt Points.....	19		SLTP Polishing Discs.....	37
	Fibre Discs.....	46		SLTT Turbo Flap Disc.....	35
	Flap Wheels - Shaft Mounted.....	38		SLTR Lamellar Flap Discs.....	36
	Flap Discs.....	35-37		SLTV Nawaroflex Polishing Discs.....	37
	Flap Fleece Combination Shaft Mounted.....	39		Snagging Wheels.....	29
	Fleece Wheels.....	39		Spindle Mounted Wire Wheels.....	25
	Floor Paper Rolls.....	45		Spirabands & Holders.....	42
	Floor Sanding Notched/Angled Sheets.....	45		Stearate Dry Flatting Sheets.....	44
G	Giant Flap Wheels.....	40		Steel Cutting Discs.....	26-27
	Giant Flap Wheels of Abrasive Fleece.....	40		Steel Grinding Discs.....	28
	Grinding Discs.....	28		Step Drill.....	54 NEW
	Goods Return Policy.....	6		Surface Conditioning Flap Discs.....	50
H	Hand Sanding Sponges.....	51		Surface Conditioning Rolls.....	41
	Head Office.....	6	T	Tyre Burrs.....	11
	Hermes Coated Abrasives.....	44-47	U	U-Edge Pro.....	35 NEW
	High Performance Items - IQ Series.....	35-36	V	VDC.....	31
I	Index.....	7		V2 Power.....	35
J	Jetflex Cutting Disc's.....	26		Velcro Discs.....	47
	Jetflex Grinding Disc's.....	28		Vitrified Grinding Wheels-Grey/Green.....	30
L	Lamellar Flap Discs.....	35-37	W	Water Paper Sheets.....	44
	Long Series Burrs.....	11		Weld Seam Cleaning Brush.....	23 NEW
				Wire Brushes/Wheels.....	24 NEW

TUNGSTEN CARBIDE BURRS - TECHNICAL INFORMATION

The following types are available for specific applications	Cut	Recommended application	Operational Speed	
	Z3 Without Chipbreak	Cast steel, welds, hardened and high tensile steels	Head Diameter	Recommended Speed
	Z4 (Cross Cut)	High alloy steels, stainless, acid and heat resistant castings, plastics		
	Z Cross	High alloy steels, stainless, acid and heat resistant castings, plastics	3 mm	32-64 000 RPM
	Z9	Aluminium alloys, soft non-ferrous metals	6 mm	21-48 000 RPM
	Z42 Inox/Steel	Robust faceted toothing for steel and stainless steel	8 mm	16-36 000 RPM
			10 mm	13-29 000 RPM
			12 mm	11-24 000 RPM
			16 mm	8-18 000 RPM

Basic Cuts and their application

Standard cut, (Single Cut)

This cut will benefit the operator by improving the tool control.

Z Cross (Double Cut)

Universal cross cut for practically every application

Cross Cut (Double Cut)

This cut type results in a high removal rate on tough materials, like high alloy steels, stainless, acid and heat-resistant castings, plastics.

Recommendations for use

Select the cut to suit the material to be machined. Please kindly follow the principle: **The harder the material, the finer the cut!** The correct selection of speed is the basis for achieving optimum machining results and long tool life. Use the highest possible speed within the indicated area. Too low a speed results in vibration, chipping, and premature wear! Reduce the speed of the burrs only when used in large arc angles or when used on low-heat conducting materials. Never let the shank and head become discoloured blue. For safety reasons, extended shanks should also be run at low speed. The power of your machine should be compatible with the machining process. A reduction in RPM due to lack of power – particularly common with pneumatic tools – should be avoided. Collets must run true. Runout and vibration will result in chipping and premature wear. For the same reasons, take care that the machine bearings are in perfect condition. To avoid vibrations and shank breakage, select the shortest shank overhang possible.



Burr Sets				
Set	Stock Code	Set	Shape & Size	ZAR Price Excl. VAT
	3FS05050	C5 PIECE SET 6 MM	A122506, C122506, E122206, F122506, G122506	2601.75
	3FS15150	15 PIECE SET 3 MM	A0312, B0312, C0312, D0303, E0306, C0206, G0312, L0312, M0312, AS0612, C0612, D0606, F0612, C0612, M0616	3519.40
	3FS15050	15 PIECE SET 6 MM	B122506, C122506, G122506, A102006, C102006, F102006, D080806, H082006, G082006, B061606, C061606, L061606, D030303, C031203, L031203	6387.45
	3FS28050	28 PIECE SET	A122506, C122506, E122206, F122506, G122506, L123006, M122506, A102006, C102006, D101006, F102006, G102006, L103006, M102006, A061606, C061606, D060606, F061606, G061606, L061606, M061606, A031203, C031203, D030303, M031603, G031203, L031203, M031203	11169.45

TUNGSTEN CARBIDE BURRS



Shape	Stock Code	Head Diameter	Head Length	Shank Diameter	ZAR Price Excl. VAT		
					Std cut (Z3)	Cross Cut (Z4)	Z Cross (ZX)
Shape A, Cylindrical							
	A020603	02	06	03	183.10		
	A031203	03	12	03	167.40		
	A041406	04	14	06	303.70		
	A061203	06	12	03	287.40		
	A061606	06	16	06	349.30	399.75	
	A082006	08	20	06	371.40	425.05	
	A102006	10	20	06	456.00		524.90
	A122506	12	25	06	606.20		695.45
	A162506	16	25	06	724.40		
Shape B, Cylindrical End Cut							
	B031203	03	12	03	183.10	209.15	
	B061606	06	16	06	364.60	418.05	
	B082006	08	20	06	422.90	484.85	
	B102006	10	20	06	514.60	590.00	
	B122506	12	25	06	631.40	724.10	
	B162506	16	25	06	795.10		
Shape C, Cylindrical Ball Nose							
	C020603	02	06	03	200.90		
	C031203	03	12	03	169.60		
	C041406	04	14	06	316.60		
	C061203	06	12	03	342.60		
	C061606	06	16	06	443.30	508.15	
	C082006	08	20	06	407.90		468.20
	C102006	10	20	06	476.50		546.20
	C122506	12	25	06	630.40		723.35
C162506	16	25	06	881.10	980.20		
Shape D, Ball							
	D030303	03	03	03	193.70		
	D060603	06	06	03		305.70	
	D060606	06	06	06	370.00	424.85	
	D080806	08	08	06	318.50	366.10	
	D101006	10	10	06	328.70	376.70	
	D121206	12	12	06	431.80		496.80
	D161606	16	16	06	568.60	652.20	
Shape E, Oval							
	E061006	06	10	06	382.10	438.10	
	E101606	10	16	06	392.60		
	E122206	12	22	06	602.30	690.60	
Shape F, Round Tree							
	F061203	06	12	03	292.10		
	F061606	06	16	06	444.10	509.00	
	F102006	10	20	06	457.80		524.90
	F122506	12	25	06	531.30		609.30
	F162506	16	25	06	793.80		

Packing Unit : 1 pc
Ripper Cut and Coarse Cut also available POR.



SEE THE Z4 BURR IN ACTION!

TUNGSTEN CARBIDE BURRS

★★☆

Shape	Stock Code	Head Diameter	Head Length	Shank Diameter	ZAR Price Excl. VAT		
					Std Cut (Z3)	Cross Cut (Z4)	Z Cross (ZX)
Shape G, Pointed Tree							
	G031203	03	12	03	202.80		
	G061606	06	16	06	435.60		
	G082006	08	20	06	332.80		
	G102006	10	20	06	426.40		488.35
	G122506	12	25	06	583.70		668.45
	G162506	16	25	06	768.00		
Shape H, Flame							
	H082006	08	20	06	410.20	443.95	
	H123006	12	30	06	620.40	711.25	
Shape L, Ball Nose Cone 14° angle							
	L031203	03	12	03	220.60		
	L061606	06	16	06	379.10		
	L103006	10	30	06	433.60	496.80	
	L123006	12	30	06	592.00		678.50
	L163006	16	30	06	785.20	900.35	
Shape M, Cone							
	M031203	03	12	03	226.80		
	M031603	03	16	03	202.80		
	M061606	06	16	06	455.00	521.10	
	M102006	10	20	06	428.00		
	M122506	12	25	06	542.00		
Shape M, Countersink							
	M121006-90°	12	10	06	444.50		
	M161206-90°	16	12	06	447.10		
	M101006-60°	10	10	06	387.60		
Shape N, Inverted Cone-End							
	N121206	12	12	06	693.10		

Packing Unit : 1 pc

TUNGSTEN CARBIDE BURRS

★★☆

Tungsten Carbide Burrs (Z42) Inox/Steel					
Shape	Stock Code	Head Diameter	Head Length	Shank Diameter	ZAR Price Excl. VAT
Shape C, Cylindrical Ball Nose					
	C122506	12	25	06	876.20

- The new Z42 inox/steel tungsten carbide burr quickly and reliably removes the two important materials, Stainless Steel and Steel.
- The robust tooth geometry with facet profile prevents eruptions and guarantees high material removal rates in the long run. This saves you time and setup costs.
- Thanks to the optimised chip breaker, you can now cut even more ergonomically at the same time achieving a better finish than before.
- You can now reduce your expenditure for stock keeping and logistics. Prevent incorrect use through unequivocal tool marking and the use of only a few variants.

★★☆

Aluminium Burrs (Z9)					Packing Unit 1
Shape	Stock Code	Head Diameter	Head Length	Shank Diameter	ZAR Price Excl. VAT
	3FC122506450	12	25	06	861.55
	3FC061606450	06	16	06	605.15
	3FF122506450	12	25	06	725.05

★★☆

Tyre Burrs					Packing Unit: 1	
Shape	Stock Code	Head Diameter	Head Length	Shank Diameter	Total Length	ZAR Price Excl. VAT
	3FT0690061024	5	50	6	90	1448.80
	3FT08100081024	8	10	8	100	1786.40

★★☆

Long Series Burrs						
Shape	Stock Code	Head Diameter	Head Length	Shank Diameter	Total Length	ZAR Price Excl. VAT
	3FC082006100850	8	20	6	120	On request
	3FC102006200850	10	20	6	220	On request
	3FC122506200850	12	25	6	225	On request
	3FG102006200850	10	20	6	220	On request

Standard size is 200mm and can be converted to 150mm & 100mm on request

MOUNTED POINTS - QUALITIES AND AREAS OF APPLICATION

We have created a range of different shapes and dimensions with proven qualities from the full spectrum of possibilities described here.

These mounted points are available from stock. Quality recommendations apply for ideal operating conditions.

Page		Reference/ Qualities	Cutting speed v_c m/s	Materials								
				Steel/ cast steel	Alloyed/ tempered steels	Tool steels	Rust-, acid- and heat-resistant steel and cast steel	Cast iron	Aluminium, magnesium and copper alloys	Titanium and nickel alloys	Plastic/ wood/ rubber	Glass/ ceramic/ carbides
13		EKR Pink aluminium oxide	approx. 20–35									
13/14		EKWbr White aluminium oxide type brown	approx. 25–40									
15-19		EKD (Ruby) Dark red aluminium oxide	approx. 30–50									
19		NK-BA soft Regular aluminium oxide iron- and sulphur-free	approx. 40–50									
20/21		HK White aluminium oxide and regular aluminium oxide	approx. 40–50									
9/10		EKW White aluminium oxide	approx. 20–35									
9/10		SICgm Green Silicon carbide	approx. 25–40									
11/12		SIC-ALU Green silicon carbide	approx. 25–40									
22		HOK Spherical aluminium oxide	approx. 5–20									

These quality recommendations apply only when optimum application conditions are used.

MOUNTED POINTS

★★☆

Shape A							
Shape	Shape	Stock Code	Quality	Diameter	Length	Shank	ZAR Price Per Item Excl. VAT
	A1	5PA00106	Ruby (EKD)	22	64	6	94.70
	A2	5PA00206	Ruby (EKD)	25	34	6	85.15
	A3	5PA00306	Ruby (EKD)	29	70	6	99.00
	A3M	5PA003Mini	Ruby (EKD)	18	46	6	89.25
	A3M	5PA003Mini	Green (SIC)	18	46	6	185.95
	A3M	5PA003Mini	Brown (EKW)	18	46	6	89.25
	A4	5PA00406	Ruby (EKD)	35	34	6	94.00
	A5	5PA00506	Ruby (EKD)	20	28	6	102.05
	A6	5PA00606	Ruby (EKD)	20	28	6	68.65
	A11	5PA01106	Ruby (EKD)	22	50	6	82.40
	A11	5PA01106	HOK (White)	22	50	6	142.30
	A12	5PA01206	Ruby (EKD)	18	34	6	75.60
	A14	5PA01406	Pink (EKR)	18	22	6	67.20
	A15	5PA01506	Ruby (EKD)	6	27	6	68.05
	A21	5PA02106	Ruby (EKD)	26	27	6	76.15


Packing Unit: 50 (Sold Individually)
Sold Individually

MOUNTED POINTS

★★☆

Shape	Shape	Stock Code	Quality	Diameter	Length	Shank	ZAR Price Per Item Excl. VAT
	A24	5PA02406	Ruby (EKD)	6	20	6	55.65
	A24	5PA02406	Hok (White)	6	20	6	55.65
	A25	5PA02506	Ruby (EKD)	25	25	6	78.25
	A26	5PA02606	Ruby (EKD)	16	16	6	64.25
	A31	5PA03106	Ruby (EKD)	36	29	6	103.30
	A36	5PA03606	Ruby (EKD)	41	13	6	75.60
	A36	5PA03606	White (EKW)	36	13	6	75.60
	A37	5PA03706	Ruby (EKD)	33	8	6	64.90
	A37	5PA03706	HOK (White)	33	8	6	64.90

★★☆

Shape	Shape	Stock Code	Quality	Diameter	Length	Shank	ZAR Price Per Item Excl. VAT
	B42	5PB04203	Ruby (EKD)	13	20	3	55.35
	B44	5PB04403	Ruby (EKD)	6	10	3	52.50
	B52	5PB05203	Ruby (EKD)	10	20	3	56.50
	B53	5PB05303	Ruby (EKD)	8	16	3	58.60
	B54	5PB05403	Ruby (EKD)	6	13	3	52.50
	B72	5PB07203	Ruby (EKD)	13	5	3	62.50

All other A-Shapes as well as B-Shapes available on request
Packing Unit: 50 (Sold Individually)

MOUNTED POINTS

★★☆

Shape W						
				Packing Unit: 20		
Stock Code	Shape	Quality	Diameter	Length	Shank	ZAR Price Per Item Excl. VAT
5PW14603	W146	Ruby (EKD)	3	13	3	46.95
5PW16303	W163	Ruby (EKD)	6	13	3	48.40
5PW16403	W164	Ruby (EKD)	3	20	3	48.40
5PW17603	W176	Ruby (EKD)	10	13	3	48.40
5PW18303	W183	Ruby (EKD)	13	6	3	51.85
5PW18706	W187	Ruby (EKD)	13	25	6	58.05
5PW18806	W188	Ruby (EKD)	13	38	6	73.50
5PW18806	W188	Pink (EKR)	13	40	6	73.50
5PW18806	W188	Black (NKB)	13	32	6	73.50
5PW20406	W204	Ruby (EKD)	20	20	6	60.60
5PW20506	W205	Ruby (EKD)	20	25	6	64.25
5PW20706	W207	Ruby (EKD)	20	40	6	81.60
5PW20706	W207	Black (NKB)	20	40	6	81.60
5PW22006	W220	Ruby (EKD)	25	25	6	68.65
5PW22006	W220	Green (SIC)	25	25	6	73.50
5PW22106	W221	Ruby (EKD)	25	40	6	82.40
5PW22206	W222	Ruby (EKD)	25	50	6	106.80
5PW22506	W225	Ruby (EKD)	35	6	6	65.85
5PW23606	W236	Black (NKB)	40	10	6	76.00
5PW23806	W238	Ruby (EKD)	40	40	6	108.90
5PW24206	W242	Ruby (EKD)	50	25	6	111.40

Packing Unit : 20 (Sold Individually)

MOUNTED POINTS

★★☆

ShapeTB, Cylindrical Round Nose Cones						
				Packing Unit: 50 Sold Individually		
Stock Code	Shape	Quality	Diameter	Thickness	Shank	ZAR Price Per Item Excl. VAT
5TB401024	TB40	Ruby (EKD)	40	70	5/8"	329.30
5TB401124	TB40	Ruby (EKD)	40	70	14 mm	338.95
5TB4013024S	TB45	Black (NKB)	45	80	5/8"	427.65
5TB501024	TB50	Ruby (EKD)	50	70	5/8 "	416.95
5TB501124	TB50	Ruby (EKD)	50	70	14 mm	416.95

★★☆

Mounted Point Set - Ruby (EKD)					
					
Stock Code	Shape	Quality	Contents	Shapes	ZAR Price Per Item Excl. VAT
5PWS00000024	3 & 6 mm shank	Ruby (EKD)	28 Pce	A1, A3, A4, A6, A11, A12, A15, A21, A24, A25, A26, A31, A33 A37, B44, B42, B53, B72, B852, B121, B96, W164, W187, W188, W207, W204, W205, W220	2528.00

General Information

Should you wish to enhance your product with the desired optical polish where a defined technical surface finish value must be achieved, there are many good reasons why LUKAS polishing tools can be used on your workpiece. Current examples of applications where the highest precision and tolerances must be achieved can be found in the automotive industry, pump and turbine manufacture and the aerospace industry. Polished surfaces guarantee hygienic and clean working conditions in the food and pharmaceutical industries. The tool and mould manufacturers polish surfaces to a mirror finish to achieve a precise replication of the profile to the finished product.

- P1** Polishing points consist of a hard rubber bonding with a grit size 100. They are suited for fine finishing applications and for the preparation of surfaces which required further polishing operations.
- P2** Polishing points and wheels are manufactured using a soft rubber bond in grit sizes 46 to 280. Grained and matted finishes on small surface areas can be produced, to achieve the required result, different grit sizes used in sequence should be applied.
- P3** Felt polishing tools are used in conjunction with a SIC or diamond polishing paste to give the best results even up to a mirror finish.
- P4** Polishing sticks are manufactured from polyurethane (PU). Areas of application and the results are similar to those details in group P2. Polishing sticks are used manually. Not ex-stock in South Africa, price & availability on request.
- P5** Polishing points contain a fibre reinforcement to increase tool life. Achievable surface finish lies between group P1 and P2.
- P6** Polishing tools are available in various forms - mounted points, marbling points, rolls for satin finishes and polishing wheels. The hardness of the polyurethane (PU) can be divided into 4 categories - from soft to hard. Available grit size in SIC 24 to 400. These tools give the opportunity of a much wider field of application including larger surfaces. The main application is on stationery polishing machines e.g., centreless polishing of tubes.

Polishing Points, group P1

Quality and application P1

- P1** These polishing points are available in one grit combination only. The surface finish is similar to a finish with grit size 100. The hard rubber bond makes these points particularly suitable for finishing castings, hard and soft tool steels and also alloyed steel. There is no loading with these points. If applied with low pressure, they have a long and economical tool life.



Shape ZY, Cylindrical (according to DIN 69170)						
				Packing Unit: 20 Sold Individually		
Stock Code	Diameter	Thickness	Shank	Length	Colour	ZAR Price Per Item Excl. VAT
7GM021080024	6	10	3	40	BROWN	89.15

POLISHING POINTS, GROUP P2

Quality and application P2

- P2** The polishing points of this group are available in the five grit sizes, 3 of them shown below. The soft rubber bonding allows for a very soft grinding effect. Polishing Points, group 2, are mainly used on a pre-machined surface where a fine polished finish is required.

			
Colour	Red	Brown	Green
Grit Size	120	220	280



Shape ZY, Cylindrical (according to DIN 69170)							
					Packing Unit: 1		
Stock Code	Grit	Diameter	Thickness	Shank	Length	Colour	ZAR Price Excl. VAT
7GM012280024	280	4	8	3	38	Green	89.15
7GM022280024	280	6	10	3	40	Green	89.15
7GM032200024	220	8	10	3	40	Brown	89.15
7GM042280024	280	10	10	3	40	Green	89.15
7GG112280024	280	20	32	6	72	Green	135.05

FELT POLISHING POINTS, GROUP P3 & P5

Specification and application P3

- P3** The LUKAS assortment of felt polishing tools reflects years of experience in this field and encompasses the most common shapes and sizes. Due to the extreme flexibility, felt polishing points together with LUKAS diamond pastes are ideally suited for polishing exceptionally complex shapes e.g. pressure and injection moulds, drawing, pressure and cutting tools, dies, bearings, spindles, rolls, gauges etc.

★★☆

Shape ZY, Cylindrical						
				Packing Unit: 1		
Stock Code	Quality	Diameter	Thickness	Shank	Length	ZAR Price Excl. VAT
7PM01024	H3	6	10	3	50	64.65
7PM04024	H3	10	12	3	50	69.30
7PM06024	H3	12	15	3	55	72.80
7PG21024	H3	20	25	6	65	106.55

★★☆

Shape ZY, Arch Pointed Nose						
				Packing Unit: 1		
Stock Code	Quality	Diameter	Thickness	Shank	Length	ZAR Price Excl. VAT
7PG22024	H3	20	25	6	65	123.60

Specification and application P5

- P5** The polishing points of this group are characterised by their special structure and bonding i.e. fibre reinforced. This makes them ideally suitable for fine finishing of aluminium and associated alloys, non-ferrous metals and low and high-alloyed steels. Due to the fibre reinforcement, these tools have exceptional edge-retention capabilities and resilience. They are identified with a red marking.

★★☆

Shape ZY, Cylindrical						
				Packing Unit: 1		
Stock Code	Diameter	Thickness	Shank	Length	Colour	ZAR Price Excl. VAT
7GM045120024	10	10	3	40	Red	122.30
7GM055120024	13	13	3	43	Red	122.30

MARBLING POINTS, GROUP P6

Products in group 6 are manufactured with a polyurethane bond (PU) in different hardness's.

These tools:

- can be easily profiled
- quickly generate an excellent surface finish
- produce little heat during the polishing process
- do not load
- require no dressing
- contain no softener
- do not increase in hardness after long storage
- are ideal for both stationary and manual applications

These polishing tools are used to improve surface finish and geometry. The main applications are the polishing and finishing of steel, brass, precious metals, sintered metals, and plastic. The product range includes polishing points, marbling wheels, rolls for satin finishes, and wheels from 60 mm to 300 mm diameter. They can be used with or without coolant.

When wet polishing, the coolant must be maintained at a neutral (ph) value. For dressing, a dressing stick or diamond dressing tool can be used.

Due to long life and a good edge retention, the tools are ideally suited for automated processes e.g., centreless polishing of tubes or marbling of high alloyed steel plates.

The following grades are available:

- WP = soft, very flexible
MWP = medium to soft
MP = medium for general application
HP = hard, resilient for flat surfaces.

The bonding is mixed with silicon carbide "SIC" or aluminium oxide "A" grain in the FEPA grit sizes 24 to 400.



Marbling Point, Shape ZY, Cylinder						
					Packing Unit: 20 Sold Individually	
Stock Code	Quality	Diameter	Thickness	Shank	Length	ZAR Price Per Item Excl. VAT
5PM0504061024	SIC 46 MWP	50	40	6	80	426.70

The marbling points can be used to work with stainless steel, aluminium, and non-ferrous metals (peacock-eye) clouds.

The marbling points do not load with abrasive dust and their quality lasts up to the plastic cap.



Application example marbling points P6

POLISHING TOOLS

★★★

Polishing wheels, Shape SE1 Compact Grain						
				Packing Unit: 1		
Stock Code	Description	Diameter	Quality / Grit	Thickness	Bore	ZAR Price Excl. VAT
7PD080060612024	P6SE1 80x6x6	80	EKW 120 SHP CG	6	6	249.75

★★☆

Polishing wheels						
				Packing Unit: 1		
Stock Code	Description	Diameter	Quality / Grit	Thickness	Bore	ZAR Price Excl. VAT
7GW150302580019	Polishing Wheel	150	SC80MP	20	25	2750.15

POLISHING MOPS

★★☆

Polishing Mops - Colour stitched buff					
				Packing Unit: 1	
Description	Diameter	Width	Bore	Application	ZAR Price Excl. VAT
Colour stitched buff	100-300mm	12.5-100mm (1-8 Layers)	a bore size as required	General purpose buff made of cotton material, stitched for greater rigidity	On request

★★☆

Polishing Mops - Ball Buffs					
				Packing Unit: 1	
Description	Diameter	Width	Option	Application	ZAR Price Excl. VAT
Ball Buffs	50-300mm	12.5 - 75mm (25 - 150 Folds)	Stitched or loose leaf	Polishing mops for operations. Special buff made from high-quality cotton. Used mainly in the electroplating industry for ultra-high-class finish	On request

Other sizing and specifications on request

★★☆

Polishing Mops - Sisal Buffs					
				Packing Unit: 1	
Description	Diameter	Width	Option	Application	ZAR Price Excl. VAT
Sisal Buffs	100-400mm	12.5-75mm (1 - 6 Layers)	Impregnation to improve hardness	Pre-final polishing. Sisal matting is inter-laid with denim held together by a spiral stitch. Ideal for stainless steel, mild steel and non-ferrous metals.	On request

Other sizing and specifications on request

POLISHING TOOLS

★★☆

Polishing Mops - "F" Cloth Buffs					
				Packing Unit: 1	
Description	Diameter	Width	Option	Application	ZAR Price Excl. VAT
"F" Cloth Buffs	100-300mm	12 - 60mm	Loose leaf	Quality cutting cloth designed for use on manual machines. This cloth incorporates a special stiffener for greater rigidity.	On request

Other sizing and specifications on request

★★☆

Felt Surface Conditioning Flap Discs & Polishing Discs					
				Packing Unit: 1	
Stock Code	Type	Quality	Diameter	Grit	ZAR Price Excl. VAT
6FF115220103080	Flap Disc	3 mm felt	115 x 22	Felt	274.00
6FF115220106080	Flap Disc	6 mm felt	115 x 22	Felt	287.90

★★☆

Polishing Compounds			
		Packing Unit: 1	
Stock Code	Colour	Application	ZAR Price Excl. VAT
7ZC020560450168	White	White bar is a finishing compound with no cutting ingredients and is used for achieving a mirror finish.	465.55
7ZC020070450468	Brown	Ideal for polishing non-ferrous and soft metal such as copper, aluminium and brass.	225.35
7ZC020070450268	Green	Ideal for polishing stainless steel, non-ferrous and soft metal such as copper, aluminium and brass.	275.30

Other specifications on request

TECHNICAL BRUSHES

★★☆

Cup Brushes with thread							
					Packing Unit: 1		
Stock Code	Quality	Type	Diameter	Wire	Thread	RPM	ZAR Price Excl. VAT
7WC1401400016	Steel	Crimped	140	0.50	M14	8000	889.10
7WC1401410116	Inox	Crimped	140	0.30	M14	8000	1792.20

★★☆

Cup Brushes with thread							
					Packing Unit: 1		
Stock Code	Quality	Type	Diameter	Wire	Thread	RPM	ZAR Price Excl. VAT
7WC0651400035	Steel	Crimped	65	0.30	M14	12500	199.90
7WC0651401035	Steel	Knotted	65	0.50	M14	12500	286.30
7WC0801400035	Steel	Crimped	80	0.30	M14	9000	224.60
7WC0801401035	Steel	Knotted	80	0.50	M14	9000	351.10
7WC1001400035	Steel	Crimped	100	0.30	M14	8500	311.20
7WC1001405035	Inox	Crimped	100	0.30	M14	8500	366.10
7WC1001401035	Steel	Knotted	100	0.80	M14	8500	485.20
7WC1401400035	Steel	Crimped	140	0.40	M14	6500	384.00
7WC1401408035	Steel	Knotted	140	0.80	M14	6500	598.10
7WC1405800035	Steel	Crimped	140	0.50	5/8"	6500	384.00
7WC1505800035	Inox	Crimped	150	0.30	5/8"	6500	518.20
7WC1501400035	Inox	Crimped	150	0.30	M14	6500	518.20

★★☆

Bevel and Weld Seam Cleaning Brushes							
					Packing Unit: 1		
Stock Code	Quality	Type	Diameter	Wire	Bore	RPM	ZAR Price Excl. VAT
7WS115220320016	Steel	32 Knots Weld Seam	115	0.50	22.23	12500	591.20
7WS115220321016	Inox	32 Knots Weld Seam	115	0.50	22.23	12500	1087.60
7WS178220760016	Steel	76 Knots Weld Seam	178	0.50	22.23	6500	1100.15
7WS115140003016	Steel	Knotted Bevel	115	0.35	M14	12500	674.25
7WS115140001016	Inox	Knotted Bevel	115	0.35	M14	12500	993.95

TECHNICAL BRUSHES

★☆☆

Bevel and Weld Seam Cleaning Brushes



Packing Unit: 1

Stock Code	Quality	Type	Diameter	Wire	Bore	RPM	ZAR Price Excl. VAT
7WS115220320035	Steel	32 Knots Weld Seam	115	0.5	22.23	12500	300.00
7WS115140003035	Steel	Knotted Bevel	115	0.35	M14	12500	380.00

★★★☆☆

Wheel Brushes, Crimped Wire



Packing Unit: 1

Stock Code	Quality	Type	Diameter	Thickness	Bore	Wire	RPM	ZAR Price Excl. VAT
7WS150253200016	Steel	Crimped	150	25	40	0.35	6000	612.35
7WS150253210016	Inox	Crimped	150	25	40	0.30	6000	1426.55
7WS200253200016	Steel	Crimped	200	25	50	0.35	6000	921.55
7WS250383200016	Steel	Crimped	250	38	50.8 / 30	0.35	3600	1742.55

Supplied with reducing bushes; 25.4, 22.23, 20,16, 12.6 bore

★☆☆

Wheel Brushes, Crimped Wire



Packing Unit: 1

Stock Code	Quality	Type	Diameter	Thickness	Bore	Wire	RPM	ZAR Price Excl. VAT
7WS150183200935	Steel	Crimped	150	18	32	0.30	6000	282.60
7WS150253200035	Steel	Crimped	150	25	32	0.30	6000	346.00
7WS200203200935	Steel	Crimped	200	20	32	0.30	4500	453.10
7WS200253200035	Steel	Crimped	200	25	32	0.35	4500	498.00
7WS200253203035	Inox	Crimped	200	25	32	0.30	4500	1658.10
7WS250253200035	Steel	Crimped	250	25	32	0.35	3600	809.50

Supplied with reducing bushes; 25.4, 22.23, 20,16, 12.6 bore

★☆☆

Welders hand Brush For Universal Application



Packing Unit: 12
Sold Individually

Stock Code	Quality	4ROW	Wire	ZAR Price Per Item Excl. VAT
7WH04935	Steel	4 Row Hand Welder Brush Wooden Handle	0.30	54.40
7WH040116	Brass	4 Row Hand Welder Brush Wooden Handle (MOQ 12)	0.15	On request
7WH040416	Inox	4 Row Hand Welder Brush Wooden Handle	0.15	181.60

TECHNICAL BRUSHES

★★☆

Cylindrical Brushes, Shank 6 mm							
					Packing Unit: 1		
Stock Code	Quality	Type	Diameter	Thickness	Wire	RPM	ZAR Price Excl. VAT
7WW030060600016	Steel	Crimped	30	6	0.20	20000	202.10
7WW040100600016	Steel	Crimped	40	10	0.20	18000	208.05
7WW050120600016	Steel	Crimped	50	12	0.30	15000	152.65
7WW050120610016	Inox	Crimped	50	12	0.30	15000	219.00
7WW070120600016	Steel	Crimped	70	12	0.30	15000	200.15
7WW070120610016	Inox	Crimped	70	12	0.30	15000	288.70
7WW070200610016	Inox	Crimped	70	20	0.30	15000	441.75

★★☆

Rubber Encapsulated Brush							
					Packing Unit: 1		
Stock Code	Description	Material	Diameter	Thickness	Bore	RPM	ZAR Price Excl. VAT
7WS050081007016	50x8x10	Rubber Encapsulated Brass	50	8	10	15000	515.85
7WS070081007016	70x8x10	Rubber Encapsulated Brass	70	8	10	15000	515.85
7WS076081601516	76x8x16	Rubber Encapsulated Brass	76	8	10	15000	853.35

★★☆

Pencil Brushes, Crimped Wire							
					Packing Unit: 1		
Stock Code	Quality	Type	Diameter	Spindle	Wire	RPM	ZAR Price Excl. VAT
7WP01200116	Steel	Pointed Pencil, Crimped	12	6 mm	0.35	12000	392.65
7WP02200116	Steel	Pointed Pencil, Crimped	22	6 mm	0.35	12000	693.80

★★☆

Pencil & Cup Brushes, Shank 6 mm							
					Packing Unit: 1		
Stock Code	Quality	Type	Diameter	Spindle	Wire	RPM	ZAR Price Excl. VAT
7WP01200135	Steel	Pointed Pencil, Crimped	12	6 mm	0.30	12000	37.90
7WC050000535	Steel	Cup, crimped	50	6 mm	0.30	4500	57.00
7WC0650601035	Steel	Twist Knot Cup	65	6 mm	0.50	4500	242.40
7WC075000535	Steel	Cup, crimped	75	6 mm	0.30	4500	66.60

CUTTING DISCS



STAINLESS STEEL CUTTING
MADE EASY

★★★

Cutting Discs for Steel and Inox							
						Packing Unit: 50 1.0mm Packing Unit: 25 2.0mm Packing Unit: 25 2.5mm	
Stock Code	Type	Diameter	Thickness	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
5FA115102288024	T41	115	1.0	22.23	13300	A60Z Inox Progress	41.80
5FA115252208024	T41	115	2.5	22.23	13300	A30Z Inox Progress	37.30
5FA125102288024	T41	125	1.0	22.23	12200	A60Z Inox Progress	53.90
5FA230192208024	T41	230	2.0	22.23	6600	A46Z Inox Progress	96.10
5FA230252208024	T41	230	2.5	22.23	6600	A30Z Inox Progress	79.60

★★★

Cutting Discs for Steel and Inox							
 RAZOR PLUS 						Packing Unit: 20 1.0mm (125mmØ) Packing Unit: 20 1.0mm (115mmØ) Packing Unit: 50 1.6mm Packing Unit: 25 2.0mm	
Stock Code	Type	Diameter	Thickness	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
5FA11510222051	T41	115	1.0	22.23	13300	A60X Razor Plus Inox	29.70
5FA115162216024	T41	115	1.6	22.23	13300	A46X Inox	50.70
5FA115202207024	T41	115	2.0	22.23	13300	A36U Inox	34.20
5FA125102277051	T41	125	1.0	22.23	13300	A60X Razor Plus Inox	35.40
5FA150162216024	T41	150	1.6	22.23	10200	A60X Inox	71.05

Cutting Discs for Steel							
						Packing Unit: 25 2.0mm Packing Unit: 25 2.5mm Packing Unit: 25 3.0mm	
Stock Code	Type	Diameter	Thickness	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
5FA100201615051	T41	100	2.5	16	15300	A30V Steel	31.10
5FA115302215051	T41	115	2.5	22.23	13300	A30V Steel	33.35
5FA125302215051	T41	125	2.5	22.23	12200	A30V Steel	39.55
5FA180202218051	T41	180	2.0	22.23	8500	A36U Steel	63.35
5FA178302218051	T41	180	3.0	22.23	8500	A24R-BF Steel	49.25
5FA230302218051	T41	230	3.0	22.23	6600	A30V Steel	56.35
5FA230302215051	T41	230	3.0	22.23	6600	A30VSP Steel	56.35

Small Diameter Cutting Disc's							
						Packing Unit: 10	
Stock Code	Type	Diameter	Thickness	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
5JC501006468524	T41	50	1.0	6.0	30100	A46S-BF-Inox	47.30
5JC761010468524	T41	76	1.0	10.0	19100	A46S-BF-Inox	51.10
5JC763010468524	T41	76	3.0	10.0	19100	A46S-BF-Inox	51.10
5JA0601060	6MM / 10MM Jetflex Arbor						235.65

CUTTING DISCS

★★☆

Cutting Discs for Masonry							
						Packing Unit: 25	
Stock Code	Type	Diameter	Thickness	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
5FC115302215051	T41	115	2.5	22.23	13300	C30V- BF	33.35
5FC230302218051	T41	230	3.0	22.23	6600	C30V- BF	56.35

★★☆

Cutting Discs for Steel							
						Packing Unit: 20 1.0mm Packing Unit: 25 1.9mm Packing Unit: 25 2.5mm Packing Unit: 25 3.0mm	
Stock Code	Type	Diameter	Thickness	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
5FA115102201051	T41	115	1.0	22.23	13300	A46T-BF Razor Cut Inox	18.20
5FA115302225051	T41	115	2.5	22.23	13300	A30T-BF Steel	28.10
5FA230182215024	T41	230	1.9	22.23	6600	A46T-BF Steel	78.05
5FA230182212024	T41	230	1.9	22.23	6600	A46T-BF Inox	78.05
5FA230302218151	T41	230	3.0	22.23	6600	A30T-BF Steel	49.25

★★☆

Stationary Cutting Discs for Steel								
						Packing Unit: 10		
Stock Code	Type	Diameter	Thickness	Bore	RPM	External Re-inforced	Internal Re-inforced	ZAR Price Per Item Excl. VAT
5UA30026	T41	300	2.6	25.4	5100	A36S-BF Steel		157.30
5UA30032	T41	300	3.2	25.4	5100	A30R-BF Steel	A30P-BFI Steel	122.55
5UA30032	T41	300	3.2	40.0	5100		A30P-BFI Steel	122.55
5UA35026	T41	350	2.6	25.4	4400	A36S-BF Steel		217.35
5UA35032	T41	350	3.2	25.4	4400	A30R-BF Steel	A30P-BFI Steel	165.00
5UA35032	T41	350	3.2	40.0	4400	A30R-BF Steel		165.00
5UA35038	T41	350	3.8	25.4	4400		WA30R-BFI Inox	175.90
5UA40032	T41	400	3.2	25.4	3800	A36S-BF Steel		310.35
5UA40040	T41	400	4.0	25.4	3800	A30R-BF Steel	A30P-BFI Steel	206.60
5UA40040	T41	400	4.0	40.0	3800		A30P-BFI Steel	206.60
5UA45040	T41	450	4.0	40.0	3400	A30R-BF Steel	A30P-BFI Steel	346.00
5UA50040	T41	500	4.0	40.0	3100		A36P-BFI Steel	457.40

Stationary Cutting Discs for Masonry							
						Packing Unit: 10	
Stock Code	Type	Diameter	Thickness	Bore	RPM	External Re-inforced	ZAR Price Per Item Excl. VAT
5UC35032251018	T41	350	3.2	25.4	4400	C24R-BF Masonry	175.90

GRINDING DISCS

★★★

Cutting and Grinding Disc for Inox - Cool Jobber							
						Packing Unit: 25	
Stock Code	Type	Diameter	Thickness	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
5FA115302255024	T27	115	2.0	22.23	13300	A36V-BF Inox	80.15

Grinding Discs for Steel							
						Packing Unit: 10	
Stock Code	Type	Diameter	Thickness	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
5DA115702208024	T27	115	7.0	22.23	13300	A24X-BF Steel	55.95
5DA230702208024	T27	230	7.0	22.23	6600	A24X-BF Steel	165.00

★★★☆

Grinding Discs for Inox							
						Packing Unit: 10	
Stock Code	Type	Diameter	Thickness	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
5DA115702204024	T27	115	6.0	22.23	13300	A24X-BF Inox	51.80
5DA230702204024	T27	230	6.0	22.23	6600	A24X-BF Inox	138.85

Grinding Discs for Steel							
						Packing Unit: 10	
Stock Code	Type	Diameter	Thickness	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
5DA100601615051	T27	100	6.0	16	15300	A30T Steel	45.85
5DA115602215051	T27	115	6.0	22.23	13300	A30V Steel	47.40
5DA125602215051	T27	125	6.0	22.23	12200	A24/30S Steel	53.85
5DA178652218251	T27	180	7.0	22.23	8500	A24/30S Steel	89.00
5DA230602218251	T27	230	6.0	22.23	6600	A24V Steel	125.65

Small Diameter Grinding Disc's							
						Packing Unit: 10	
Stock Code	Type	Diameter	Thickness	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
5JG5060824024	T27	50	6	8	19000	NK24Q	83.00
5JG50121036024	T27	50	12	10	19000	NK36QUBA15	89.80
5JG6513106524	T27	65	13	10	14600	NK24QUBA15	117.65
5JG7613106524	T27	76	13	10	19000	NK24QUBA15	160.05
5JA0601060	6MM / 10MM Jetflex Arbor						235.65

RESIN BONDED

★★☆

Resin Bonded Cup Stones for Steel & Masonry					
				Packing Unit: 18 Sold Individually	
Stock Code	Length	Thickness	Thread/BorE	Quality	ZAR Price Per Item Excl. VAT
5CA110161416093	110	55	M14	18A16T5 Steel	428.75
5CC110461416093	110	55	M14	18C46V5 Masonry	465.45
5CC110161416093	110	55	M14	18C16V5 Masonry	465.45

★★☆

Resin Bonded Cup Stones for Steel					
				Packing Unit: 8 Sold Individually	
Stock Code	Diameter	Thickness	Thread/BorE	Quality	ZAR Price Per Item Excl. VAT
5CA12550	125	50	Thread M14 & 5/8"	18A16T5BD	494.15
5CA15050	150	50	Thread M14 & 5/8"	18A16T5BD	708.30

★★☆

Resin Bonded Cup Stones for Masonry					
				Packing Unit: 8 Sold Individually	
Stock Code	Diameter	Thickness	Thread/Bore	Quality	ZAR Price Per Item Excl. VAT
5CC12550	125	50	Thread M14	18C16VS	524.70
5CC12550	125	50	Thread M14	18C46VS	524.70
5CC12550	125	50	Thread M14	18C60VS	524.70
5CC12550	125	50	Bore 31.75	18C36R	929.60
5CC15050	150	50	Thread M14	18C16VS	752.20

★★☆

Resin Bonded Snagging Wheels for Steel							
					Packing Unit: 8 Sold Individually		
Stock Code	Type	Diameter	Thickness	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
5SA10025127051	TP1	100	25	12.7	7500	A24Q	201.95
5SA10025204051	TP1	100	25	20	7400	A24Q	202.35

PEDESTAL GRINDING WHEELS



Vitrified Bench /Pedestal Grinding Wheels					
				Packing Unit: 1	
Stock Code	Diameter	Thickness	Bore	Quality	ZAR Price Excl. VAT
5ZA12520	125	20	31.75	A36, A46, A60	139.45
5ZA15016	150	16	31.75	A36, A46, A60	173.90
5ZA15020	150	20	31.75	A36, A46, A60, A80	173.90
5ZC15020	150	20	31.75	GC60, GC80	348.20
5ZA15025	150	25	31.75	A36, A46, A60	243.70
5ZC15025	150	25	31.75	GC60, GC80	378.75
5ZA18020	180	20	31.75	A36, A46	297.80
5ZC18025	180	25	31.75	GC60	453.50
5ZA20020	200	20	31.75	A36, A46, A60	363.50
5ZC20020	200	20	31.75	GC60	619.20
5ZA20025	200	25	31.75	A36, A46, A60	409.90
5ZC20025	200	25	31.75	GC60, GC80, GC100	696.15
5ZA20032	200	32	31.75	A36, A46, A60	521.95
5ZC20032	200	32	31.75	GC60	1102.70
5ZA20032	200	32	50.8	A36, A60	521.95
5ZC20032	200	32	50.8	GC60	1102.70
5ZA25025	250	25	31.75	A36, A46, A60	558.30
5ZC25025	250	25	31.75	GC60, GC80	1082.55
5ZA25032	250	32	31.75	A36, A46, A60	754.10
5ZC25032	250	32	31.75	GC60	1314.60
5ZA25032	250	32	50.8	A60	754.10
5ZA25040	250	40	50.8	A36, A46, A60	975.05
5ZC25040	250	40	50.8	GC60	1875.85
5ZA30040	300	40	50.8	A36, A46, A60	1554.85
5ZC30040	300	40	50.8	GC60	3519.90
5ZA30040	300	40	76.2	A36, A46, A60	1554.85
5ZA30050	300	50	50.8	A36, A46, A60	1945.85
5ZC30050	300	50	50.8	GC60	3881.85
5ZA35040	350	40	76.2	A36	2127.10
5ZA35050	350	50	50.8	A36, A46, A60	2669.10
5ZA35040	350	40	50.8	A60	2127.10
5ZC35040	350	40	50.8	GC60	2913.00
5ZA40050	400	50	127	A36, A46, A60	3152.10

Available reducing bushes: 12.7mm, 15.88mm, 19.05mm, 22.23, 25.4mm, 32mm

VACUUM-BRAZED DIAMOND CUTTING DISC

★★★

VDC					
 VDC <i>iQ Series</i>				Packing Unit: 1	
Stock Code	Diameter	Thickness	Bore	RPM	ZAR Price Excl. VAT
7DD115202203024	115	2	22.23	13300	1712.65
7DD230302203024	230	3	22.2	6600	3464.95
7DD350362503024	350	3.6	25.4	5500	8234.00

Special properties:

- Low temperatures
- No dust and build-up of odours
- No expiry dates
- No reduction in diameter

Ideal for cutting of:

- Grey cast iron (GG, GGG)
- Glass-fibre reinforced plastic (GRP)
- Normal and red brass
- Bricks

- Reinforced concrete
- Other building materials

★★☆

Diamond Cup Turbo					
 				Packing Unit: 1	
Stock Code	Diameter	Type	Bore	RPM	ZAR Price Excl. VAT
7CB100140020003	100	Turbo	M14	15200	715.20
7CB180140020003	180	Turbo	M14	8400	1665.00

DIAMOND CUTTING DISCS - SEGMENTED

★★★

Diamond Cutting Blades - Segmented						
				Packing Unit: 1		
Stock Code	Type	Diameter	Thickness	Bore	Max RPM	ZAR Price Excl. VAT
7DB115302201003	Segmented Rim	115	2.5	22.23	13300	217.70
7DB125302201003	Segmented Rim	125	2.5	22.23	12200	296.00
7DB230302201003	Segmented Rim	230	2.5	22.23	6600	700.50
7DB350302501003	Segmented Rim	350	3.2	25.00	5400	3424.70
7DB350302502003	Segmented Rim (Asphalt*)	350	3.2	25.00	4400	4421.10
7DB400302501003	Segmented Rim	400	3.6	25.00	4800	5968.90

★★☆

Diamond Cutting Blades - Segmented						
				Packing Unit: 1		
Stock Code	Type	Diameter	Thickness	Bore	Max RPM	ZAR Price Excl. VAT
7DB115302201103	Segmented Rim	115	2.5	22.23	13300	69.50
7DB230302201103	Segmented Rim	230	2.5	22.23	6600	286.30

★☆☆

Diamond Cutting Blades - Segmented						
				Packing Unit: 1		
Stock Code	Type	Diameter	Thickness	Bore	Max RPM	ZAR Price Excl. VAT
7DB115302201503	Segmented Rim	115	2.5	22.23	13300	52.10
7DB230302201503	Segmented Rim	230	2.5	22.23	6600	191.75

Application:

General purpose Dry cutting of Masonry and Concrete applications.

Reinforced concrete, clay pipes, concrete pipes, concrete, pre-stressed concrete, clay pavers, semi-face bricks, face bricks, refractory bricks, clay roof tiles, cement roof tiles, concrete paving slabs, terracotta floor tiles, slate

* For use in the cutting of Asphalt, Abrasive materials, pre-mixed materials, wet application

DIAMOND CUTTING DISCS - TURBO CUT

★★★

Diamond Cutting Blades - Turbo Cut						
				Packing Unit: 1		
Stock Code	Type	Diameter	Thickness	Bore	Max RPM	ZAR Price Excl. VAT
7DB125302202003	Turbo Cut	125	2.5	22.23	12200	276.60
7DB180302502003	Turbo Cut	180	2.2	22.23	8400	550.30
7DB230302202003	Turbo Cut	230	2.5	22.23	6600	700.50

★★☆

Diamond Cutting Blades - Turbo Cut						
				Packing Unit: 1		
Stock Code	Type	Diameter	Thickness	Bore	Max RPM	ZAR Price Excl. VAT
7DB115302202103	Turbo Cut	115	2.5	22.23	13300	86.00
7DB230302202103	Turbo Cut	230	2.5	22.23	6600	308.40

Application:

General purpose Wet or Dry cutting of Masonry, Concrete and Marble.
 Granite with the characteristics of a "chip-free" cut.
 Clay pipes, clay pavers, face bricks, terracotta floor tiles, slate, terrazzo, tiles, glazed tiles, granite, marble

DIAMOND CUTTING DISCS - CONTINUOUS RIM

★★★

Diamond Cutting Blades - Continuous Rim						
				Packing Unit: 1		
Stock Code	Type	Diameter	Thickness	Bore	Max RPM	ZAR Price Excl. VAT
7DB300302503003	Continuous Rim	300	2.5	25.00	5000	1307.60

★★☆

Diamond Cutting Blades - Continuous Rim						
				Packing Unit: 1		
Stock Code	Type	Diameter	Thickness	Bore	Max RPM	ZAR Price Excl. VAT
7DB115302203103	Continuous Rim	115	2.5	22.23	13300	69.50
7DB230302203103	Continuous Rim	230	2.5	22.23	6600	238.50

★☆☆

Diamond Cutting Blades - Continuous Rim						
				Packing Unit: 1		
Stock Code	Type	Diameter	Thickness	Bore	Max RPM	ZAR Price Excl. VAT
7DB115302203503	Continuous Rim	115	2.5	22.23	13300	49.55
7DB230302203503	Continuous Rim	230	2.5	22.23	6600	176.65

Application:

General purpose Wet cutting of Ceramics, Masonry and Marble.
Granite with the characteristics of a "chip-free" cut.
Tiles, glazed tiles, porcelain, marble

LAMELLAR FLAP DISCS

★★★

SLTT Steel, our Turbo Flap Disc for universal application on Steel and Aluminium



iq Series
Innovative quality

Packing Unit: 10

Stock Code	Diameter	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
6FL115	115	22.23	13300	ZK40, ZK60	168.15
6FL125	125	22.23	12200	ZK40, ZK60	153.30
6FL178	178	22.23	8500	ZK40	397.05

V2 Power Steel for universal application on Steel and Aluminium



iq Series
Innovative quality

Packing Unit: 10

Stock Code	Diameter	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
6FL115	115	22.23	13300	ZK40, ZK60	168.15

V2 Power ALU



iq Series
Innovative quality

Packing Unit: 10

Stock Code	Diameter	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
6FL115	115	22.23	13300	SIC 40	168.15
6FL178	178	22.23	8500	SIC 36	397.05

U-EDGE PRO



iq Series
Innovative quality

Packing Unit: 10

Stock Code	Diameter	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
6FL125040080024	125	22.23	Optimum 5500 Higher not Recommended	ZK40	194.70

NEW

LAMELLAR FLAP DISCS

★★★

Purple Grain Discs					
  				Packing Unit: 1 (Multi) Packing Unit: 10 (PG Easy)	
Stock Code	Description	Diameter	RPM	Quality	ZAR Price Excl. VAT
6DC115220360024	PG Easy	115	13300	CERAMIC 36	93.60
6DC230220360024	PG Easy	230	6600	CERAMIC 36	291.20
6DC115140368024	Purple Grain Multi	115	13300	CERAMIC 36	222.75

★★★

SLTflex					
  				Packing Unit: 10	
Stock Code	Diameter	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
6FL115	115	M14	13300	ZK40, ZK60	262.20

★★★☆☆

SLTR - Lamellar Flap Discs, Zirconia Blue (reinforced fibre backing)					
				Packing Unit: 10	
Stock Code	Diameter	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
6FL100	100	16	15300	ZK40, ZK60	74.80
6FL115	115	22.23	13300	ZK40, ZK60, ZK80, ZK120	58.90
6FL178	178	22.23	8500	ZK40, ZK60, ZK80, ZK120	166.00

★★☆☆☆

Lamellar Flap Discs, competitively priced (reinforced fibre backing)					
				Packing Unit: 10	
Stock Code	Diameter	Bore	RPM	Quality	ZAR Price Per Item Excl. VAT
6FL115	115	22.23	13300	ZK40, ZK60, ZK80	45.00

LAMELLAR FLAP DISCS

★★☆

ASVT, Nylon disc for angle grinder, with reinforced fibre backing					
				Sold Individually Packing Unit: 10	
Stock Code	Diameter	Bore	RPM	Quality	ZAR Price Per Item
6FL115000001024	115	22.23	5300 Optimum, max 11000	ASVT - Coarse	311.10

★★☆

ASVT, Nylon disc for angle grinder, with reinforced fibre backing					
				Packing Unit: 5	
Stock Code	Diameter	Bore	RPM	Quality	ZAR Price Per Item
6FL115000001015	115	22.23	5300 Optimum, max 11000	ASVT - Coarse	150.00

NEW

- Removal of paint & adhesives, cement & concrete residues
- Graining and finishing of wood
- De-rusting, restoring and polishing of a wide variety of surfaces, De-rusting and preparation work on boats and ships, e.g., barnacles
- Usable without supporting plate on adjustable & slow-speed angle grinders.

★★☆

Deburring, Polishing Wheel					
				Packing Unit: 1	
Stock Code	Diameter	Thickness	Bore	Quality	ZAR Price Per Item
6FW150502518027	150	50	25.4	Webrax - CW8S	3604.00

NEW

★★☆

SLTP, Polishing Disc					
 				Packing Unit: 10	
Stock Code	Diameter	Bore	RPM	Quality	ZAR Price Per Item
6FP115000513024	115	22.23	8350	Fine	781.85
6FP115000523024	115	22.23	8350	Medium	856.90

Ideal for working on stainless steel, aluminium, and other non-ferrous metals. With the SLTP deburring, cleaning and polishing applications could be accomplished. The fleece fibre construction avoids the clogging of this tool. The high tool life and the less edge abrasion enhance the efficiency. Usable without supporting plate on adjustable and slow-speed angle grinders.

★★☆

SLTV, Nawaroflex - for finishing and polishing					
				Sold Individually Packing Unit: 10	
Stock Code	Diameter	Bore	RPM	Quality	ZAR Price Per Item
6FV115221062024	115	22.23	5300	A106	415.60

Usable without supporting plate on adjustable and slow-speed angle grinders.

MOUNTED FLAP WHEELS OF ABRASIVE CLOTH



Mounted flap wheels of abrasive cloth					
				Packing Unit: 10 Sold Individually	
Stock Code	Diameter	Thickness	Shank	Grit Size	ZAR Price Per Item Excl. VAT
6FS02010	20	10	3	80	67.85
6FS02015	20	15	6	80	69.95
6FS02020	20	20	6	80, 240	108.25
6FS02515	25	15	6	80, 120	69.95
6FS03005	30	5	6	60, 80, 120	60.60
6FS03010	30	10	3	120, 320	69.95
6FS03010	30	10	6	60, 80, 120	69.95
6FS03015	30	15	6	60, 80, 120	80.95
6FS03020	30	20	6	60	80.95
6FS04010	40	10	6	80	80.95
6FS04015	40	15	6	60, 80, 120, 180, 240, 400	80.95
6FS04020	40	20	6	60, 80, 120	92.60
6FS04025	40	25	6	60, 80, 120	93.85
6FS04040	40	40	6	60, 80, 120	128.85
6FS05010	50	10	6	80, 240	99.95
6FS05015	50	15	6	60, 80, 120, 180	99.95
6FS05020	50	20	6	40, 60, 80, 120	111.20
6FS05030	50	30	6	60, 80, 120	119.60
6FS05040	50	40	6	60, 80, 120	119.60
6FS06020	60	20	6	60, 80, 120	119.60
6FS06030	60	30	6	40, 60, 80, 120, 240	127.15
6FS06040	60	40	6	40, 60, 80, 120	120.85
6FS06050	60	50	6	60	162.20
6FS080150	80	15	6	120	167.70
6FS08020	80	20	6	60, 80	175.35
6FS08030	80	30	6	60, 80, 120	178.30
6FS08050	80	50	6	40, 60, 80, 120	253.25

These tools consist of individual flaps of Aluminium Oxide cloth or fleece radially located around the hub of the tool; they are mainly used in hand-held power tools.

Examples of applications for cloth flappers:

- finishing
- deburring
- surface grinding
- decorative finishing
- de-rusting
- fettling
- bevelling



**FOR EFFECTIVE RUST REMOVAL
SEE OUR FLAP WHEELS IN ACTION**

MOUNTED FLAP WHEELS OF ABRASIVE FLEECE

★★☆

SFV Mounted Flap Wheels of abrasive fleece shaft mounted - Aluminium Oxide					
				Packing Unit: 10 Sold Individually	
Stock Code	Diameter	Thickness	Shank	Grit Size	ZAR Price Per Item Excl. VAT
6FN040200610424	40	20	6	Coarse A104	156.55
6FN040200610624	40	20	6	Medium A106	156.55
6FN040300610724	40	30	6	Fine A107	161.90
6FN050300610624	50	30	6	Medium A106	168.75
6FN080500610424	80	50	6	Coarse A104	332.45
6FN080500610624	80	50	6	Medium A106	352.30
6FN080500610724	80	50	6	Fine A107	407.40

Applications for fleece flappers:

- Matting, conditioning, polishing, finishing, fine surface finishing

★★☆

SFM Combination Mounted Flap Wheels of abrasive fleece and abrasive cloth shaft mounted					
				Packing Unit: 10 Sold Individually	
Stock Code	Diameter	Thickness	Shank	Grit Size	ZAR Price Per Item Excl. VAT
6FN080500680024	80	50	6	Coarse A104/80	534.05

Applications for fleece flapper with abrasive cloth:

- Preparation work, de-rusting, pre-finishing

FLAP WHEELS OF ABRASIVE CLOTH

★★☆

LSL, Flap Wheels of abrasive cloth								
					Packing Unit: 1			
Stock Code	Size	Max RPM	40	60	80	120	180	240
6FG1502525	150X25X25	6300		562.80	591.70	620.55		713.50
6FG1505025	150X50X25	6300		886.95	941.85	1044.00		
6FG2002525	200X25X25	4700		950.35	1059.55	1076.15		
6FG2005025	200X50X25	4700		1732.30	1732.30	1732.30		1732.30

LSL - Flap Wheels of abrasive cloth:

These wheels with various bore dimensions can be used on both hand-held and floor-stand-type machines. The type LSL consists of individual flaps embedded radially into a very substantial resin-based core.

★★☆

LSL, Flap Wheels of abrasive cloth for angle grinder								
 					Packing Unit: 1			
Stock Code	Size	Max RPM	40	60	80	120	180	240
6FG1252014	125X20X14	12200		575.95		575.95		

LSL - Flap wheels of abrasive cloth for angle grinder:

LSL Flappers are designed to go on your standard angle grinder, mounting is made easy with a 14 mm thread. Certified to operate at 80 m/s. Currently available in 125 mm.

★★☆

LSV, Flap Wheels of abrasive fleece					Packing Unit: 1			
								
Stock Code	Size	Max RPM	Medium A106		Fine A107			
6FN1502525	150X25X25	4000	1345.90					
6FN1505025	150X50X25	4000	1542.55		1767.35			

SURFACE CONDITIONING ROLLS

★★☆

LWL, Flap Rolls of abrasive cloth for conditioning machines					
				Packing Unit: 1	
Stock Code	Diameter	Thickness	Bore	Grit Size	ZAR Price Excl. VAT
6FG1001001908024	100	100	19	80	815.65

LWL - Flap rolls of abrasive cloth for conditioning machines.

Application: preparation of work, deburring, de-rusting:

These rolls have a nineteen mm bore with four keyways; they are used on hand-held surface conditioning machines.

These tools consist of individual flaps which are radially embedded into a resin core.

★★☆

LWV, Flap Rolls of abrasive fleece for conditioning machines					
				Packing Unit: 1	
Stock Code	Diameter	Thickness	Bore	Grit Size	ZAR Price Excl. VAT
6FN1001001910424	100	100	19	A104	629.05
6FN1001001910624	100	100	19	A106	680.60
6FN1001001910724	100	100	19	A107	729.65

LWV - Flap rolls of abrasive fleece for conditioning machines

Application: conditioning, polishing, finishing, final finishing:

This product type consists of abrasive fleece flaps, the special fleece gives the tool flexibility and conforms to the individual workpiece profile.

★★☆

LWM, Flap Rolls of abrasive fleece / abrasive cloth combination					
				Packing Unit: 1	
Stock Code	Diameter	Thickness	Bore	Grit Size	ZAR Price Excl. VAT
6FN100100198024	100	100	19	A104/80	688.60
6FN100100191524	100	100	19	A106/150	763.15

LWM - Flap rolls of abrasive fleece with abrasive cloth insert for conditioning machines:

Due to the combination of coated abrasive and abrasive fleece, greater stock removal is achieved compared to the product type LWV.

SPIRABANDS - NO LAP BANDS / SLEEVES

★★☆

Abrasive Band, Cylindrical shape				
 		Packing Unit: 50 Sold Individually		
Stock Code	Diameter	Thickness	Grit Size	ZAR Price Per Item Excl. VAT
6LB1010	10	10	80	7.35
6LB1020	10	20	60	8.95
6LB1225	12	25	60, 80, 150	11.15
6LB1530	15	30	60, 80	14.05
6LB1925	19	25	60, 80, 150, 240	14.05
6LB2525	25	25	60, 80	15.25
6LB3030	30	30	40, 60, 80	18.60
6LB3825	38	25	40, 60, 80, 150	21.10
6LB4530	45	30	60, 80	24.05
6LB5125	51	25	40, 60, 80	25.20
6LB6030	60	30	60	29.30
6LB7530	75	30	60, 80	34.75

★★☆

Mandrel, Cylindrical shape						
				Packing Unit: 10 Sold Individually		
Stock Code	Diameter	Thickness	Shank	Length	Max PRM	ZAR Price Per Item Excl. VAT
6LH1010024	10	10	6	40	57000	152.45
6LH1020524	10	20	6	40	57000	233.10
6LH1225524	12	25	6	40	46500	233.10
6LH1530524	15	30	6	40	38000	244.75
6LH1925524	19	25	6	40	30000	248.55
6LH2525524	25	25	6	40	22500	256.20
6LH3030524	30	30	6	40	19000	262.60
6LH3825524	38	25	6	40	15000	379.55
6LH4530524	45	30	6	40	13000	322.35
6LH5125524	51	25	6	40	11200	397.45
6LH6030524	60	30	6	40	9500	418.10
6LH7530524	75	30	8	40	6500	472.80

The stated maximum operating speed only applies to a maximum overhang L° of 20 mm.
Other must be calculated separately.

ABRASIVE CAPS AND MANDRELS

★★☆

Abrasive Caps Universal, Conical Round Nose					
				Packing Unit: 100 Sold Individually	
Stock Code	Diameter	Length	Quality	Grit	ZAR Price Per Item Excl. VAT
6CC2080024	11	25	NK GREEN	80	25.55

★★☆

Podiatry Caps (Thermo & Non-Thermo)					
Thermo			Non-Thermo	Packing Unit: 100 Sold Individually	
					
Stock Code	Diameter	Length	Quality	Grit	ZAR Price Per Item Excl. VAT
6CP001007007024	10	16	Thermo	Medium	30.40
6CP001307007024	13	20	Thermo	Medium	30.40

★★☆

Mandrel for Podiatry Caps					
				Packing Unit: 10 Sold Individually	
Stock Code	Head diameter	Head length	Shank diameter	Max RPM	ZAR Price Per Item Excl. VAT
6CH010150024	10	15	2.35	17500	220.80
6CH013190024	13	19	2.35	11000	220.80

ABRASIVE SHEETS



Sheet													
							Packing Unit: Grit 60-100 = 50 Packing Unit: Grit 120-2500 = 100 ZAR Price Per Sheet Excl. VAT						
Waterpaper WS Flex 16, 18 C													
Stock Code	Size	60	80	100	120	150	180	220	320	360	400	600	800
6PA233	230X280	21.85	21.85	17.20	17.10	16.50	13.85	13.85	13.85	13.85	13.85	13.85	15.45
Waterpaper WS Flex 16, 18 C													
Stock Code	Size	1000	1200	1500	2000	2500							
6PC230	230X280	15.45	15.45	15.45	15.45	15.45							



Sheets											
Waterpaper - Autopaper									Packing Unit: 50 ZAR Price Per Sheet Excl. VAT		
Stock Code	Size	80	100	120	150-1500						
6PA233	230X280	10.00	10.00	10.00	9.80						
Emery Cloth									Packing Unit : 50 ZAR Price Per Sheet Excl. VAT		
Stock Code	Size	50	80	100	120	220					
6PA235	230X280	11.10	11.10	10.50	10.50	10.50					
Stearate Sheets									Packing Unit : 50 ZAR Price Per Sheet Excl. VAT		
Stock Code	Size	100	120	150	180	220	320	360	400		
6PC230	230X280	11.10	10.50	10.50	10.50	10.50	10.50	10.50	10.50		

ABRASIVE ROLLS

★☆☆

Floor Sanding						
Notch Sheets					Packing Unit: 25 ZAR Price Per Sheet Excl. VAT	
Stock Code	Size	40	60	80	100	120
6HC200	200x472	60.00	48.40	40.60	38.20	38.20
Angle Sheets					Packing Unit: 25 ZAR Price Per Sheet Excl. VAT	
Stock Code	Size	40	60	80	100	
6HC210470	210x510	58.30	50.90	51.40	49.10	
50 Meter Rolls					Packing Unit: 1	
Stock Code	Size	40	60	80	100	
6HC300	300 X 50 M	2634.30	2488.75	2199.10	2007.60	

★☆☆

Floor Sanding						
Brown Paper Rolls					Packing Unit : 20 ZAR Price Per Item Excl. VAT Sold Individually	
Stock Code	Size	36	40	80	100	
6HA070	70 X 50 M	1377.50	1583.20			
6HA115	115 x 50 M			1740.70	1644.50	
Hand Sanding Rolls					Packing Unit : 20 ZAR Price Per Item Excl. VAT Sold Individually	
Stock Code	Size	40	60	80	100	
6HC300	300 X 1 M	29.50	29.50	29.50	29.50	
Economy/Handy Rolls					Packing Unit : 20 ZAR Price Per Item Excl. VAT Sold Individually	
Stock Code	Size	40	60	80	100 - 400	
6HH05050	50 X 50 M	839.20	839.20	794.30	794.30	

FIBRE DISCS

★★★

Ceramic Resin Fibre Discs



Packing Unit : 50
ZAR Price Per Item Excl. VAT

Stock Code	Size	Type	36	60	80				
6DC115	115 X 22	Red Ceramic	50.95	34.00	31.00				
6DC115	115 X 22	Ceramic Plus	55.00						
6DC180	180 X 22	Red Ceramic	112.75	69.95					

★★★☆☆

Resin Fibre Discs



Stock Code	Size	Type		24	36	60	80	100	120
6DD10016	100 x 16	RB314 Aluminium Oxide						18.70	
6DD11522	115 X 22	RB314 Aluminium Oxide		25.75	25.20	21.20	20.60		
6DD11522	115 X 22	RB414 Zirconia			31.90	26.45			26.35
6DD12522	125 X 22	RB314 Aluminium Oxide				26.45			
6DD18022	180 X 22	RB314 Aluminium Oxide		47.35	44.95	40.20	38.45	38.45	41.50
6DD18022	180 X 22	RB414 Zirconia			53.85	48.70			

★★★☆☆

Semi Flex Discs



Packing Unit : 25
ZAR Price Per Item Excl. VAT

Stock Code	Size	Type	16	36					
6DC11522	115 X 22	Semi-Flex Sic Discs	110.65	110.65					
6DC18022	180 X 22	Semi-Flex Sic Discs	140.40	140.40					

★★☆☆☆

Resin Fibre Discs



Packing Unit : 25
ZAR Price Per Item Excl. VAT

Stock Code	Size	Type	16	24	36	50	60	80	100	120
6DD10016	100 x 16	Aluminium Oxide		13.80	13.30		12.40			
6DD11522	115 X 22	Aluminium Oxide	15.50	15.30	14.60		13.40	13.30	12.90	12.90
6DD11522	115 X 22	Zirconia			17.60		15.40	14.60	13.80	13.30
6DC11522	115 X 22	Silicone Carbide			19.70		18.20			
6DD12522	125 X 22	Aluminium Oxide	19.40	20.20	18.90		16.30	15.50	15.50	
6DD18022	180 X 22	Aluminium Oxide	39.10	31.30	29.00	26.10	26.10	25.60	25.60	
6DD18022	180 X 22	Zirconia			37.30			29.00		25.80
6DC18022	180 X 22	Silicone Carbide	39.10		33.40		30.00			

VELCRO DISCS

★★☆

Velcro Discs								
							Packing Unit : 50 (P40-80) Packing Unit : 100 (P100-150)	
VC153 - Velcro Discs (Brown Aluminium Oxide)								
Stock Code	Size	Type	40	60	80	100	120	150
6ZD125	125	No Hole	27.40	18.50	16.70	15.35		16.05
6ZD125	125	8 Holes	27.40	25.40	22.55			
6ZD150	150	No Hole	22.90	21.95	20.70	19.65	19.65	19.65
6ZD150	150	6 Holes	26.90	24.90	24.45			
				Packing Unit: 50 (P80) Packing Unit: 100 (P120-320) ZAR Price Per Item Excl. VAT				
VC151 Long Life Stearate - Velcro Discs								
Stock Code	Size	Type	80	120	150	180	220	320
6ZD125	125	No Hole	11.55	11.55	11.55		11.55	
6ZD150	150	No Hole	12.50		12.50			12.50
6ZD150	150	6 Holes				12.50		

★★☆

Velcro Discs												
								Packing Unit : 50 ZAR Price Per Item Excl. VAT				
Stearate Velcro Discs, PRO-X												
Stock Code	Size	Type	60	80	100	120	150	180	220	320	400	
6ZC125	125	No Hole	8.05	8.05	8.05	8.05	7.95		7.95	7.95	7.95	
6ZC150	150	No Hole	11.85	11.65	11.85	11.85	10.90	10.70	10.90	10.90	10.70	
6ZC150	150	6 Hole		14.20			12.50		13.30			
								Packing Unit : 50 ZAR Price Per Item Excl. VAT				
Gold Velcro Disc, PRO-X												
Stock Code	Size	Type	80	100	120	150	180	220	240	320	400	600
6ZD150	150	No Hole	11.85	11.85	10.90	10.90	10.90	10.90		10.90	10.90	10.70
6ZD150	150	6 Hole	11.85	11.85	10.90	10.90	10.90	10.90		10.90	10.90	

QUICK CHANGE DISCS - PSG



Quick Change Discs - PSG					
				Packing Unit : 50 ZAR Price Per Item Excl. VAT Sold Individually	
Stock Code	Type	Diameter	Grit	Max RPM	ZAR Price Excl. VAT
6SD0500605024	Zirconia	50	Z60	30000	44.00
6SD0500805024	Zirconia	50	Z80	30000	44.00
Quick Change Discs - PSG					
				Packing Unit : 50 ZAR Price Per Item Excl. VAT Sold Individually	
Stock Code	Type	Diameter	Grit	Max RPM	ZAR Price Excl. VAT
6SD0500360024	Brown Alo	50	NK36	30000	37.15
6SD0500600024	Brown Alo	50	NK60	30000	37.15
6SD0500800024	Brown Alo	50	NK80	30000	37.15
Quick Change Discs - PSG					
				Packing Unit : 50 ZAR Price Per Item Excl. VAT Sold Individually	
Stock Code	Type	Diameter	Grit	Max RPM	ZAR Price Excl. VAT
6SD0500902024	Fleece	50	Medium	8000	40.10



GTG, Mandrels for quick change abrasive discs					
				Packing Unit : 10 ZAR Price Per Item Excl. VAT Sold Individually	
Stock Code	Type	Diameter	Shank	Max RPM	ZAR Price Excl. VAT
6SH050060024	GTG Hard	50	6	30000	610.90

CLOTH BELTS

★★☆

Cloth Belts for portable sanders, Belt RB346 skived with lap joint (Price per belt)							
							
Stock Code	Size	40	60	80	100	120	Packing Unit
6MB013457	13 X 457		12.30	11.60			23 Per Pack
6MB030533	30 X 533	21.20		18.30			10 Per Pack
6MB075457	75 X 457	48.00	43.30	41.60	41.00	41.00	4 Per Pack
6MB075510	75 X 510	51.70	40.80	40.50	36.50		4 Per Pack
6MB075533	75 X 533	57.30				49.00	4 Per Pack
6MB075610	75 X 610			49.70			4 Per Pack
6MB100560	100 X 560	73.40	65.70	62.90			3 Per Pack
6MB100610	100 X 610			75.60			3 Per Pack
6MB100915	100 X 915	109.00	97.70	92.10	95.00	88.70	3 Per Pack
6MB1501220	150 X 1220	206.40	183.90	172.80	166.00	166.00	2 Per Pack

Various other sizes custom-made sanding belts on request in Brown Aluminium, Silicone Carbide & Zirconia material.

Cloth Belts for portable sanders, Belt RB346 skived with lap joint (Price per belt)							
							
Stock Code	Size	40	60	80	100	120	Packing Unit
6MB0755330	75x533	61.35	55.10	52.80	52.05		10 Per Pack
6MB100610	100x610	85.35	83.30	81.00	81.00	79.40	10 Per Pack
6MB110620	110X620		112.45	109.20	106.65		10 Per Pack

PRE-PACK BELTS

★★☆

Cloth Belts for portable sanders, Belt RB320 skived with lap joint					
				Packing Unit : 3 ZAR Price Per Item Excl. VAT	
Stock Code	Size	40	80	120	
6MP075457	75x457	60.70	56.50		
6MP100560	100x560	94.20	87.40	87.40	
6MP100610	100x610	102.20			

SURFACE FINISHING

★★☆

Burnishing Machine (Conditioning Machine), Cushion Wheel, Adaptor & Accessories					
				Packing Unit : 1	
Stock Code	Type	Quality	Diameter	ZAR Price Excl. VAT	
1BUR1001001077	Conditioning Machine 100 mm			On request	
1DC94472001	Cushion Wheel - Fits Low-Speed Polishing Machines			On request	
1DC058014001	Cushion Adaptor 5/8 to M14			On request	
	90x400 Surface Conditioning Belts			V/Fine, Fine, Medium, Coarse	
	90x400 Zirconia & Brown Alu Belts			Various grits	

SURFACE CONDITIONING

★★☆


PSH - Quick change discs with non woven material, velcro self fixing system & Holder					
				Packing Unit : 10 (Discs) Packing Unit : 1 (Holder) ZAR Price Per Item Excl. VAT	
Stock Code	Type	Quality	Diameter	Grit	ZAR Price Excl. VAT
7FD115	PSH	Non Woven Disc	115	Very Fine (Blue)	140.35
7FD115	PSH	Non Woven Disc	115	Medium (Maroon)	140.35
7FD115	PSH	Non Woven Disc	115	Coarse (Brown)	140.35
6DB11514100324	GTH	Back up Pad	115	M14	502.10

★★☆

SLTN Surface Conditioning Flap Discs (AN701-50)					
				Packing Unit : 10 ZAR Price Per Item Excl. VAT	
Stock Code	Type	Quality	Diameter	Grit	ZAR Price Excl. VAT
7FD1150205067	Flap Disc	Non Woven	115	Fine (Blue) (180#)	209.90
7FD1150204067	Flap Disc	Non Woven	115	Maroon (Medium) (100#)	209.90
7FD1150203067	Flap Disc	Non Woven	115	Coarse (Brown) (80#)	209.90


NON WOVEN NYLON, FLEECE/ SCOTCHBRITE

★★☆

Scotchbrite hand pads					
				Packing Unit : 10 ZAR Price Per Item Excl. VAT	
Stock Code	Size	Coarse	Medium	Fine	Very Fine
7FP150230 Maroon	150 X 225	On request	512.70	493.10	407.60
7FP150230 Green	150 X 225				232.25
Scotchbrite rolls					
				Packing Unit : 1	
Stock Code	Size	Coarse	Medium	Fine	Very Fine
7FR15010 Maroon	150 X 10 m	On request	1951.85	1775.45	1608.80
7FR15010 Green	150 X 10 m				806.60

HAND SANDING BLOCKS & BACKING PADS

★★☆

Abrasive Sponge Blocks				
			Packing Unit : 1	
Stock Code	Size	Coarse	Medium	Fine
7BB10060019	100x70x25	48.35		
7BB10120019	100x70x25		48.35	
7BB10240019	100x70x25			48.35

★★☆

Abrasive Flex Blocks (ax-o)				
			Packing Unit : 1	
Stock Code		Coarse	Medium	Fine
7BB060019	Red / 60	240.75		
7BB120019	Green / 120		240.75	
7BB240019	Yellow / 240			240.75

★☆☆

Resin Bonded Rubbing Bricks					
				Packing Unit: 30 Sold Individually	
Stock Code	Length	Width	Height	Quality	ZAR Price Per Item Excl. VAT
5BS05050	100	50	50	Coarse, Medium, Fine	144.05
5BS05050	200	50	50	Coarse, Medium, Fine	196.75

★★☆

Backing Pads					
			Packing Unit : 1		
Stock Code	Size	Colour & description	Code		ZAR Price Excl. VAT
6DB115146099	115 X M14	Backing Pad & Nut Nylon 115 mm - Black	TCBP115-3		254.50
6DB178146099	178 X M14	Backing Pad & Nut Nylon 178 mm - Black	TCBP178-1		308.55
6DB178146095	178 X M14	Grinder Pad & Nut 178 mm x M14 White	FLEX20310		763.00

DRILLS



Fully Ground HSS



Material:
Tolerance:
Point angle:
Web thickness:
Helix angle:
Shape of flute:
Construction to:
Hardness:

Hss silver
H8
135°
Standard
Standard
Standard
Din 338
63 - 66 Hrc

- Fully ground
- Precise centricity
- High resistance against breaking force
- Optimal chip removal
- Suitable for standard drilling in all common materials
- Designed to drill steel and steel alloys, sintered iron, graphite, bronze & brass iron
- Coolant recommended

Stock Code	Description	ZAR Price Excl. VAT
2DB0010010203	HSS FULLY GROUND DRILL 1.0mm **	5.50
2DB0015010203	HSS FULLY GROUND DRILL 1.5mm **	6.05
2DB0020010203	HSS FULLY GROUND DRILL 2.0mm **	12.10
2DB0025010203	HSS FULLY GROUND DRILL 2.5mm **	12.30
2DB0030010203	HSS FULLY GROUND DRILL 3.0mm **	12.55
2DB0032010203	HSS FULLY GROUND DRILL 3.2mm **	13.55
2DB0035010203	HSS FULLY GROUND DRILL 3.5mm **	14.35
2DB0038010203	HSS FULLY GROUND DRILL 3.8mm	17.70
2DB0040010203	HSS FULLY GROUND DRILL 4.0mm	17.70
2DG0041010203	HSS FULLY GROUND DRILL 4.1mm DBL ENDED	14.35
2DB0042010203	HSS FULLY GROUND DRILL 4.2mm	19.95
2DB0045010203	HSS FULLY GROUND DRILL 4.5mm	19.95
2DB0048010203	HSS FULLY GROUND DRILL 4.8mm	21.40
2DG0049010203	HSS FULLY GROUND DRILL 4.9MM DBL ENDED	17.70
2DB0050010203	HSS FULLY GROUND DRILL 5.0mm	22.50
2DB0052010203	HSS FULLY GROUND DRILL 5.2mm	28.00
2DB0055010203	HSS FULLY GROUND DRILL 5.5mm	28.00
2DB0060010203	HSS FULLY GROUND DRILL 6.0mm	34.15
2DB0065010203	HSS FULLY GROUND DRILL 6.5mm	38.10
2DB0070010203	HSS FULLY GROUND DRILL 7.0mm	41.45
2DB0075010203	HSS FULLY GROUND DRILL 7.5mm	45.35
2DB0080010203	HSS FULLY GROUND DRILL 8.0mm	55.55
2DB0085010203	HSS FULLY GROUND DRILL 8.5mm	59.90
2DB0090010203	HSS FULLY GROUND DRILL 9.0mm	69.35
2DB0095010203	HSS FULLY GROUND DRILL 9.5mm	69.35
2DB0100010203	HSS FULLY GROUND DRILL 10.0mm	86.00
2DB0105010203	HSS FULLY GROUND DRILL 10.5mm	80.40
2DB0110010203	HSS FULLY GROUND DRILL 11.0mm	98.35
2DB0115010203	HSS FULLY GROUND DRILL 11.5mm	103.50
2DB0120010203	HSS FULLY GROUND DRILL 12.0mm	119.75
2DB0125010203	HSS FULLY GROUND DRILL 12.5mm	134.95
2DB0130010203	HSS FULLY GROUND DRILL 13.0mm	143.90
2DB0140010203	HSS FULLY GROUND DRILL 14.0mm	162.30
2DS00250010203	FULLY GROUND DRILL 25 PCE SET	1279.05

** Sizes 1 mm - 3.5 mm 2 drills per sleeve (price per each)

DRILLS

★★☆

Black / Bronze (Bulk Packaging : 1.5 mm - 6.5 mm 10 p/p, 7.0 mm - 12.5 mm 5 p/p)



- Used for drilling stainless steel or other very hard steel
- Special flute design allows for fast dust removal while drilling

Stock Code	Description	ZAR Price Excl. VAT
2DC0015020203	ICE BLACK / BRONZE DRILL 1.5 mm	6.85
2DC0020020203	ICE BLACK / BRONZE DRILL 2.0 mm	8.05
2DC0025020203	ICE BLACK / BRONZE DRILL 2.5 mm	8.60
2DC0030020203	ICE BLACK / BRONZE DRILL 3.0 mm	9.30
2DC0035020203	ICE BLACK / BRONZE DRILL 3.5 mm	15.25
2DC0040020203	ICE BLACK / BRONZE DRILL 4.0 mm	19.40
2DC0042020203	ICE BLACK / BRONZE DRILL 4.2 mm	18.50
2DC0045020203	ICE BLACK / BRONZE DRILL 4.5 mm	21.75
2DC0050020203	ICE BLACK / BRONZE DRILL 5.0 mm	29.70
2DC0055020203	ICE BLACK / BRONZE DRILL 5.5 mm	35.60
2DC0060020203	ICE BLACK / BRONZE DRILL 6.0 mm	42.80
2DC0065020203	ICE BLACK / BRONZE DRILL 6.5 mm	52.20
2DC0070020203	ICE BLACK / BRONZE DRILL 7.0 mm	62.70
2DC0080020203	ICE BLACK / BRONZE DRILL 8.0 mm	79.65
2DC00850020203	ICE BLACK / BRONZE DRILL 8.5 mm	87.00
2DC0090020203	ICE BLACK / BRONZE DRILL 9.0 mm	87.80
2DC0095020203	ICE BLACK / BRONZE DRILL 9.5 mm	98.35
2DC0100020203	ICE BLACK / BRONZE DRILL 10.0 mm	133.50
2DC01050020203	ICE BLACK / BRONZE DRILL 10.5 mm	150.10
2DC01150020203	ICE BLACK / BRONZE DRILL 11.5 mm	194.45
2DC0120020203	ICE BLACK / BRONZE DRILL 12.0 mm	208.90
2DC0125020203	ICE BLACK / BRONZE DRILL 12.5 mm	227.70
2DC0130020203	ICE BLACK / BRONZE DRILL 13.0 mm	193.00

DRILLS



Step Drill



- **M35 high-speed steel construction ensures extended tool life**
- **Designed for materials up to 3.2mm in thickness**
- **Drill 4-22mm / 4-32mm - 10/15 distinct hole diameters**

Stock Code	Description	ZAR Price Excl. VAT
2DS000422010203	Drill 4-22mm M35 10 Step	473.65
2DS000432010203	Drill 4-32mm M35 15 Step	582.40

NEW

Application recommendation:

- Mild Steel
- Aluminium
- Copper, Brass
- Wood Plastics, acrylics, polycarbonates



Masonry / Concrete



- **A drill bit for the toughest application**
- **Sandblasted finish**
- **High performance**
- **The design offers speedy penetration and long life expectancy**
- **The spiral flute ensures rapid removal of dust & debris**
- **For use on all light and heavy hammer drills with 2 & 3 jaw chuck**
- **Designed to drill concrete masonry bricks & natural stone**

Stock Code	Description	ZAR Price Excl. VAT
2DE0030020203	MASONRY HQ DRILL 3.0mmx60mm	13.55
2DE0040020203	MASONRY HQ DRILL 4.0mmx75mm	14.05
2DE0050020203	MASONRY HQ DRILL 5.0mmx85mm	16.00
2DE0060020203	MASONRY HQ DRILL 6.0mmx100mm	17.15
2DE0065020203	MASONRY HQ DRILL 6.5mmx100mm	19.20
2DE0080020203	MASONRY HQ DRILL 8.0mmx120mm	23.80
2DE0100020203	MASONRY HQ DRILL 10.0mmx120mm	29.20
2DE0120020203	MASONRY HQ DRILL 12.0mmx150mm	43.95
2DE0140020203	MASONRY HQ DRILL 14.0mmx150mm	57.05
2DE0160020203	MASONRY HQ DRILL 16.0mmx150mm	100.85
2DE0200020203	MASONRY HQ DRILL 20.0mmx160mm	126.15
2DE0220020203	MASONRY HQ DRILL 22.0mmx160mm	177.10
2DE084000020203	MASONRY HQ DRILL 8.0mmx400mm	90.40
2DE144000020203	MASONRY HQ DRILL 14.0mmx400mm	198.70
2DE184000020203	MASONRY HQ DRILL 18.0mmx400mm	225.40

DRILLS



SDS Plus



- High quality tungsten tip
- Sandblasted finish
- The 4-flute shaft spiral stabilizes the drill bit
- For easier drilling with reduced strain on both the power tool and operator
- Debris and dust are quickly removed
- Designed to drill concrete, brick, masonry & natural stone
- For rotary hammer drills with SDS Plus Chuck

Stock Code	Description	ZAR Price Excl. VAT
2DF051600010203	SDS DRILL 5.0mmx160mm PLUS	43.00
2DF061600010203	SDS DRILL 6.0mmx160mm PLUS	43.00
2DF062100010203	SDS DRILL 6.0mmx210mm PLUS	48.55
2DF062600010203	SDS DRILL 6.0mmx260mm PLUS	60.95
2DF081100010203	SDS DRILL 8.0mmx110mm PLUS	40.25
2DF081600010203	SDS DRILL 8.0mmx160mm PLUS	45.30
2DF082100010203	SDS DRILL 8.0mmx210mm PLUS	53.25
2DF083100010203	SDS DRILL 8.0mmx310mm PLUS	79.90
2DF101600010203	SDS DRILL 10.0mmx210mm PLUS	54.85
2DF102100010203	SDS DRILL 10.0mmx210mm PLUS	65.65
2DF104000010203	SDS DRILL 10.0mmx400mm PLUS	148.10
2DF121600010203	SDS DRILL 12.0mmx160mm PLUS	61.85
2DF122600010203	SDS DRILL 12.0mmx260mm PLUS	83.25
2DF124500010203	SDS DRILL 12.0mmx450mm PLUS	165.60
2DF142100010203	SDS DRILL 14.0mmx210mm PLUS	89.25
2DF144500010203	SDS DRILL 14.0mmx450mm PLUS	180.45
2DF162100010203	SDS DRILL 16.0mmx210mm PLUS	114.75
2DF163100010203	SDS DRILL 16.0mmx310mm PLUS	139.25
2DF164500010203	SDS DRILL 16.0mmx450mm PLUS	230.90
2DF182600010203	SDS DRILL 18.0mmx260mm PLUS	159.05
2DF184500010203	SDS DRILL 18.0mmx450mm PLUS	273.00
2DF202600010203	SDS DRILL 20.0mmx260mm PLUS	196.05
2DF204500010203	SDS DRILL 20.0mmx450mm PLUS	311.05
2DF224500010203	SDS DRILL 22.0mmx450mm PLUS	348.45
2DF244500010203	SDS DRILL 24.0mmx450mm PLUS	403.90
2DF254500010203	SDS DRILL 25.0mmx450mm PLUS	447.60

DRILLS



SDS Max - 4 Star



- For rotary hammer drills with SDS Max chuck, high-quality 4 cutter head construction
- Guides the drill centrally in the hole, the spiral flute ensures rapid removal of dust and debris
- The design of the drill reduces vibration, designed to drill concrete, masonry & natural stone


Stock Code	Description	ZAR Price Excl. VAT
2DH102800044203	SDS DRILL 10x280 MAX 4-STAR	199.30
2DH12400011203	SDS DRILL 12x400 MAX 4-STAR	280.70
2DH125700044203	SDS DRILL 12x570 MAX 4-STAR	387.80
2DH142800044203	SDS DRILL 14x280 MAX 4-STAR	239.65
2DH144000044203	SDS DRILL 14x400 MAX 4-STAR	302.70
2DH162800044203	SDS DRILL 16x280 MAX 4-STAR	266.90
2DH16400012203	SDS DRILL 16x400 MAX 4 STAR	314.50
2DH184000044203	SDS DRILL 18x400 MAX 4-STAR	336.15
2DH185700044203	SDS DRILL 18x570 MAX 4-STAR	470.35
2DH202800044203	SDS DRILL 20x280 MAX 4-STAR	299.80
2DH204000044203	SDS DRILL 20x400 MAX 4-STAR	369.70
2DH205700044203	SDS DRILL 20x570 MAX 4-STAR	496.45
2DH225700044203	SDS DRILL 22x570 MAX 4 STAR	558.00
2DH245700044203	SDS DRILL 24x570 MAX 4-STAR	630.55
2DH265700044203	SDS DRILL 26x570 MAX 4-STAR	751.50
2DH285700044203	SDS DRILL 28x570 MAX 4-STAR	852.95
2DH325700044203	SDS DRILL 32x570 MAX 4-STAR	1252.35
2DH405050044203	SDS DRILL 40x505 MAX 4-STAR	2100.95

LUKAS PRODUCT DISPLAY STANDS

Stock code: 9DMS10010099

Description: Lukas Stand

Minimum Order Value: R3000.00 Excl. VAT



Stock code: 9DMS001099

Description: Multi Purpose Stand

Minimum Order Value: R6000.00 Excl. VAT



Available on request, Terms and conditions apply

Stand must be filled with Lukas products and stand remains the property of Lukas Abrasives SA (PTY) LTD