

TorkCraft™

Tools for every job

BUILT FOR **SOUTHERN AFRICA**
TRUSTED EVERYWHERE



2026/2027

MADE TO TORK CRAFT SPECIFICATIONS

IN A MARKET FLOODED WITH OPTIONS, TRUE QUALITY
IS NEVER ACCIDENTAL - IT IS ENGINEERED.



STANDARD

At Tork Craft, every product that reaches the shelf carries more than just a logo. It carries a promise. A promise that it has been specifically designed, developed, and tested by our internal team to meet the exact demands of the industries we serve. That is what "Made to Tork Craft Specifications" truly means.

Designed With Purpose

Unlike generic, off-the-shelf solutions, Tork Craft products are not selected—they are created with intent. From abrasives to power tools, drilling to fastening, each product is carefully developed according to detailed specifications set by our in-house experts.

This process ensures:

- Consistent quality standards
- Application-driven performance
- Durability suited to real working environments
 - Compliance with industry demands
 - Long-term reliability for professional use

Our team works closely with manufacturers, engineers, and industry specialists to ensure that every item reflects our commitment to performance and value. Only once a product meets our rigorous benchmarks does it receive the "Made to Tork Craft Specifications" stamp of approval.

Solution - Driven Innovation

Quality alone is not enough.

The modern workshop, job-site or production floor demands solutions - not just products. That is why our development philosophy goes beyond performance specifications. We design tools & accessories that solve real problems across multiple industries:

- Construction
- Manufacturing
 - Automotive
 - Engineering
- DIY & Home Workshop
- Industrial Maintenance

Each product is created with a clear understanding of application, workload, and user expectation.

The result?

Tools that don't just work, they work where and how they are needed most.

CONTRACTOR

INDUSTRIAL

A Clear Tier System for Every Application

To further simplify selection for both consumers and dealer floor staff, Tork Craft products are classified into three clearly defined performance tiers. This structure ensures easy identification of the right tool for the right job.

● Yellow - Standard

Designed for general purpose and DIY applications. Reliable performance for lighter workloads and occasional use. Ideal for home users and entry-level requirements.

● Green - Contractor

Built for tradespeople and regular job site use. Enhanced durability and performance suited to consistent, demanding applications.

● Blue - Industrial

Engineered for heavy-duty, high-performance environments. Maximum durability, precision and lifespan for professional and industrial operations where performance cannot be compromised.

This colour-coded system empowers customers to quickly match product capability with application demands improving confidence, reducing confusion, and supporting smarter purchasing decisions.

More Than a Product. A Standard.

The "Made to Tork Craft Specifications" stamp represents more than internal approval. It represents accountability. It signifies that the product has been designed with purpose, tested for performance, and positioned correctly within our tier structure. For dealers, it simplifies selling.

For professionals, it builds trust.

For end users, it guarantees value.

At Tork Craft, we don't follow industry standards.

**We set our own -
and then we build to them.**

Index

Abrasives	74 - 85	Leather Hole Punch	72
Angle Drive 1-Speed	53	Lock Mortiser	115
Annular Cutters	34	L-Wrench Keys	69 - 70
Auger Bits	48 - 49	MAD-BIT Titanium	47
Axes	124	Magnetic Base Core Drills	35 - 36
Backpacks	102	Magnetic Tools	140
Batteries & Chargers	109 - 110	Measuring	92 - 93, 97 - 98
Biscuit Jointing / Dowelling	118	Mechanic Creepers & Chairs	150
Cable Ties	152	Mini Rotary Tool & Accessories	111 - 114
Carpenters Pencils / Boiler Makers Chalk	94	Mortar & Grout Gun	148
Caulking Guns / Caulking Tools	149	Mortice Chisels	116
Centre Punches	117	NIBBLER Sheet Metal Cutter	94
Chamfer Tool / Reamers	39	Oscillating Blades	15 - 16
Chucks	54	Paint Markers	95
Circular Saw Blades TCT	1 - 7	Paint Mixers	72
Clamps / Vices	119 - 121, 140	Pipe Wrenches / Bolt Cutters	135
Caps / Socks / Water	153	Planer Blades	13
Countersinks	51	Pliers / Side Cutters	122 - 124
Cutting & Grinding Discs	73	Plug Cutters	49
Diamond Blades / Diamond Polishing	20 - 24	Polishing & Sanding	86 - 92
Diamond Tools	50	Power Bars / Ratchets	135
Drill Bits / Chisels	41 - 45	Power Tools Cordless & Corded	141 - 147
Drill Saws Titanium	53	PRO-TECH	8 - 9
Ear Clamps	152	Putty Knives	148
Ear Plugs	106	Riveters	71
Edging Trimmer	19	Rotary Burrs, Files & Rasps	52 - 53
Electric Engraver	112	Router Bits / Routing	17 - 19
Foam Guns / Mortar Grout Gun	148	Safety Eyewear	107
Forstner Bits	48	Screwdriving	55 - 68
Glass & Tile Drill Bits	50	Screw Extractors / Thread Lock	40
Gloves	104 - 105	Sabre Saw / Scraper & Scroll Saw Blades	14
Glue Guns & Glue Sticks Hot Melt	95	Sockets Deep	131 - 132
Grinding Points	53	Spade Bits / MAD-BIT Titanium	46 - 47
Grinding Wheels	78	Spanners - Combination, Shifting & Slogging	122, 125, 129
Hacksaws & Hacksaw Blades	139	Staple Guns	72
Hammers	137	Step Drills	51
Hand Files	130	Taps & Dies	37 - 38
Hand Saws	138	Torches & Lighting	108
Hard Storage Cases	99 - 102	Thread Repair Kits	39
Hole Saws / Hollow Core Bits	25 - 33	Tin Snips	130
Hose Clamps	151	Tool Belts, Bags, Pouches & Knee Pads	103
Impact Sockets	126 - 130	Tool Boxes & Trolleys	133 - 134
Insulation Tape	66	Torque Wrenches Digital & Mechanical	136
Jigsaw Blades	10 - 13	Vice Jaws	121
Knives & Multi Tools	106	Wire Brushes	75 - 77
Laser Distance Meters	96	Wood Chisels	116 - 117
Letter & Number Punches	117	Wood Storage Racks / Portable Saw Horse	98

Tork Craft – “Tools for every job”

Proud to be local, a trusted South-African brand that has stood the test of time through many generations. Produced by global partners according to specified Tork Craft standards, also complying to South African regulatory standards.

Guide to finding the right tool for the job

Product category classification types. Yellow, Green. Blue

Classification formula: Tork Craft classifies and categorize products based on a few factors such as material and process of manufacturing, convenience of use, features, safety aspects, characteristics, specialty and trade specific, operator skills requirement, application and applicable industry.

Yellow (Standard):

Products categorized mainly as versatile, multi-functional, multi-choice, no extra ordinary features, suitable to be used in the DIY segment. Often hand-used with no specific skills level requirement, around the home use. Manufactured from materials and processes suitable for light to medium duty use. Classified products would typically not be subjected to abnormal health & safety risks.

Green (Contractor):

Products categorized mainly as made from materials and processes suitable for medium to heavy duty use. More attention given to the design of the product in consideration of the user, safety, frequency of use as well as the ability to deliver the desired results under normal working conditions. In many cases this is also the cross-over from hand use to use with a power tool.

Blue (Industrial):




Products categorized mainly as made from the most suitable materials under more precise manufacturing processes to be able to withstand heavy duty use. Products in the category are more focused on features, safety and might require higher operator skills. Due to specific manufacturing processes products can deliver optimal results under extreme usage, designed with industry, environment and application specific in mind.

Tork Craft Ultimate Warranty

All Tork Craft products are backed by Tork Craft's Ultimate Warranty, giving you peace of mind, knowing you can get the job done. Supported by our own internal Product Testing & Technical support team as well as repair & service centre, we have you covered.

Whatever the job needs to be done around the home, construction site or at the mines, whether in Southern Africa or elsewhere in the world, Tork Craft, ready for Africa – ready for the world.

PACKAGING ICONS

	Stainless Steel Icon		Sheet Metal Icon		Wood Icon		Aluminium Icon		Steel Icon
	Hook & Loop Icon		Aluminium Icon		PVC Icon		Brick Icon		Carbon Steel Icon
	Magnetized Icon		Rubber Icon		Chrome Vanadium Icon				Leather Icon
	RPM Icon		Diameter Icon		HRC Icon		Tungsten Icon		Building Material/ Construction Icon
1.2mm MAX		1.8mm MAX		Soft/Hard Wood		1.2mm MAX		Soft	
Hook & Loop Fixing Strip						Brick		Carbon Steel	
1750 MAX RPM		15mm Head		Cutting Hardness		Tungsten			



STANDARD

CONTRACTOR

INDUSTRIAL



CIRCULAR SAW BLADE PRODUCT KNOWLEDGE

Our product selection consists of high-quality circular saw blades available for use in portable, cordless and stationary saws. Saw blades are available in configurations for most applications, from general purpose blades to highly specialized designs, in Standard, Contractor and Industrial options. Everything depends on how much blade you want, and that's often a question of construction material and amount of use.

Circular Saw Blade and Dado Terms:

Below is a list of Circular Saw Blade terms and illustrations to assist you in selecting the right blade for the right job:

Anti-kick Saw Blades: A particular Circular Saw Blade's (CSB) shoulder design that is engineered to improve the ease of cut and reduce the effect of the saw blade kicking back due to overfeeding.

Arbor: The saw motor shaft that rotates the saw blade. Often referred to as the mandrel.

Bore: The arbor by which the saw blade is mounted on the saw. Available in various sizes. Bore size on the blade.

Bevel: Angles on a carbide tooth CSB. Teeth can have a single bevel, two bevel or no bevel at all. Types of bevels can alternate from tooth to tooth on a given blade. The bevel is what gives the blade its specific cutting pattern.

Chipper: A cutting tool that is placed between the outside blades of a dado set to adjust the width of the cut.

Chipping: The condition caused when the saw blade lifts and tears the wood fibers as it exits the material. This causes the edges to be ragged.

Coating: Specially formulated coatings that stay slick. Coating a blade reduces heat in 2 ways. It minimises friction and binding and resists pitch and gum buildup.

Combination Saw Blade: Saw blades used for both ripping (cutting with the grain of the wood) and crosscutting (cutting across the grain).

Crosscut: To cut or saw against/across the grain of the wood.

Cutter: Outside blades used in dado blades.

Expansion slots: The spaces that allow a blade to expand as it heats up during cutting. It eliminates warpage by cooling the blade.

Ferrous: Metals or materials of or containing iron.

Nonferrous: Materials or metals not of or containing iron, such as aluminium, copper, brass and lead.

Finishing Saw Blade: A saw blade with a higher tooth count to provide smoother cuts. Typically refers to 7 1/4 inch blades with more than 40 teeth and 10 inch blades with more than 60 teeth.

Framing Saw Blade: Carbide tipped saw blades used to make fast cuts in all types of wood (the fastest cutting is achieved with lower tooth count saw blades).

General Purpose Saw Blades: Lower tooth count saw blades. Used primarily for fast cross cutting and ripping.

Gullet: The space between teeth that clears the work piece or chips after the cut.


Grind: There are many types of tooth grinds, a few of the basic ones are:



Flat Top Grind (FTG) Best for ripping



Alternate Top Bevel (ATB) for crosscutting, cutoff and trimming



Triple Chip Grind (TCG) perfect for hard abrasive materials like non-ferrous metals, hard woods and plastics



Tri-Grind (TRI) Combination grind

Hollow Ground: A concave bevel edge on a tool.

Hook angle: The "attack angle" of the teeth. Harder, more brittle materials need a shallower angle to ease pressure against the materials and reduce chip out. Softer materials require a sharper angle to reduce chip out.

Miter: The process of cutting material for an equal angle joint.

Plate: The steel body of the carbide blade on which the teeth are welded.

Plane: In woodworking, to make a surface smooth or even.

Rabbit: An open-ended cut made along the edge of a work piece that receives or interlocks with another piece to form a joint.

Ripping: The process of sawing a board in the direction of the grain of the board.

Run out: The amount of left to right movement a saw blade makes during operation. Often referred to as wobble or warp.

Stiffening Collar: A flat collar that mounts on the saws arbor directly next to the blade. They are used to make more accurate cuts and dampen the sound the saw generates.

Shim: A thin, often tapered piece of material such as metal or wood used to fill in space between things. In dado operations, a round disk used to make a wider cut.

Tear-out: A condition in which the saw blade tears out the grain of a work piece.

Tempered: To bring the steel plate of a saw blade to a desired hardness by reheating and cooling.

Kerf: This is the width of the cut, including the steel plate thickness plus any overhang on a carbide blade.

Thin kerf saw blades: A saw blade with a reduced kerf, <2.2mm or cut width.

TCP



Wood



Plastic



ATB - Alternate Bevel Teeth with a positive rake is most suitable for cutting woods and plastics



Alternate Top Bevel (ATB)

Use with;

- » Table Saws
- » Hand-held Circular Saws
- Use a Rip/Combination/Crosscut blade
- » Mitre Saws
- Use a Crosscut blade -
- NEVER use a Rip Cut blade!**
- » Sliding Mitre Saws

CONTRACTOR

Part No.	Diameter	Bore / Bushings	No of Teeth	Kerf	RPM
TCP10008	100mm	22.22mm	6T	4.0mm	16000
TCP15040	150mm	20/16mm	40T	2.3mm	12000
TCP16020	160mm	20/16mm	20T	2.3mm	11500
TCP16040	160mm	20/16mm	40T	2.3mm	11500
TCP16060	160mm	20/16mm	60T	2.3mm	11500
TCP16524-20	165mm	20/16mm	24T	2.3mm	11000
TCP17024	170mm	20/16mm	24T	2.3mm	9500
TCP17040	170mm	20/16mm	40T	2.3mm	9500
TCP17060	170mm	20/16mm	60T	2.3mm	9500
TCP18024	180mm	20/16mm	24T	2.3mm	9000
TCP18024-30	180mm	30/20/16mm	24T	2.3mm	9000
TCP18040	180mm	20/16mm	40T	2.3mm	9000
TCP18040-30	180mm	30/20/16mm	40T	2.3mm	9000
TCP18060	180mm	20/16mm	60T	2.3mm	9000
TCP18060-30	180mm	30/20/16	60T	2.3mm	9000
TCP18524-16	185mm	16mm	24T	2.3mm	9000
TCP18524-20	185mm	20/16mm	24T	2.3mm	9000
TCP18524-30	185mm	30/25.4/20/16mm	24T	2.3mm	9000
TCP18540	185mm	20/16mm	40T	2.3mm	9000
TCP18540-16	185mm	16mm	40T	2.3mm	9000
TCP18540-30	185mm	30/25.4/20/16mm	40T	2.3mm	9000
TCP18560	185mm	20/16mm	60T	2.3mm	9000
TCP18560-30	185mm	30/25.4/20/16mm	60T	2.3mm	9000
TCP19024	190mm	30/20/16mm	24T	2.3mm	8500
TCP19040-16	190mm	16mm	40T	2.3mm	8500
TCP19040-30	190mm	30/20/16mm	40T	2.3mm	8500
TCP19060	190mm	30/25.4/20/16mm	60T	2.3mm	8500
TCP19072	190mm	30/20/16mm	72T	2.3mm	8500
TCP20024	200mm	30/25.4/20/16mm	24T	2.8mm	8000
TCP20040	200mm	30/20/16mm	40T	2.8mm	8000
TCP20060	200mm	30/20/16mm	60T	2.8mm	8000
TCP21024	210mm	30/20/16/25.4mm	24T	2.8mm	7800
TCP21040-16	210mm	16mm	40T	2.8mm	7800
TCP21040-30	210mm	30/20/16mm	40T	2.8mm	7800
TCP21060	210mm	30/20/16/25.4mm	60T	2.8mm	7800
TCP23024	230mm	30/20/16/25.4mm	24T	3.0mm	7000
TCP23024-16	230mm	16mm	24T	3.0mm	7000
TCP23040	230mm	30/25.4/20/16mm	40T	3.0mm	7000
TCP23040-16	230mm	16mm	40T	3.0mm	7000
TCP23060-16	230mm	16mm	60T	3.0mm	7000
TCP23060-30	230mm	30/20/16mm	60T	3.0mm	7000
TCP23524-16	235mm	16mm	24T	3.0mm	7000
TCP23540-16	235mm	16mm	40T	3.0mm	7000
TCP25024	250mm	30/20/16/25.4mm	24T	3.0mm	6000
TCP25040	250mm	30/25.4/20/16mm	40T	3.0mm	6000
TCP25040-16	250mm	16mm	40T	3.0mm	6000
TCP25060-16	250mm	16mm	60T	3.0mm	6000
TCP25060-30	250mm	30/20/16mm	60T	3.0mm	6000
TCP25080	250mm	30/20/16mm	80T	2.8mm	6000
TCP26024-30	260mm	30/25.4/20/16mm	24T	3.0mm	5800
TCP26040-30	260mm	30/25.4/20/16mm	40T	3.0mm	5800
TCP30024	300mm	30/20/16mm	24T	3.2mm	5000
TCP30040	300mm	30/20/16mm	40T	3.2mm	5000
TCP30060	300mm	30/25.4/20/16mm	60T	3.2mm	5000
TCP30080	300mm	30/25.4/20/16mm	80T	3.2mm	5000
TCP30096	300mm	30/20/16mm	96T	3.2mm	5000
TCP31548	315mm	30/20/16mm	48T	3.2mm	4800
TCP31560	315mm	30/20/16mm	60T	3.2mm	4800
TCP35030	350mm	30/20/16mm	30T	3.4mm	4800
TCP35060	350mm	30mm	60T	3.4mm	4800
TCP35096	350mm	30/20/16mm	96T	3.4mm	4800
TCP400100	400mm	30/25.4/20/16mm	100T	3.4mm	3300
TCP40030	400mm	30/20/16/25.4mm	30T	3.4mm	3300
TCP450120	450mm	30/25.4/20/16mm	120T	3.8mm	3300
TCP45036	450mm	30/20/16/25.4mm	36T	3.8mm	3300
TCP500120	500mm	30/20/16mm	120T	4.0mm	3300
TCP60036	600mm	40/30/25.4/20/16	36T	4.0mm	2500
TCP60060	600mm	40/30/25.4/20/16	60T	4.0mm	2500
TCP60072	600mm	40/30/25.4/20/16	72T	4.0mm	2500

TCP - TCG



Laminates



Wood



Triple Chip Grind (TCG)

TCT circular saw blades for hard wood and laminates. Triple chip grind (TCG). Positive rake. Use on Table Saws and Mitre Saws



CONTRACTOR

Part No.	Diameter	Bore / Bushings	No of Teeth	Kerf	RPM
TCP25080TCG	250mm	30/25.4/20/16mm	80T	3.0mm	6000
TCP30096TCG	300mm	30/25.4/20/16mm	96T	3.2mm	5000



TCP - AL



Alum



Plastic



Laminates



Wood



Triple Chip Grind (TCG)

TCT circular saw blades for aluminium and non-ferrous metal cutting. Triple chip grind (TCG). Negative. Use on Mitre Saws and Portable Saws.

Part No.	Diameter	Bore / Bushings	No of Teeth	Kerf	RPM
TCP16060AL	160mm	20/16mm	60T	2.3mm	11500
TCP17060AL	170mm	20/16mm	60T	2.3mm	9500
TCP18560AL	185mm	20/16mm	60T	2.3mm	9000
TCP18560AL-30	185mm	30mm	60T	2.3mm	9000
TCP19060AL	190mm	30/20/16mm	60T	2.3mm	8500
TCP20060AL	200mm	30/20/16mm	60T	2.6mm	8000
TCP21060AL	210mm	30/16mm	60T	2.6mm	7800
TCP23060AL	230mm	30/16mm	60T	2.8mm	7500
TCP250100AL	250mm	30/25.4/20/16mm	100T	3.0mm	6000
TCP25080AL	250mm	30/25.4/20/16mm	80T	3.0mm	6000
TCP30096AL	300mm	30/25.4/20/16mm	96T	3.2mm	5500
TCP31596AL	315mm	30/25.4/20/16mm	96T	3.2mm	4800
TCP350100AL	350mm	30/25.4/20/16mm	100T	3.4mm	4500

CONTRACTOR



TCBC - Brush Cutter Blades

Part No.	Diameter	Bore / Bushings	No of Teeth	RPM
TCBCB25503	255mm	25.4mm	3T	10,000
TCBCB25540	255mm	25.4mm	40T	10,000

CONTRACTOR



Forestry



Grass/Brushes



65 MN Steel

Recommended for:
Cordless or Fuel brush cutters



Alternate Top Bevel (ATB)



TCBCB25540



TCBCB25503



Double Sided Blade



Blade Bushings

Replacement blade bushings for circular saw blades

Part No.	Size
TCBB1612C	16 - 12mm
TCBB2016C	20 - 16mm
TCBB3016C	30 - 16mm
TCBB301C	30mm - 1"
TCBB3020C	30 - 20mm

TCD



Wood



Plastic



Alternate Top
Bevel (ATB)

TCT circular saw blades general purpose, for cutting woods, plastics, Alternate bevel teeth (ATB). Positive rake. Use with Table Saws, Hand-held circular saws, Mitre Saws & Sliding Mitre Saws.



Part No.	Diameter	Bore / Bushings	No of Teeth	Kerf	RPM
TCD12516-16	125mm	16/13mm	16T	2.0mm	12000
TCD12516-20	125mm	20/13mm	16T	2.0mm	12000
TCD13016	130mm	16/13mm	16T	2.2mm	12000
TCD13030	130mm	16/13mm	30T	2.2mm	12000
TCD14016	140mm	20/16/13mm	16T	2.2mm	12000
TCD14030	140mm	20/16/13mm	30T	2.2mm	12000
TCD15024	150mm	20/16mm	24T	2.2mm	12000
TCD15040	150mm	20/16mm	40T	2.2mm	12000
TCD16020	160mm	20/16mm	20T	2.2mm	11500
TCD16030	160mm	20/16mm	30T	2.2mm	11500
TCD16040	160mm	20/16mm	40T	2.2mm	11500
TCD16060	160mm	20/16mm	60T	2.2mm	11500
TCD16524-20	165mm	20/16mm	24T	2.2mm	11000
TCD16540-20	165mm	20/16mm	40T	2.2mm	11000
TCD17024	170mm	20/16mm	24T	2.2mm	9500
TCD17040	170mm	20/16mm	40T	2.2mm	9500
TCD17060	170mm	20/16mm	60T	2.2mm	9500
TCD18024	180mm	30/20/16mm	24T	2.2mm	9000
TCD18040	180mm	30/20/16mm	40T	2.2mm	9000
TCD18060	180mm	20/16mm	60T	2.2mm	9000
TCD18060-30	180mm	30/20/16mm	60T	2.2mm	9000
TCD18524	185mm	20/16mm	24T	2.2mm	9000
TCD18524-30	185mm	30/25.4/20/16mm	24T	2.2mm	9000
TCD18540-16	185mm	16mm	40T	2.2mm	9000
TCD18540-20	185mm	20/16mm	40T	2.2mm	9000
TCD18540-30	185mm	30/25.4/20/16	40T	2.2mm	9000
TCD18560	185mm	20/16mm	60T	2.2mm	9000
TCD18560-16	185mm	16mm	60T	2.2mm	9000
TCD19040-16	190mm	16mm	40T	2.2mm	8500
TCD19040-30	190mm	30/20/16mm	40T	2.2mm	8500
TCD19060	190mm	30/20mm	60T	2.2mm	8500
TCD19072	190mm	30/20/16mm	72T	2.2mm	8500
TCD20024	200mm	30/20/16mm	24T	2.2mm	8000
TCD21024-16	210mm	16mm	24T	2.2mm	7800
TCD21024-30	210mm	30/25.4/20/16mm	24T	2.2mm	7800
TCD21040	210mm	30/25.4/20/16mm	40T	2.2mm	7800
TCD21040-16	210mm	16mm	40T	2.2mm	7800
TCD21060	210mm	30/25.4/20/16mm	60T	2.2mm	7800
TCD23024	230mm	30/25.4/20/16mm	24T	2.6mm	7000
TCD23024-16	230mm	16mm	24T	2.6mm	7000
TCD23040	230mm	30/25.4/20/16mm	40T	2.6mm	7000
TCD23060	230mm	30/25.4/20mm	60T	2.6mm	7000
TCD23524-16	235mm	16mm	24T	2.6mm	7000
TCD23524-30	235mm	30/20/16mm	24T	2.6mm	7000
TCD23540-16	235mm	16mm	40T	2.6mm	7000
TCD23540-30	235mm	20/16mm	40T	2.6mm	7000
TCD25024	250mm	30/16mm	24T	2.8mm	6000
TCD25040-16	250mm	16mm	40T	2.8mm	6000
TCD25040-30	250mm	30/25.4/20/16mm	40T	2.8mm	6000
TCD25080	250mm	30/25.4/20mm	80T	2.8mm	6000



TCTK - Thin Kerf



Wood



Plastic

Thin kerf blades. Thinner blades put less drag on the saw motors and reduce wastage during cutting. They also give longer run time on cordless tools (ATB). Recommended for use on hand-held and cordless circular saws.

Part No.	Diameter	Bore / Bushings	No of Teeth	Kerf	RPM
TCTK08524	85mm	15mm	24T	1.2mm	17,000
TCTK08536	85mm	15mm	36T	1.2mm	17,000
TCTK16524	165mm	20mm	24T	1.6mm	11,000
TCTK16540	165mm	20mm	40T	1.6mm	11,000
TCTK18440	185mm	20/16mm	40T	2.2mm	9,000
TCTK18460	185mm	20/16mm	60T	2.2mm	9,000
TCTK21640	216mm	30mm	40T	2.0mm	7,800
TCTK21660	216mm	30mm	60T	2.0mm	7,800
TCTK25060	250mm	30/16mm	60T	2.0mm	5,500

Alternate Top Bevel (ATB)



INDUSTRIAL



TCMB - Master Blade



Wood



Laminates

Thin kerf anti-kick back blades specially designed for hand held circular power saws. "J" slots help reduce noise and allow for heat expansion and body vents help keep the blade cool. (ATB).

Part No.	Diameter	Bore / Bushings	No of Teeth	Kerf	RPM
TCMB18524	185mm	20/16mm	24T	2.0mm	8000
TCMB18540	185mm	20/16mm	40T	2.0mm	8000

Alternate Top Bevel (ATB)

INDUSTRIAL



TCNC - Nail Cutting



Wood with Nails

Special nail cutting blade. For use in old lumber with embedded nails or when remodeling old trusses etc.

Part No.	Diameter	Bore / Bushings	No of Teeth	Kerf	RPM
TCNC18514	185mm	20/16mm	14T		8000

INDUSTRIAL



TCS - Steel Cutting



Mild Steel



Alum



TCT circular saw blades for cutting ferrous metals. Replacement blades for machine specific tools, for use with metal cold cutting saw designed for cutting ferrous metal.

Part No.	Diameter	Bore / Bushings	No of Teeth	Kerf	RPM
TCS18532-20	185mm	20/16mm	32T	2.2mm	6000
TCS18550	185mm	20/16mm	50T	3.2mm	6000
TCS18568	185mm	20/16mm	68T	2.0mm	6000
TCS30080	300mm	25.4mm	80T	2.4mm	4500
TCS30080-30	300mm	30mm	80T	2.4mm	4500
TCS30560	305mm	30mm	60T	2.8mm	4500
TCS30580	305mm	30mm	80T	2.8mm	4500
TCS35566	355mm	25.4mm			

CONTRACTOR



TCT SAW BLADE CLASSIFICATION

STANDARD	CONTRACTOR	INDUSTRIAL
TCD	TCP TCP-TCG TCP-AL TCS	TCNC TCQ TCMB TCTK



Quick Cut Universal TCT Saw Blade



Part No.	Diameter	Bore / Bushings	No of Teeth	Kerf	RPM
TCQ16042-20	160mm	20mm	42T	2.2mm	6000
TCQ18542-20	185mm	20mm	42T	2.2mm	5000
TCQ19048-30	190mm	30/25.4/20/16mm	48T	2.2mm	5000
TCQ23054-30	230mm	30mm	54T	2.2mm	4200
TCQ25060-30	250mm	30/20/16mm	60T	2.2mm	3800

INDUSTRIAL

- Universal Saw blade for hand and table saw machines.
- Can be resharpened!
- Quicker and finer cut.
- Thinnest possible cut, with very little resistance.
- No burring, no afterwork.
- Steel • Sheet metal • Pipes • Iron • Wood • Wood with nails
- Plastics • PVC • Aluminium • Laminates



Fibre Cement Circular Saw Blade

Polycrystalline Diamond



Part No.	Diameter	Bore / Bushings	No of Teeth	Kerf	RPM
TCPCD16504-20	165mm	20/16mm	4T	2.2mm	8000
TCPCD18504-20	185mm	30 25.4/20/16mm	4T	2.2mm	7000

INDUSTRIAL

4T
Accurate & Clean Cuts
Low Dust

- For cutting;
 - Fibre Cement
 - Composite Decking
 - Chipboard
 - Fibre & Glass reinforced polymers
- Polycrystalline Diamond (PCD) Teeth for durability
- Deep large gullets for improved dust removal
- 75Cr1 Steel Plate Body
- Sound Slots for anti-vibration, heat & to minimise noise



Angle Grinder Wood Blade

TC911504

Saw Blade for 115mm Angle Grinder
Bore 22.23mm
Kerf 2.0mm
RPM 14,000



Use the Tork Craft Angle Grinder Wood blades on your angle grinder to cut and shape soft wood.



Biscuit Joiner Blades

TCP10008

100 x 22.23 x 4mm - 6T
Max. RPM 16000



CONTRACTOR


Designed to fit all popular makes of Biscuit Joining Machines.
Tungsten teeth can be resharpened.
Anti-kick design.

For use on BJ02 TorkCraft Biscuit Joiner

High Performance Industry Blades



Aluminium Blade Industrial



PT16060AL	Saw Blade TCT 160mm x 2.2mm x 20mm x 60T
PT18560AL	Saw Blade TCT 185mm x 2.2mm x 20mm x 60T
PT23060AL	Saw Blade TCT 230mm x 2.4mm x 30mm x 60T
PT25080AL	Saw Blade TCT 250mm x 2.4mm x 30mm x 80T
PT26068-30AL	Saw Blade TCT 260mm x 2.4mm x 30mm x 68T

Wood Blade Industrial



PT16012-20	Saw Blade TCT 160mm x 2.2mm x 20mm x 12T
PT16018-20	Saw Blade TCT 160mm x 2.2mm x 20mm x 18T
PT16028-20	Saw Blade TCT 160mm x 2.2mm x 20mm x 28T
PT16040	Saw Blade TCT 160mm x 2.2mm x 20mm x 40T
PT18524-30	Saw Blade TCT 185mm x 2.2mm x 30mm x 24T
PT18540-30	Saw Blade TCT 185mm x 2.2mm x 30mm x 40T
PT18560-30	Saw Blade TCT 185mm x 2.2mm x 30mm x 60T
PT21018-30	Saw Blade TCT 210mm x 2.4mm x 30mm x 18T
PT21036-30	Saw Blade TCT 210mm x 2.4mm x 30mm x 36T
PT21052-30	Saw Blade TCT 210mm x 2.4mm x 30mm x 52T
PT23040-30	Saw Blade TCT 230mm x 2.4mm x 30mm x 40T
PT23060-30	Saw Blade TCT 230mm x 2.4mm x 30mm x 60T
PT25040-30	Saw Blade TCT 250mm x 2.4mm x 30mm x 40T
PT25060-30	Saw Blade TCT 250mm x 2.4mm x 30mm x 60T
PT25080-30	Saw Blade TCT 250mm x 2.4mm x 30mm x 80T
PT26060-30	Saw Blade TCT 260mm x 2.5mm x 30mm x 60T
PT26080-30	Saw Blade TCT 260mm x 2.5mm x 30mm x 80T

Laminate Blade Industrial



PT16048-20LM	Saw Blade TCT 160mm x 2.2mm x 20mm x 48T
--------------	--

Biscuit Joiner Blade Industrial



PT10008-22
Saw Blade TCT
100mm x 3.96 x 22mm x 8T

Biscuit Joining 100 Pack


PTPC5551-100 : #0 (4 x 15mm)
PTPC5552-100 : #10 (4 x 20mm)
PTPC5553-100 : #20 (4 x 23mm)



Dado Set Industrial



PTDS203 Dado Set
203mm x 15.88 x 24T 4 x 1/8" 3/32" 1/16" Chip
27.5mm



Radius Angle Gauge

PTAF001
3 Pce Radius Angle Gauges w/4 Positioning screws
Single gauge dimensions:
190mm (L) x 190mm (W) x 8mm (H)
Contents:
1 x R10 & R15 Radius angle gauge
1 x R20 & R25 Radius angle gauge
1 x R30 & R35 Radius angle gauge
4 x M6 x 1 Positioning screws



Aluminium Rafter Squares

PTRS1180 : 180mm
PTRS1300 : 300mm

- Application;
- Measuring
 - Woodworking
 - Construction
 - Saw Guide
 - Angle Finder
 - DIY



Domino Tenon Beechwood



PTD0530	5.5 x 28.5mm	400pc Jar
PTD0640	6 x 40mm	250pc Jar
PTD0640-1000	6 x 40mm	1000pc Color Box
PTD0840	8 x 40mm	50pc Pack
PTD0840-500	8 x 40mm	500pc Color Box
PTD0850	8 x 50mm	50pc Pack
PTD1050	10 x 50mm	50pc Pack
PTD1050-500	10 x 50mm	500pc Color Box

High Performance Industry Tools

Self-Centering Dowel Jig



PTDJ06810
6/8/10mm Aluminium
16 - 60mm Range



2-in-1 Handle & Shelf Pin Jig

PTBP010
2-in-1 Handle & Shelf Pin Jig 5mm

LAMINATES

WOOD



Drawer Slide Installation Jig

PTDSJ011
2 Pce Drawer Slide
Installation Jig



Feather Board Set

PTFB007
2 Pce Feather Board Set / Multipurpose incl. fixing



Edging Trimmer

PTET0025
25mm Double Edge 1 Direction Edging Trimmer
PTET0025-01
Replacement Blades 6 Pc



Anti-slip Push Stick Block

PTPH004
Anti-Slip Push Stick Block
Type Adjustable




Right Angle Positioner

PTRAP001
2 Pce Right Angle
Positioner
Square Set
90 Degree



Tenon Ruler Gauge

PTTG009
Tenon Ruler Gauge Card
Imperial / Metric




Lengthen Feather Board

PTLFB008
2 Pce Lengthen Feather Board
includes Fixings



Circle Cutter Router Attachment

PTMT003
Circle Cutter Router Attachment
with Fittings



Glue Set

PTGS006
4 Pce Glue Set
Tray, Scraper
& 2 Brushes



3 Pce Rail & Stile Router Bit Sets



KP003E
3Pc Cabinet Door Set
Ogee Stile 1/2" Shank
in Wooden Box



KP003G
3Pc Cabinet Door Set
Roman Ogee Stile
1/2" Shank
in Wooden Box



KP003J
3Pc Cabinet Door Set
Rail & Stile 1/2" Shank
in Wooden Box



KP003K
3 Pc Sommerfeld
Raised Panel Set
1/2" Shank
in Wooden Box

PTGS006-01
2 Pce Glue Silicone
Brush Set



JIGSAW BLADE PRODUCT KNOWLEDGE



T-Shank Jigsaw blade - Fits the following saw brands;
AEG (Atlas Copco), Bosch®, ELU, Flex, Hitachi®, Dewalt®, Holz-Her, Mafel, Makita®, Sparky, Milwaukee®, Metabo®
U-Shank Jigsaw blade - Fits the following saw brands;
Skil®, Black & Decker®, Kress, Porter Cable®, Ryobi®

6TPI — 10TPI — 14TPI — 21TPI — 24TPI — 36TPI

Faster/Rougher Type of Cut Slower/Smother

WOOD			METAL		
Teeth per Inch	Type of Cut	Materials	Teeth per Inch	Type of Cut	Materials
6 - 8	Rough	Hard & Soft Wood, Particleboard	14 - 18	Smooth	Thick Material
10 - 14	Fine	Wood & Plastics	24	Smooth	Thin Material
16 - 20	Very Fine	Plywood, Laminated Particleboard	36	Very Smooth	Very Thin Material

How to use a Jig Saw.

The jig saw works along the same principles as a sewing machine.

The cutting speed of the upwards/downwards movements can be adjusted in degrees, or can be regulated electronically.



The cutting speed ranges from 200 to 3000 cut/minute.*

When using harder materials, for example metals, lower cutting speeds are used. With softer materials like woods, higher cutting speeds are more appropriate.

The clamped sawing blade is designed to cut during the upward movement. This is aided by the so-called pendulum cut.

The pendulum cut ensures that the blade is pressed against the material with extra force during the upward movement. In this way, it is possible to saw faster, while using the same amount of energy.

* Determined by machine and manufacturer.




T-Shank Jigsaw Blades

TC T101B-2 / TC T101B-5

Ideal for fine cuts in hardwood, softwood, plywood, laminated particleboard and plastics.


A 2,5 mm / 10 t.p.i. **B** 75 mm **C** 100 mm



TC T101BR-2 / TC T101BR-5

Reverse tooth. For splinter-free cutting of hardwood, softwood, plywood, laminated particleboard and plastics.


A 2,5 mm / 10 t.p.i. **B** 75 mm **C** 100 mm



TC T101AO-2 / TC T101AO-5

For precise, splinter-free cuts on both sides of the material. For curved cuts in hardwoods, softwoods, plywood, wooden fibreboard and plastic.


A 1,3 mm / 20 t.p.i. **B** 50 mm **C** 75 mm



TC T101D-2 / TC T101D-5

Ideal for fast, clean cuts in hardwood, softwood, particleboard and plastics.

A 4 mm / 6 t.p.i. **B** 75 mm **C** 100 mm



TC T111C-2

For fast, coarse cuts in hardwood, softwood and plastics.

A 3 mm / 8 t.p.i. **B** 75 mm **C** 100 mm




T-Shank Jigsaw Blades

Part No. TC T111D-2

Ideal for fast, rough cuts in hardwood, softwood and plastic.

A 4 mm / 6 t.p.i. **B** 75 mm **C** 100 mm



Part No. TC T144D-2 / TC T144D-5

Ideal for straight and parallel cuts. Very fast, clean cuts in hardwood, softwood and particleboard.


A 4 mm / 6 t.p.i. **B** 75 mm **C** 100 mm



Part No. TC T244D-2

For very fast, clean curve cutting in hardwood, softwood and particleboard.

A 4 mm / 6 t.p.i. **B** 75 mm **C** 100 mm



Part No. TC T118A-2 / TC T118A-5

Ideal for thin material. Straight cuts in metal, non-ferrous metal, sheet metal and aluminium.

A 1.2 mm / 21 t.p.i. **B** 50 mm **C** 75 mm



Part No. TC T118AF-2

For thin materials. Straight cuts (flexible and shatter-proof) in soft steel, aluminium, steel, stainless steel and acrylic glass.

A 1.2 mm / 21 t.p.i. **B** 50 mm **C** 75 mm



Part No. TC T118B-2

Ideal for thick material. Straight cuts in metal, non-ferrous metal and aluminium.

A 2 mm / 12 t.p.i. **B** 50 mm **C** 75 mm



Part No. TC T118BF-2

For thick materials. Straight cuts (flexible and shatter-proof) in metals, non-ferrous metal, aluminium and acrylic glass.

A 2 mm / 12 t.p.i. **B** 50 mm **C** 75 mm



Part No. TC T118G-2

Ideal for very thin material. Straight cuts in metal, non-ferrous metal, sheet metal and aluminium.


A 0.9 mm / 28 t.p.i. **B** 50 mm **C** 75 mm



Part No. TC T101A-2

Clean cut for acrylic, non-ferrous metal, perspex and polycarbonate


A 2 mm / 12 t.p.i. **B** 75 mm **C** 100 mm



Part No. TC T101AIF-2

Clean cut wood(1.5 - 15mm) hardwood, laminates and plastics


A 1.7 mm / 14 t.p.i. **B** 75 mm **C** 100 mm



Part No. TC T101AOF-2

Clean cut for hardwood, laminate boards, plastics and epoxy


A 1.4 mm / 18 t.p.i. **B** 50 mm **C** 75 mm



Part No. TC T101BO


Clean cut wood, laminates (3 - 65mm) & plastic. Suitable for curve cuts.

A 2,5 mm / 10 t.p.i. **B** 75 mm **C** 100 mm



What regulates the cut speed and performance?

- » The motor power (wattage) of the machine / The effort output when sawing / The quality and accuracy of blade selection / The accurate selection of pendulum cut. When using a high pendulum cut, cracks may appear on the cutting edge.



T-Shank Jigsaw Blades

Part No. TC T150RIFF-2

Special cut for ceramics, wall tiles, glass, fibreglass, reinforced plastics and cast iron


A - mm / - t.p.i. **B** 50 mm **C** 77 mm



Part No. TC T123X-2

Progressor cut for metal, thick metal plate, pipes, profiles & aluminium.


A 1.2-2.6mm/10 t.p.i. **B** 75 mm **C** 100 mm



Part No. TC T102H

Clean cut wood, laminates & plastic.


A 2.3 mm / 11 t.p.i. **B** 75 mm **C** 100 mm



Part No. TC T234X-2

Progressor cut for soft wood, chipboard, plywood and fibreboard


A 2.3 mm / 9 t.p.i. **B** 95 mm **C** 116 mm



Part No. TC T301CDF-2

Clean cut in hardwood, softwood (4 - 65mm), & laminates


A 3 mm / 8 t.p.i. **B** 95 mm **C** 116 mm



Part No. TC T345XF-2

Progressor cut for wood and metal. Construction timber with nails, wood, plastics, metal plate, pipes, profiles and aluminium


A 2.4 - 5 mm / 5 t.p.i. **B** 107 mm **C** 132 mm



Part No. TC T344CB-2

Fast cut in thick hardwood, and softwood (5 - 100mm), all types of boards & laminates

A 4 mm / 6 t.p.i. **B** 120 mm **C** 152 mm



Part No. TC T744D-2

Speed cut for wood, thick timber construction

A 4 mm / 6 t.p.i. **B** 154 mm **C** 180 mm



Part No. TC T1044D-2

Fast cut in softwood (3 - 200mm), chipboard, wood core plywood & fibre boards

A 4 mm / 6 t.p.i. **B** 224 mm **C** 250 mm



Jigsaw Blade Sets



TC T5-1
5 Pce Assorted
Jigsaw Blades



TC SET2
10 Pce Assorted
Jigsaw Blades
Metal & Wood



TC D5-1
5 Pce Assorted
Jigsaw Blades




Part No. TC T16-1
16 Pce Universal Fit
Jigsaw Blade Set

U-Shank Jigsaw Blades

Part No. TC D101B-2 / TC D101B-5

Ideal for fine cuts in hardwood, softwood, plywood, laminated particleboard and plastics.

A 2.5 mm / 10 t.p.i. **B** 75 mm **C** 100 mm



Part No. TC D101BR-2 / TC D101BR-5

Reverse tooth. For splinter-free cutting of hardwood, softwood, plywood, laminated particleboard and plastics.


A 2.5 mm / 10 t.p.i. **B** 75 mm **C** 100 mm



Part No. TC D101AO-2 / TC D101AO-5

For precise, splinter-free cuts on both sides of the material. For curved cuts in hardwoods, softwoods, plywood, wooden fibreboard and plastic.


A 1.4 mm / 20 t.p.i. **B** 50 mm **C** 75 mm



Part No. TC D101D-2

Ideal for fast, clean cuts in hardwood, softwood, particleboard and plastics.

A 4 mm / 6 t.p.i. **B** 75 mm **C** 100 mm



Part No. TC D118A-2 / TC D118A-5

Ideal for thin material. Straight cuts in metal, non-ferrous metal, sheet metal and aluminium.

A 1,2 mm / 21 t.p.i. **B** 50 mm **C** 75 mm



Part No. TC D118AF-2

For thin materials. Straight cuts (flexible and shatter-proof) in soft steel, aluminium, steel, stainless steel and acrylic glass.

A 1.2 mm / 21 t.p.i. **B** 50 mm **C** 75 mm



Part No. TC D118B-2

Ideal for thick material. Straight cuts in metal, non-ferrous metal and aluminium.

A 2 mm / 12 t.p.i. **B** 50 mm **C** 75 mm



Part No. TC D118BF-2

For thick materials. Straight cuts (flexible and shatter-proof) in metals, non-ferrous metal, aluminium and acrylic glass.


A 2 mm / 12 t.p.i. **B** 50 mm **C** 75 mm



Part No. TC D119BO-2

For narrow curve cutting in hardwood, softwood, plywood, particleboard, plastics and perspex.

A 2 mm / 12 t.p.i. **B** 50 mm **C** 75 mm




Planer Blades

Part No.	Description
TC CUT2902	Planer Blades Tungsten 82mm (2/pk)
TC CUT2903	Planer Blades Tungsten 60mm (2/pk)
TC CUT2904	Quick change Planer Blades plus holder
TC CUT2905	Carbide Electric Planer Blades 82 x 5.5 x 1.1mm (2/pk)
TC CUT2906	HSS Planer Blades 82 x 5.5 x 1.1mm (2/pk)
CUT29.2	Planer Blade Tungsten 82mm (2/pk)


Fits most makes and brands of electric hand planers.
Reversible blades give two sharp edges.



Sabre Saw Blades



Part No.	Length & TPI	Pack Size
TC T1022EF-2	200 x 1.4mm 18TPI Metal, PVC - Bim42	2PC
TC T1022HF-2	200 x 2.5mm 10TPI Wood, Metal, PVC, Alum - Bim42	2PC
TC T1111K-2	225 x 8.5mm 3TPI Wood	2PC
TC T1211HF-2	300 x 2.5mm 10TPI Wood, Metal, PVC, Alum - Bim42	2PC
TC T1531L-2	240 x 5mm 6TPI Wood	2PC
TC T644D-2	150 x 4.3mm 6TPI Wood	2PC
TC T922EF-2	150 x 1.4mm 18TPI Metal, PVC - Bim42	2PC
TC T922HF-2	150 x 2.5mm 10TPI Wood, Metal, PVC, Alum - Bim42	2PC



Sabre Saw Scraper Blades



Part No.	Length & TPI	Pack Size
TC T10SK	Scraper Blade HCS 10mm x 1.5mm	1PC
TC T30SK	Scraper Blade HCS 30mm x 1.5mm	1PC
TC T50SK	Scraper Blade HCS 50mm x 1.5mm	1PC
TC T100SK	Scraper Blade HCS 100mm x 1.5mm	1PC
TC T150SK	Scraper Blade 150mm x 1.5mm	1PC

Features:
High carbon steel increases durability.
Universal connection for sabre/ reciprocating saws.
Removal of glue, vinyl, linoleum, novilon, drywall mud, carpets, wallpaper and paint.



Scroll Saw Blades

Part No.	Length & TPI	Pack Size
SSB40501	20TPI with pins	6/pack
SSB41001	7TPI with pins	6/pack
SSB41101	15TPI with pins	6/pack
SSB41201	10TPI with pins	6/pack
SSB42003	9TPI with pins Reverse Tooth	6/pack
SSB42401	18.5TPI with pins	6/pack
SSB42701	25TPI with pins	6/pack
SSB427	25TPI plain	12/pack
SSB48700	25TPI Metal cutting	12/Pack
SSB402DZ	125mm 25TPI Wood Plain end	6/pack
SSB405DZ	125mm 20TPI Wood Plain end	6/pack
SSB406DZ	125mm 20TPI Metal Plain end	6/pack
SSB411DZ	125mm 15TPI Wood Plain end	6/pack
SSB412DZ	125mm 10TPI Wood Plain end	6/pack
SSB46300	125mm 41TPI Spiral Cut Wood Plain end	6/pack
SSB46500	125mm 36TPI Spiral Cut Wood Plain end	6/pack
SSB47500	61TPI Jewelers Metal Piercing Plain End	6/pack
SSB47600	56TPI Jewelers Metal Piercing Plain End	6/pack
SSB47900	48TPI Jewelers Metal Piercing Plain End	6/pack
SSB48000	43TPI Jewelers Metal Piercing Plain End	6/pack
SSB47800	51TPI Jewelers Metal Piercing Plain End	6/pack
SSB63507	Scroll/Fret Saw Frame 250mm Deep Plain End	6/pack
SSB91212BL	125mm x 1/4" 120G Pin End	4/pack
SSB91218BL	125mm x 1/4" 180G Pin End	4/pack
SSB91222BL	125mm x 1/4" 220G Pin End	4/pack
SSB91508BL	125mm x 1/2" 80G Pin End	4/pack
SSB91512BL	125mm x 1/2" 120G Pin End	4/pack
SSB91518BL	125mm x 1/2" 180G Pin End	4/pack
SSB91522BL	125mm x 1/2" 220G Pin End	4/pack
SSB92212BL	125mm x 1/4" 120G Plain End	4/pack
SSB92218BL	125mm x 1/4" 180G Plain End	4/pack
SSB92222BL	125mm x 1/4" 220G Plain End	4/pack
SSB92508BL	125mm x 1/2" 80G Plain End	4/pack
SSB92512BL	125mm x 1/2" 120G Plain End	4/pack
SSB92518BL	125mm x 1/2" 180G Plain End	4/pack
SSB92522BL	125mm x 1/2" 220G Plain End	4/pack





Application/Material

- For sawing wood, plastic and non-ferrous metals

Features/Benefit

- Precision sharpened to cut fine intricate shapes
- Pinned-end styles to fit most popular machines



Oscillating Blades - Universal Fitting

Part no.	Description
TCOA001	Quick Change Carbide Grit Delta Rasp 80mm (3-1/8")
TCOA002	Quick Change Carbide Grit Radial Saw Blade 65mm (2-9/16")
TCOA003	Quick Change Diamond Boot Saw Blade 57mm (2-1/4")
TCOA004	Quick Change Flush Cut Metal Saw Blade 10mm (3/8") 18TPI
TCOA005	Quick Change Flush Cut Metal Saw Blade 22mm (7/8") 18TPI
TCOA006	Quick Change Flush Cut Metal Saw Blade 28mm (1-1/8") 18TPI
TCOA007	Quick Change Flush Cut Universal Saw Blade 45mm (1-3/4") 18TPI
TCOA008	Quick Change Flush Cut Universal Saw Blade 65mm (12-1/2") 18TPI
TCOA009	Quick Change Flush Cut Wood Saw Blade 28mm (1-1/8") 18TPI CRV
TCOA010	Quick Change Flush Cut Wood Saw Blade 34mm (1-5/16") 14TPI CRV
TCOA011	Quick Change Flush Cut Wood Saw Blade 68mm (2-11/16") 14TPI CRV
TCOA012	Quick Change Radial Saw Blade 87mm (3-7/16") CRV Wood Saw
TCOA013	Quick Change Radial Saw Blade 87mm (3-7/16") M42 Metal Saw
TCOA014	Quick Change Rigid Scraper 52x26mm (2-1/16" x 1")
TCOA015	Quick Change Sharp Scraper 28x50mm (1-1/8" x 2")
TCOA105	Quick Change Flexible Scraper 52 x 45mm (2-1/16" x 1 - 3/4")
TCOA016	Quick Change Grout And Mortar Remover 65mm (2-9/16")
TCOA017	Quick Change Segment Saw Blade 80mm (3-1/8") Ferrous & Non-ferrous
TCOA300	Quick Change Oscillating Drywall Blade 80mm
TCOA301	Quick Change Multi-knife Hook Blade 32mm



TCOA301

TCOA300



TCOA001



TCOA002



TCOA003



TCOA004



TCOA005



TCOA006



TCOA009




TCOA010



TCOA007



TCOA008




TCOA011




TCOA012



TCOA013



TCOA014



TCOA015



TCOA105



TCOA016



TCOA017

Oscillating Blade Sets



TCOA101

2 Pce Quick Change Oscillating Carbide Grit Accessory Kit



TCOA102

4 Pce Quick Change Oscillating Floor Working Accessory Kit



TCOA103

4 Pce Quick Change Oscillating General Purpose Accessory Kit



TCOA104

4 Pce Quick Change Oscillating Tile Working Accessory Kit

TCOA100

10 Pce Quick Change Oscillating Multi Purpose Accessory Kit



Oscillating Sandpaper

Part no.	Description
TCOA018-80	10 Pce - 93mm Delta Shape 80 Grit
TCOA018-120	10 Pce - 93mm Delta Shape 120 Grit
TCOA018-180	10 Pce - 93mm Delta Shape 180 Grit
TCOA018-240	10 Pce - 93mm Delta Shape 240 Grit
TCOA019-80	10 Pce - 80mm Delta Shape 80 Grit
TCOA019-120	10 Pce - 80mm Delta Shape 120 Grit
TCOA019-180	10 Pce - 80mm Delta Shape 180 Grit
TCOA019-240	10 Pce - 80mm Delta Shape 240 Grit
TCOA020-80	10 Pce - 35 x 50mm Fingertip 80 Grit
TCOA020-120	10 Pce - 35 x 50mm Fingertip 120 Grit
TCOA020-180	10 Pce - 35 x 50mm Fingertip 180 Grit
TCOA020-240	10 Pce - 35 x 50mm Fingertip 240 Grit
TCOA021-80	10 Pce - 115mm Round 80 Grit
TCOA021-120	10 Pce - 115mm Round 120 Grit
TCOA021-180	10 Pce - 115mm Round 180 Grit
TCOA021-240	10 Pce - 115mm Round 240 Grit



Backing & Felt Pads - Quick Change

Part no.	Description
TCOA201	115mm Micro Sanding Velcro Backing Pad
TCOA202	35mm Fingertip Felt Polishing Pad
TCOA203	80mm Delta Micro Velcro Backing Pad
TCOA204	80mm Delta Felt Polishing Pad
TCOA205	93mm Delta Micro Velcro Backing Pad
TCOA206	35mm Fingertip Felt Polishing Pad
TCOA207	35mm Micro Velcro Backing Pad
TCOA208	35mm Fingertip Micro Velcro Backing Pad





TCT ROUTER BITS PRODUCT KNOWLEDGE

- ✘ Router bits are for use with router machines only.
- ✘ Always wear ear and eye protection.
- ✘ Follow all safety and use instructions included with your router.
- ✘ Never use bits that are dull and damaged.
- ✘ Do not force the bit or overload the router.
- ✘ Be sure that at least $\frac{3}{4}$ of the shaft length is inserted into the router collet.
- ✘ Do not "bottom-out" the bit in the collet. The shank should be $\frac{1}{8}$ " from the bottom of the collet.
- ✘ Use a router table and fence whenever possible. In general, any large diameter bit should be used in a router table.
- ✘ Route in two or more passes when large amounts of stock must be removed.
- ✘ Use reduced speeds for large diameter bits.
- ✘ Failure to follow all safety instructions and warnings can result in serious bodily injury.

SUGGESTED SPEEDS	
BIT DIAMETER	MAX RPM
1"	24,000 RPM
1.25"	18,000 RPM
2.25" to 2.5"	16,000 RPM
3" to 3.5"	12,000 RPM

INCH / METRIC CONVERSION CHART

INCH	MM	INCH	MM	INCH	MM
3/32	2.40	9/16	14.30	1 1/2	38.10
1/8	3.20	5/8	15.90	1 37/64	40.00
5/32	4.00	11/16	17.50	1 5/8	41.30
3/16	4.80	3/4	19.00	1 3/4	44.50
7/32	5.60	7/8	22.20	1 7/8	47.60
1/4	6.35	15/16	23.80	2	50.80
5/16	7.90	1	25.40	2 1/8	54.00
3/8	9.50	1 1/8	28.60	2 1/4	57.20
7/16	11.10	1 3/16	30.20	2 1/2	63.50
1/2	12.70	1 1/4	31.80	2 3/4	69.90
		1 3/8	34.90	3	76.20



Always feed **anti-clockwise** when profiling on the **outside** of a frame or component, using a portable routing machine.



Always feed **clockwise** when profiling on the **inside** of a frame or component, using a portable routing machine.

Router Table

RT001

Router Table w/Fence & Featherboard
(for 16cm or smaller Base Routers)



Fits <16cm Base Routers
Router not included

Router Bits



Wood

Tork Craft Tungsten Carbide Router Bits are specially engineered to provide smooth accurate cutting for craftsmen, carpenters and hobbyists

STRAIGHT BIT	PART NO.	A	B	C	D
SINGLE FLUTE	CKP101	1/8"	1/2"	1/4"	32
SINGLE FLUTE	CKP102	3/16"	1/2"	1/4"	32
TWO FLUTE	CKP201	1/4"	3/4"	1/4"	32
TWO FLUTE	CKP202	5/16"	3/4"	1/4"	32
TWO FLUTE	CKP203	3/8"	1"	1/4"	32
TWO FLUTE	CKP204	7/16"	1"	1/4"	32
TWO FLUTE	CKP205	1/2"	1"	1/4"	32
TWO FLUTE	CKP206	9/16"	1"	1/4"	32
TWO FLUTE	CKP207	5/8"	3/4"	1/4"	32
TWO FLUTE	CKP208	3/4"	3/4"	1/4"	32
TWO FLUTE	CKP209	7/8"	3/4"	1/4"	32
TWO FLUTE	CKP210	1"	3/4"	1/2"	32
SINGLE FLUTE METRIC	CKP3MM	3MM	13	1/4"	32
SINGLE FLUTE METRIC	CKP4MM	4MM	13	1/4"	32
ONE FLUTE METRIC	CKP5MM	5MM	13	1/4"	32
TWO FLUTE METRIC	CKP6MM	6MM	20	1/4"	32
TWO FLUTE METRIC	CKP8MM	8MM	24	1/4"	32
TWO FLUTE METRIC	CKP10MM	10MM	25	1/4"	32
TWO FLUTE METRIC	CKP12MM	12MM	25	1/4"	32
TWO FLUTE METRIC	CKP16MM	16MM	20	1/4"	32
TWO FLUTE METRIC	CKP17MM	17MM	20	1/4"	32
TWO FLUTE METRIC	CKP19MM	19MM	20	1/4"	32

BEADING BIT

PART NO.	A	B	C	D	BEARING	RADIUS
CKP2801	7/8"	3/8"	1/4"	32	KP100 3-8	3/16"
CKP2802	1"	7/16"	1/4"	32	KP100 3-8	1/4"
CKP2803	1 1/8"	1/2"	1/4"	32	KP100 3-8	5/16"
CKP2804	1 1/4"	5/8"	1/4"	32	KP100 3-8	3/8"
CKP2805	1 1/2"	3/4"	1/4"	32	KP100 3-8	1/2"

ROMAN OGEE BIT

PART NO.	A	B	C	D	BEARING	RADIUS
CKP1601	1 1/16"	1/2"	1/4"	32	KP100 3-8	5/32"
CKP1602	1 3/8"	5/8"	1/4"	32	KP100 3-8	1/4"
CKP1603	1 1/16"	3/8"	1/2"	38	KP100 3-8	5/32"

COVE BIT

PART NO.	A	B	C	D	BEARING	RADIUS
CKP1001	7/8"	3/8"	1/4"	32	KP100 3-8	1/4"
CKP1002	1-1/8"	1/2"	1/4"	32	KP100 3-8	3/8"
CKP1003	1-3/8"	5/8"	1/4"	32	KP100 3-8	1/2"
CKP1004	1-3/8"	5/16"	1/2"	32	KP100 3-8	1/2"
CKP1005	1-3/8"	1/2"	1/2"	32	KP100 3-8	1/2"

CORNER ROUND BIT

PART NO.	A	B	C	D	BEARING	RADIUS
CKP1201	7/8"	3/8"	1/4"	32	KP100 1-2	3/16"
CKP1202	1"	7/16"	1/4"	32	KP100 1-2	1/4"
CKP1203	1-1/8"	1/2"	1/4"	32	KP100 1-2	5/16"
CKP1204	1-1/4"	5/8"	1/4"	32	KP100 1-2	3/8"
CKP1205	1-1/2"	3/4"	1/4"	32	KP100 1-2	1/2"
CKP1206	7/8"	1/2"	1/2"	38	KP100 1-2	1/4"
CKP1207	1"	1/2"	1/2"	38	KP100 1-2	5/16"
CKP1208	1-1/8"	1/2"	1/2"	38	KP100 1-2	3/8"
CKP1209	1-1/4"	5/8"	1/2"	38	KP100 1-2	5/16"

ROUND NOSE BIT

PART NO.	A	B	C	D	RADIUS
CKP1210	3/8"	3/4"	1/2"	38	1/2"
CKP1211	1/2"	3/4"	1/2"	38	5/8"

DOVETAIL BIT

PART NO.	A	B	C	D
CKP402	1/2"	1/2"	1/4"	32

TRIM BIT BOTTOM BEARING

PART NO.	A	B	C	D	BEARING
CKP302	3/8"	1"	1/4"	32	KP100 3-8
CKP303	1/2"	1/2"	1/4"	32	KP100 1-2
CKP304	1/2"	1"	1/4"	32	KP100 1-2
CKP305	16	20	1/4"	32	Kp100 5-8

PATTERN FLUSH TRIM BIT WITH SHANK MOUNTED TOP BEARING

PART NO.	A	B	C	D	BEARING
CKP152007	1/2"	1"	1/4"	32	KP580061

CLASSIC BIT

PART NO.	A	B	C	D	BEARING
CKP3401	1 1/4"	1/2"	1/4"	32	KP100 1-2
CKP3403	1 1/2"	5/8"	1/4"	32	KP100 1-2

SLOT CUTTER TWO FLUTE

PART NO.	A	B	C	D	BEARING
CKP1101	1 1/4"	1/8"	1/4"	32	KP100 1-2
CKP1102	1 1/4"	3/16"	1/4"	32	KP100 1-2
CKP1103	1 1/4"	1/4"	1/4"	32	KP100 1-2
CKP1104	1 1/4"	5/16"	1/4"	32	KP100 1-2

BISCUIT SLOT CUTTER - FOUR FLUTE

PART NO.	A	B	C	D
CKP7004	1/2"	1/2"	1/4"	32

45 DEGREE CHAMFER BIT

PART NO.	A	B	C	D	BEARING
CKP901	1"	3/8"	1/4"	32	KP100 1-2
CKP902	1-3/16"	1/2"	1/4"	32	KP100 1-2
CKP903	1-1/4"	1/2"	1/2"	32	KP100 1-2

RABBETING BIT

PART NO.	A	B	C	D	BEARING	DEPTH
CKP3501	1-1/4"	3/8"	1/4"	32	KP100 1-2	3/8"
CKP3503	1-1/2"	1/2"	1/4"	32	KP100 1-2	1/2"

ALTERNATIVE BEARINGS WITH LARGER OUTSIDE DIAMETER TO REDUCE DEPTH OF CUT

CORE BOX BIT

PART NO.	A	B	C	D	RADIUS
CKP801	1/4"	1/4"	1/4"	32	1/8"
CKP802	3/8"	3/8"	1/4"	32	3/16"
CKP803	1/2"	3/8"	1/4"	32	1/4"
CKP804	5/8"	5/8"	1/4"	32	5/16"

"V" GROOVE BIT 90 DEGREE

PART NO.	A	B	C	D
CKP701	3/8"	1/2"	1/4"	32
CKP702	1/2"	1/2"	1/4"	32
CKP703	5/8"	5/8"	1/4"	32

Router Bit Sets



DY012B AG
12 Pce Set in aluminium case
1/4" Shank
(w/transparent top)
TC20505
12 Pce Set in aluminium case
1/4" Shank



TC20507
24 Pce Set in aluminium case
1/4" Shank
DY024A AL
24 Pce Set in aluminium case
1/4" Shank



DY035B AG
35 Pce Set in aluminium case
1/4" Shank (with transparent top)



TC20509
35 Pce Set in aluminium case 1/4" Shank



TC20506
12 Pce Set
1/4" Shank
Straight &
Profile in
Carry case



TC20508
12 Pce Set 1/4" Shank
in Plastic case



DY006A PL
6 Pce Set
1/4" Shank
in plastic case




DY012B PL
12 Pce Set in plastic case
1/4" Shank

Edging Trimmer 35mm Double Edge Two Direction

TCET0035 Edging Trimmer

- » Trimming thickness : 9.5 - 35mm
- » Cutting edge : Hardened alloy steel blades 65HRC
- » Double-sided cutter
- » 2 blades installed on trimmer
- » Trims banding edges both sides simultaneously
- » Works for both straight and tapering cuts
- » Spring-loaded
- » Built-in bevel blades
- » 1 x Spare set of replacement blades included (2pc)

TCET0035-01
Replacement Blades 2Pc



**2 Way
Cutting**
Forward & Backward



DIAMOND BLADE PRODUCT KNOWLEDGE

Diamond Blade Features and Information

What is a Diamond Blade - A diamond blade is composed of a circular steel core and the diamond impregnated segment. The segments are separated by slots in the core. These slots assist in cooling the blade during operation by allowing water (wet cutting) or air (dry cutting) to flow between the segments. The segments or rims are a mixture of diamond powders and metal powders. The diamonds are industrial diamonds of different sizes and qualities depending on the material to be cut as well as the blade type.

How does a Diamond Blade work - The individual diamond crystals exposed on the leading edge and the sides of the segment or rim carry out the cutting. The operator pushes the rotating blade into the material and the surface diamonds thus exposed mill a groove in the material, reducing it to fine powder. When the blade mills the material, the latter exerts wear on the blade. During cutting the exposed diamonds may crack or break. The material simultaneously starts to abrade the metal matrix, which gradually releases more diamonds. The more abrasive the material, the more rapid the tendency to wear down the matrix.

Blades for cutting hard, dense less abrasive materials (such as tile, hard bricks, stone or cured concrete), require a softer metal matrix. This will wear down faster, replacing the worn diamonds fairly quickly so that the blade continues to cut. Blades for cutting soft, abrasive materials (such as green concrete and asphalt), must have a hard, abrasion-resistant metal matrix in order to retain the diamonds for a long time.

Different methods of making Diamond Blades;

Laser welding - Laser micro-fusion enables the segment to be welded to the core. This bond is the most powerful, and enables the tool to be used for dry cutting and drilling without segment loss.

Brazing - Silver brazing solder melts at high temperatures between the segment and the core and binds the two elements together. Used for wet cutting, drilling and grinding.

Sintering - Divides into two;

- Cold Pressed - First pressed with press machine under normal conditions, then laid in sinter machine under high pressure and temperatures making the compressed metal powder melt to a solid bond.
- Hot Pressed - Pressed with hot press machine under high temperature and pressure, making the compressed metal powder melt to a solid bond.


Blade Types;

- Continuous smooth rim** - provides the smoothest cut in ceramic tiles and ornamental stone.
- Turbo / Segmented Turbo** - may produce slight chipping but generally have a longer life and lower cost per cut than continuous rim blades.
- Segmented** - provide the longest life and lowest cost per cut but are only suitable for work where chipping is not a problem.


DIAMOND BLADE APPLICATION CHART

	Segmented (wet/dry)	Turbo (wet/dry)	Continuous Rim (Wet-cut)
Screed	Not so Good	No, No	No, No
Reinforced Concrete	Great	Good	No, No
Clay Pipes	Great	Great	No, No
Concrete Pipes	Great	Good	No, No
Concrete	Great	Good	No, No
Prestressed Concrete	Great	Good	No, No
Stock Bricks	Good		No, No
Clay Pavers	Great	Great	No, No
Semi Face Bricks	Great	Good	No, No
Face Bricks	Great	Great	No, No
High Alumina Refractory Bricks	Not so Good	Good	No, No
Refractory Bricks	Great	Good	No, No
Clay Roof Tiles	Great	Good	No, No
Cement Roof Tiles	Great	Not so Good	No, No
Concrete Paving Slabs	Great	Not so Good	No, No
Teracotta Floor Tiles	Great	Great	No, No
Slate	Great	Great	No, No
Terrazzo	Great	Great	No, No
Tiles & Glazed Tiles	No, No	Great	Great
Granite	Good	Great	Good
Porcelain	No, No	No, No	Great
Marble	Good	Great	Great





Royal Blue Laser



See Application Chart on Pg 21

Part No.	Diameter	Bore / Bushings	RPM
Segmented			
TCDB1420115	115mm	22.23mm	13200
TCDB1420230	230mm	22.23mm	6600
Turbo Segmented			
TCDB1430115	115mm	22.23mm	13200
TCDB1430125	125mm	22.23mm	12000
TCDB1430230	230mm	22.23mm	6600


INDUSTRIAL

Laser Welding

Laser micro-fusion enables the segment to be welded to the core. This bond is the most powerful, & enables the tool to be used for dry cutting and drilling without segment loss.

Application : Concrete, brick, paving, roof tiles & construction material.

Hot Pressed Emerald Green



Part No.	Diameter	Bore / Bushings	RPM
Segmented			
TCDB1220115	115mm	22.23mm	13200
TCDB1220230	230mm	22.23mm	6600
TCDB10300	300mm	25.4mm	5000
Turbo			
TCDB1230115	115mm	22.23mm	13200
Continuous			
TCDB1210115	115mm	22.23mm	13200

INDUSTRIAL


Hot Pressed

Pressed with a hot press under high temperatures and pressure, making the compressed metal powder melt to a solid bond.

Application : Concrete, brick, paving, roof tiles, tiles (continuous rim) & construction material.



Sintered Silver



Part No.	Diameter	Bore/Bushings	RPM
Segmented			
DB2	115mm	22.23mm	13000
DB2-2 w/12mm deep segments	115mm	22.23mm	13200
DB3	230mm	Concrete 22.23mm	6600
DB3-2 w/12mm deep segments	230mm	Granite 22.23mm	6600
DB3-3 w/12mm deep segments	230mm	Concrete 22.23mm	6600
Turbo			
DB5	115mm	22.23mm	13200
DB4	230mm	22.23mm	6600
Continuous			
DB1	115mm	22.23mm	13000
DB6	230mm	22.23mm	6600


CONTRACTOR

Sintering - Cold Pressed

First pressed with a press under normal conditions, then laid in a sinter machine under high pressure and temperatures making the compressed metal powder melt to a solid bond.

Application : Concrete, brick, granite, paving, roof tiles, continuous rim tiles & construction material.

Sintered Gold



Part No.	Diameter	Segment Height	Bore/Bushings	RPM
Segmented				
TCDB20085	85mm	7mm	15mm	17000
TCDB20115	115mm	7mm	22.23mm	13200
TCDB20115-3	115mm	10mm	22.23mm	12000
TCDB20125	125mm	7mm	22.23mm	8400
TCDB20180	180mm	7mm	22.23mm	6600
TCDB20230	230mm	7mm	22.23mm	6600
TCDB20230-4	230mm	10mm	22.23mm	6600
Turbo Wave				
TCDB40115	115mm	8mm	22.23mm	13200
TCDB40180	180mm	8mm	22.23mm	8400
TCDB40180-2	180mm	8mm	25.4mm	8400
TCDB40200	200mm	8mm	25.4mm	7600
TCDB40230	230mm	8mm	22.23mm	6600
Turbo Segmented				
TCDB50230	230mm	10mm	22.23mm	6600
Continuous				
TCDB10085	85mm	5mm	15mm	17000
TCDB10115	115mm	5mm	22.23mm	13200
TCDB11018-2	180mm	5mm	22.23mm	8400
TCDB1110180	180mm	5mm	25.4mm	8400
TCDB1110200	200mm	5mm	22.23mm	7600
TCDB1110230	230mm	5mm	22.23mm	6600
TCDB1110230-2	230mm	5mm	25.4mm	6600
TCDB1110230-3	230mm	6mm	22.23mm	6600

CONTRACTOR





Dished Cymbal - Turbo



Marble
Granite





Natural
Stone slabs

Application: Curves in granite and marble tops, cutouts for drop-in basins

Part No.	Diameter	Bore / Bushings
TC701125	125mm	22.23mm
TC701180	180mm	22.23mm

INDUSTRIAL



Diamond Cup Grinding Wheels



Masonry
Slate



Marble
Granite



Brick
Concrete

Application : Surface cleanup & levelling. Smooths uneven joints on concrete & stone. Grinds faster & longer than standard abrasive discs. Preparation of surface for polishing application on granite.

Part No.	Diameter	Bore / Bushings	RPM
----------	----------	-----------------	-----

Cold Pressed ECONOMY Range

STANDARD	TCCW20100-2	100mm	22.23mm	13300
	TCCW20115-5	115mm	22.23mm	13300
	TCCW20115-6	115mm	22.23mm	13300
	TCCW40100-2	100mm	22.23mm	13300
	TCCW40100-3	100mm	22.23mm	13300
	TCCW40115-5	115mm	22.23mm	13300
	TCCW40180-5	180mm	22.23mm	8500




Cold Pressed CONTRACTOR Range

CONTRACTOR	TCCW20115-1	115mm	22.23mm	13300
	TCCW20115-3	115mm	M14	13300
	TCCW20180-5	180mm	22.23mm	13300
	TCCW40100-1	100mm	22.23mm	13300
	TCCW40115-1	115mm	22.23mm	13300
	TCCW40115-3	115mm	M14	13300
	TCCW40180-1	180mm	22.23mm	8500
	TCCW40180-3	180mm	M14	8500



Laser Welded INDUSTRIAL Range

INDUSTRIAL	TCCW20115-2	115mm	22.23mm	13300
	TCCW20115-4	115mm	M14	13300
	TCCW40115-2	115mm	22.23mm	13300
	TCCW40115-4	115mm	M14	13300
	TCCW40180-2	180mm	22.23mm	8500
	TCCW40180-4	180mm	M14	8500



Cutting Blades - Segmented



Brick
Concrete

Part No.	Diameter	Bore/Bushings	Locating Hole	RPM
General Purpose - Laser Welded				
TCDB20300-2	300mm	25.4mm	Bottom	5000

Asphalt - Hot Pressed

TCDB20300-1	300mm	25.4mm	Bottom	5000
TCDB20300-10	300mm	25.4mm	Bottom	5000
TCDB20350-5	350mm	25.4mm	Bottom	4300
TCDB1210350A	350mm	25.4mm	Side	4300

Asphalt - Laser Welded

TCDB20300-14	300mm	25.4mm	Bottom	5000
TCDB20350-6	350mm	25.4mm	Side	4300
TCDB20350-20	350mm	25.4mm	Bottom	4300

Concrete - Hot Pressed

TCDB20300-11	300mm	25.4mm		5000
TCDB20350-3	350mm	25.4mm	Side	4300

Concrete - Laser Welded

TCDB20300-15	300mm	25.4mm	Bottom	5000
TCDB20350-21	350mm	25.4mm	Bottom	4300
TCDB20350-4	350mm	25.4mm		

Old & Green - Hot Pressed

TCDB20350-1	350mm	25.4mm	Bottom	4300
-------------	-------	--------	--------	------


Old Concrete - Laser Welded

TCDB20300-16	300mm	25.4mm	Bottom	5000
TCDB20350-22	350mm	25.4mm	Side	4300
TCDB20350-2	350mm	25.4mm	Bottom	4300

Old Concrete - Hot Pressed

TCDB20300-12	300mm	25.4mm	Bottom	5000
--------------	-------	--------	--------	------

INDUSTRIAL



TCDB20350-5



TCDB20300-14

See Application Chart on Pg 21



Cutting Blades - Contractor Bulk Packs

TCDB10115-3P : 115mm Continuous Rim 3 Pack Shrink Wrapped
 TCDB20115-3P : 115mm Segmented Rim 3 Pack Shrink Wrapped
 TCDB20230-3P : 230mm Segmented Rim 3 Pack Shrink Wrapped
 TCDB20115-5P : 115mm Segmented Rim 5 Pack Shrink Wrapped
 TCDB20230-5P : 230mm Segmented Rim 5 Pack Shrink Wrapped
 TCDB20230-25B : 230mm Segmented Rim 25 Pack in Box



Brick
Concrete



Metal Cutting - Segmented



Mild
Steel

Part No.	Diameter	Bore / Bushings
TCDB70115	115mm	22.23mm
TCDB70230	230mm	22.23mm
TCDB70300	300mm	25.4mm
TCDB70350	350mm	25.4mm
Vacuum Brazed		
TCDB70115-1	115mm	22.23mm
TCDB70230-1	230mm	22.23mm

INDUSTRIAL

Tork Craft brings you the latest technology in diamond cutting: the all new Metal Cutting Diamond Blades will outlast conventional blades many times over!



TCDB70115




TCDB70350

Multi-Purpose Diamond Blade


Part No.	Description
TCDB50115	115mm Multi-purpose Diamond Blade - Segmented
TCDB50230-2	230mm Multi-purpose Diamond Blade - Segmented

A diamond blade for hard and soft materials!

- A unique and revolutionary concept!
- The combination of two different segments in a single blade means it can be used to cut either hard or soft materials with perfect results for both!



TCDB50115



TCDB50230-2

Uni-Eco Diamond Blades

Thicker LONG-LIFE 10mm Segment

Part No.	Description
TCDB30115	115mm Segmented Diamond Blade for Concrete with Reinforcing
TCDB30230	230mm Segmented Diamond Blade for Concrete with Reinforcing



INDUSTRIAL



Specialist Cutting Diamond Blades

Part No.	Description
TCDB80115	115mm Continuous Rim Diamond Blade for cutting glass and ceramic - Max RPM 13,300
TCDB1240115	115mm Continuous Rim Diamond Blade Honey Comb for cutting & grinding glass and ceramic - Max RPM 13,300



Glass



Bottles



Tiles



Max RPM
13,300/min



TCDB80115



TCDB1240115
Honey Comb Design



DelRock Diamond

Application : General building material and tiles
(continuous rim)

Part No.	Diameter	Bore/ Bushings	RPM
Continuous			
TS10115	115mm	22.23mm	13300
TS10230	230mm	22.23mm	6600
Segmented			
TS20115	115mm	22.23mm	13300
TS20230	230mm	22.23mm	6600
Turbo			
TS40115	115mm	22.23mm	13300
TS40230	230mm	22.23mm	6600




Building
Materials



Ceramic
Tiles

See Application Chart on Pg 21



PINNACLE



Building
Materials




Ceramic
Tiles

See Application
Chart on Pg 21

Application: General building material and tiles (continuous rim)

Part No.	Diameter	Bore/ Bushings	RPM
Continuous			
TW10115	115mm	22.23mm	13300
TW10230	230mm	22.23mm	6600
Segmented			
TW20115	115mm	22.23mm	13300
TW20115-5P	115mm	22.23mm	13300 5/Pack
TW20230	230mm	22.23mm	6600
TW20230B	230mm	22.23mm	6600 10/Pack
Turbo			
TW40115	115mm	22.23mm	13300
TW40230	230mm	22.23mm	6600



Diamond Polishing Sets

POLISHING

Looking for that perfect shine

Part No.	Grit	Size	Colour	
TCDP10050	50	100mm	Grey	For WET use
TCDP10150	150	100mm	Yellow	For WET use
TCDP10300	300	100mm	Orange	For WET use
TCDP10500	500	100mm	Red	For WET use
TCDP11000	1000	100mm	Dark Green	For WET use
TCDP12000	2000	100mm	Lime Green	For WET use
TCDP13000	3000	100mm	Pink	For WET use

TCDP10007 : 7 Pce Diamond Granite & Stone Polishing Set

Contents : #50, #150, #300, #500, #1000, #2000, #3000

Recommended Tork Craft Backing pads;

SPC00117 - 100mm x M14 for Stone Polishing super pads Hook & Loop

SPC00118 - 100mm x 5/8" UNC for Stone Polishing super pads Hook & Loop

Part No.	Grit	Size	Colour	
TCDP20050	50	100mm	Grey	For DRY use
TCDP20100	100	100mm	Blue	For DRY use
TCDP20150	150	100mm	Yellow	For DRY use
TCDP20300	300	100mm	Orange	For DRY use
TCDP20500	500	100mm	Red	For DRY use
TCDP21000	1000	100mm	Light Green	For DRY use
TCDP22000	2000	100mm	Dark Green	For DRY use
TCDP33000	3000	100mm	Pink	For DRY use

TCDP20007 : 7 Pce Diamond Polishing Pads : FOR DRY USE

Contents : #50, #150, #300, #500, #1000, #2000, #3000

Recommended Tork Craft Backing pads;

SPC00117 - 100mm x M14 for Stone Polishing super pads Hook & Loop

SPC00118 - 100mm x 5/8" UNC for Stone Polishing super pads Hook & Loop

INDUSTRIAL

INDUSTRIAL




Use with
polisher

SPC00117



HOLE SAW SYSTEMS PRODUCT KNOWLEDGE

Bi-Metal Hole Saws: heavy duty cutting in wood, plastic and machinable metal. Ideal for plumbers, mechanics, electricians and other heavy users.



Use and Care Information

Lubricants (prolongs the lifespan of the cutting edges)

Use a good cutting oil for faster, more efficient cutting in ferrous metals.

Do not use cutting oil when cutting cast iron. Paraffin or beeswax is frequently used when cutting aluminium.

Work Piece position

Do not enter the work piece at an angle. It is important to have all the saw teeth in contact with the material to avoid tooth damage.

Feeds

Hole saws require a level, even pressure to saw efficiently. Excessive pressure will contribute to premature wear, dulling of teeth and tooth breakage. When cutting thick material, the saw should be removed from the cut at intervals to allow for chip clearances.

	Cast Iron	Hard Metals	E.G. Pipes	Cement Board	GRP	Wood	Tiles	Dry Wall	Building Blocks	Concrete Paving	House Brick	Slate	Wood Laminate
Bi-M Series TC120	✓✓	✓✓	✓✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✓
TCG Series TC030	✗	✗	✓	✓✓	✓✓	✓✓	✓✓	✓✓	✓✓	✓✓	✓✓	✓✓	✓✓

Bi-M = Bi Metal Holesaw Blade

TCG = Tungsten Carbide Grit Holesaw

Bi-Metal Hole Saw Operating Speeds

OPERATING SPEEDS & IMPORTANT R/MIN						
DIAMETER	MILD STEEL	STAINLESS STEEL	CAST IRON	BRASS	ALUMINIUM	WOOD
14	580	300	400	790	900	3000
16	550	275	365	730	825	3000
17	500	250	330	665	750	3000
19	460	230	300	600	690	3000
20	435	240	290	580	660	3000
21	425	210	280	560	635	3000
22	390	195	260	520	585	3000
24	370	185	245	495	555	3000
25	350	175	235	470	525	2700
27	325	160	215	435	480	2700
29	300	150	200	400	450	2700
30	285	145	190	380	425	2400
32	275	140	180	360	410	2400
33	260	135	175	345	390	2400
35	250	125	165	330	375	2400
37	240	120	160	315	360	2400
38	230	115	150	300	345	2400
40	220	110	145	290	330	2100
41	210	105	140	280	315	2100
43	205	100	135	270	305	2100
44	195	95	130	260	295	2100
46	190	95	125	250	285	2100
48	180	90	120	240	270	2100
51	170	85	115	230	255	2000
52	165	80	110	220	245	2000
54	160	80	105	210	240	2000
57	150	75	100	200	225	2000
59	145	75	100	195	225	2000
60	140	70	95	190	220	2000
64	135	65	90	180	205	1800
65	130	65	85	175	200	1800
67	130	65	85	170	195	1800
68	130	65	85	170	195	1800
70	125	60	80	160	185	1800
73	120	60	80	160	180	1800
76	115	55	75	150	170	1500
79	110	55	70	140	165	1500
83	105	50	70	140	155	1500
86	100	50	65	130	150	1200
89	95	45	65	130	145	1200
92	95	45	60	120	140	1200
95	90	45	60	120	135	1200
98	90	45	60	120	135	1200
102	85	40	55	110	130	1000
105	80	40	55	110	120	1000
108	80	40	55	110	120	900
111	80	40	50	100	120	900
114	75	35	50	100	105	900
121	70	35	45	95	95	900
127	65	30	45	90	90	800
133	65	30	45	90	90	800
140	60	25	40	85	85	800
146	60	25	40	85	85	800
152	55	25	35	75	75	800

USER INSTRUCTIONS

For safe use of hole saws use the correct rotation speed. The correct speed for each size is given in the table.

For longer saw life and lower operating costs, the following recommendations need to be observed.

1. Use the correct arbor for the size saw to be used.
2. Use pin-type arbors for hole saws larger than 32. When mounting, lift the pins up and then screw the arbor down into the hole saw as far as it will go, then fit the drive pins into the pin holes in the hole saw.
3. Use the correct rotation speed! Speeds that are too high or too low will decrease the life of the cutting edge.
4. Clear away wood chips or iron filings frequently in order to prevent overheating.

Bi-metal hole saws with variable pitch (Vario)

The Vario pitch guarantees;

- Low vibration thus less heat build-up when cutting = longer edge life
- Higher truth of running
- Even cut
- Depth of cut up to a maximum of 38mm

Field of application and operative range

- Electricians, heating fitters and sanitary plumbers, metal working
- For hand drills and upright drilling machines

Field of application

- Steel non ferrous heavy metal and light metal, casting, wood with nails, plywood panels, gypsum plaster board and synthetic material.

Application notes

- to achieve a perfect saw cut, please observe the rotational speed table
- use coolant (cutting oil for metals)
- make sure that chippings and shavings are removed regularly in order to prevent overheating of the hole saw.

HSS Bi-Metal Industrial Hole Saws



Sheet Metal



Plastic



Hard & Softwood

Part No.	Size
TC12001	14mm
TC12002	16mm
TC12003	17mm
TC12004	19mm
TC12005	20mm
TC12006	21mm
TC12007	22mm
TC12008	24mm
TC12009	25mm
TC12010	27mm
TC12011	28mm
TC12012	29mm
TC12013	30mm
TC12014	32mm
TC12015	33mm
TC12016	35mm
TC12017	37mm
TC12018	38mm
TC12019	40mm
TC12020	41mm
TC12021	43mm
TC12022	44mm
TC12023	46mm
TC12024	48mm
TC12025	51mm
TC12026	52mm
TC12027	54mm
TC12028	57mm

Part No.	Size
TC12029	59mm
TC12030	60mm
TC12031	64mm
TC12032	65mm
TC12033	67mm
TC12034	68mm
TC12035	70mm
TC12036	73mm
TC12037	76mm
TC12038	79mm
TC12039	83mm
TC12040	86mm
TC12041	89mm
TC12042	92mm
TC12043	95mm
TC12044	98mm
TC12045	102mm
TC12046	105mm
TC12047	108mm
TC12048	111mm
TC12049	114mm
TC12050	121mm
TC12051	127mm
TC12052	133mm
TC12053	140mm
TC12054	146mm
TC12055	152mm

INDUSTRIAL



HSS BiM42 Industrial Hole Saws



Part No.	Size
TC12101	14mm
TC12102	16mm
TC12103	17mm
TC12104	19mm
TC12105	20mm
TC12106	21mm
TC12107	22mm
TC12108	24mm
TC12109	25mm
TC12110	27mm
TC12111	28mm
TC12112	29mm
TC12113	30mm
TC12114	32mm
TC12115	33mm
TC12116	35mm
TC12117	37mm
TC12118	38mm
TC12119	40mm
TC12120	41mm
TC12121	43mm
TC12122	44mm
TC12123	46mm
TC12124	48mm
TC12125	51mm
TC12126	52mm
TC12127	54mm
TC12128	57mm

Part No.	Size
TC12129	59mm
TC12130	60mm
TC12131	64mm
TC12132	65mm
TC12133	67mm
TC12134	68mm
TC12135	70mm
TC12136	73mm
TC12137	76mm
TC12138	79mm
TC12139	83mm
TC12140	86mm
TC12141	89mm
TC12142	92mm
TC12143	95mm
TC12144	98mm
TC12145	102mm
TC12146	105mm
TC12147	108mm
TC12148	111mm
TC12149	114mm
TC12150	121mm
TC12151	127mm
TC12152	133mm
TC12153	140mm
TC12154	146mm
TC12155	152mm

INDUSTRIAL

For cutting metal, wood and PVC, Packaged

- » Ideal for electricians, plumbers, mechanics & other metal drilling applications
- » Flexible, shatter resistant body reduces breakage
- » Lasts up to 5 times longer than standard hole saws
- » Precision sharpened teeth for smooth, fast cuts
- » 38mm depth of cut
- » Use mandrels

TC17002, TC17003, TC17007



» Use Quick Change Mandrels

- TC17003
- TC17003-1
- TC17003-2

Images & information on Page 29



For cutting stainless steel (Inox), (Nirosta), mild steel/Iron, Aluminium, PVC & Wood

» BiM42 Cobalt Steel

- » Improved chip clearance/ultra-thin kerf for accurate cuts
- » Alternating Tooth Pattern
- » Variable pitch teeth reduce harmonic vibration
- » Material release slots to clear material efficiently
- » 38mm cut depth for all sizes
- » Use mandrels

TC17002, TC17003, TC17007



HSS Hole Saws



Mild Steel



Non-ferrous Metals



Sheet Metal

Part No.	Size	INDUSTRIAL
TC28012	Hole Saw 12mm	
TC28013	Hole Saw 13mm	
TC28014	Hole Saw 14mm	
TC28016	Hole Saw 16mm	
TC28017	Hole Saw 17mm	
TC28018	Hole Saw 18mm	
TC28019	Hole Saw 19mm	
TC28020	Hole Saw 20mm	
TC28022	Hole Saw 22mm	
TC28024	Hole Saw 24mm	
TC28025	Hole Saw 25mm	
TC28028	Hole Saw 28mm	
TC28030	Hole Saw 30mm	
TC28032	Hole Saw 32mm	
TC28035	Hole Saw 35mm	
TC28038	Hole Saw 38mm	
TC28040	Hole Saw 40mm	
TC28042	Hole Saw 42mm	



Part No.	Size	INDUSTRIAL
TC28045	Hole Saw 45mm	
TC28048	Hole Saw 48mm	
TC28050	Hole Saw 50mm	
TC28055	Hole Saw 55mm	
TC28060	Hole Saw 60mm	
TC28064	Hole Saw 64mm	
TC28070	Hole Saw 70mm	
TC28075	Hole Saw 75mm	
TC28080	Hole Saw 80mm	

Part No.	Size	INDUSTRIAL
Replacement Arbor Drills		
TC28650	HSS Arbor Drill 6 x 50mm	
TC28860	HSS Arbor Drill 8 x 60mm	

- Especially designed for sheet metal up to 5mm thickness.
- Ideal for sheet metal, alloy steel, aluminium, brass plate and F.R.P.
- Fits portable electric drills and drill presses.

TCT Hole Saws



Stainless Steel



Steel Pipe



Sheet Metal



Plastic



Use with cutting fluid

Part No.	Description	RPM	INDUSTRIAL
TC915001	TCT Hole Saw 16mm	796	
TC915004	TCT Hole Saw 19mm	750	
TC915005	TCT Hole Saw 20mm	720	
TC915006	TCT Hole Saw 22mm	690	
TC915010	TCT Hole Saw 25mm	690	
TC915015	TCT Hole Saw 30mm	660	
TC915016	TCT Hole Saw 32mm	645	
TC915020	TCT Hole Saw 35mm	630	
TC915023	TCT Hole Saw 38mm	600	
TC915025	TCT Hole Saw 40mm	590	
TC915030	TCT Hole Saw 45mm	550	
TC915035	TCT Hole Saw 50mm	420	
TC915040	TCT Hole Saw 55mm	370	
TC915041	TCT Hole Saw 60mm	300	
TC915043	TCT Hole Saw 64mm	270	
TC915044	TCT Hole Saw 65mm	260	
TC915045	TCT Hole Saw 70mm	220	
TC915046	TCT Hole Saw 75mm	183	
TC915047	TCT Hole Saw 80mm	173	
TC915048	TCT Hole Saw 83mm	171	
TC915049	TCT Hole Saw 90mm	152	
TC915051	TCT Hole Saw 100mm	137	
TC00003	Replacement drill bit for 915 Series Hole Saws		

- » Especially designed for hard materials up to 14.5mm thickness
- » With it's extremely sharp TCT cutting edges it can be run at higher speeds for holes of exceptional quality & accuracy
- » For portable drills and drill presses.
- » Ideal for sheet metal, s/steel, steel pipes, F.R.P, aluminium, vinyl & plastic.
- » Use with cutting fluid TCMF001 for best results.



TC915080
5 Pce TCT
Hole Saw Set for metal
Sizes 16, 20, 22, 25, 32mm
c/w Carry Case

TC17002-3



Sheet Metal Punch - Chassis Punch



Sheet
Metal



Mild
Steel

For clean holes **FAST**
in sheet metal up to 1.625mm mild steel

Part No.	Description
TCCP016	Chassis - Screw - Sheet Metal Punch 16mm
TCCP020	Chassis - Screw - Sheet Metal Punch 20mm
TCCP022	Chassis - Screw - Sheet Metal Punch 22mm
TCCP025	Chassis - Screw - Sheet Metal Punch 25mm
TCCP0254	Chassis - Screw - Sheet Metal Punch 25.4mm
TCCP030	Chassis - Screw - Sheet Metal Punch 30mm
TCCP032	Chassis - Screw - Sheet Metal Punch 32mm
TCCP035	Chassis - Screw - Sheet Metal Punch 35mm
TCCP038	Chassis - Screw - Sheet Metal Punch 38mm
TCCP040	Chassis - Screw - Sheet Metal Punch 40mm
TCCP050	Chassis - Screw - Sheet Metal Punch 50mm
TCCP054	Chassis - Screw - Sheet Metal Punch 54mm

INDUSTRIAL

SCREW PUNCH	BOLT DIA.	WRENCH
16mm	M8	14mm
20mm	M10	17mm
22mm	M10	17mm
25mm	M10	17mm
25.4mm	M10	17mm
30mm	M12	19mm
32mm	M12	19mm
35mm	M12	19mm
38mm	M12	19mm
40mm	M14	22mm
50mm	M14	22mm
54mm	M14	22mm



Tungsten Grit Hole Saws



Stonework
(Brick)



Fibreglass



Hard &
Softwood



Ceramic
Tiles

Part No.	Description & Size
TC17002	Mandrel 3/8" Hex 14 - 30mm
TC17002-2	Carbide / Diamond Hole Saw 14 - 30mm
TC17007	Mandrel 7/16" Hex 32 - 178mm with pins
TC17007-2	Carbide / Diamond Hole Saw 32 - 152mm
TC03016	Carbide Grit 16mm Blister card
TC03020	Carbide Grit 20mm Blister card
TC03022	Carbide Grit 22mm Blister card
TC03025	Carbide Grit 25mm Blister card
TC03029	Carbide Grit 29mm Blister card
TC03032	Carbide Grit 32mm Blister card
TC03035	Carbide Grit 35mm Blister card
TC03038	Carbide Grit 38mm Blister card
TC03044	Carbide Grit 44mm Blister card
TC03051	Carbide Grit 51mm Blister card
TC03054	Carbide Grit 54mm Blister card
TC03057	Carbide Grit 57mm Blister card
TC03064	Carbide Grit 64mm Blister card
TC03070	Carbide Grit 70mm Blister card
TC03073	Carbide Grit 73mm Blister card
TC03076	Carbide Grit 76mm Blister card
TC03083	Carbide Grit 83mm Blister card

INDUSTRIAL
NO HAMMER

Technical Specifications

- Stable body made of special alloy toolsteel band, edges are carbide gritted
- The carbide grit is almost as hard as diamond - the saws remain sharp for longer and therefore have the longest edge life
- No interlocking or breaking off because of carbide metal surface
- Fast, aggressive cut on many materials, with very little effort
- Depth of cut = approximately 40mm
- Arbors must be used on bi-metal & carbide grit holesaws

Operative range

- For hard and abrasive materials such as fibreglass, Kevlar, asbestos, graphite, carbon, brick, tiles, plaster slabs, walls, light stones, wood and weather board.

For wall sockets and all diameters of pipes.

No Hammer action



Part No.	Description & Size
TC17002	HSS Mandrel 9.5mm Hex for sizes 14 - 30mm
TC17002-3	Mandrel for Diamond Grit Hole saws 14 - 30mm
TC17003	Mandrel 14 - 152mm Quick Change w/11mm Hex Shank c/w 1/4" HSS pilot & 2 x Adaptors
TC17003-1	Mandrel Repl. Adaptor 14-30mm for TC17003
TC17004	HSS Mandrel 7/16" Hex for sizes 32 - 44mm
TC17007	HSS Mandrel 12mm Hex for sizes 32 - 152mm w/pins
TC17007-4	Mandrel TCT Hole Saw 7/16" 32 - 152mm
TC17009	HSS Mandrel SDS Shank for sizes 32 - 178mm w/pins
TC17015	Adaptor for mandrel 17004
TC17016	Allen key for mandrel
TC00001	Replacement drill for mandrel 6.35 x 115 - Extra long
TC00002	Replacement drill for mandrel 6.35 x 70
TC00003	Replacement drill bit for 915 Series Hole Saws
TC00006	Replacement drill bit for TC17007-3 Mandrel



TC00002



TC17016



Quick
Change
TC17003-1



Quick
Change
TC17003-2

Quick Change
TC17003

TC17004



TC17002

TC17007



TC17009



SDS



Carbon Steel Hole Saws



Plastic



Hard &
Softwood

Part No.	Size	Use Mandrel	Part No.	Size	Use Mandrel
TC911001	19mm	TC917009	TC911012	54mm	TC917012
TC911002	22mm	TC917009	TC911013	57mm	TC917012
TC911003	25mm	TC917009	TC911014	60mm	TC917012
TC911004	28mm	TC917009	TC911015	64mm	TC917012
TC911005	32mm	TC917012	TC911016	67mm	TC917012
TC911006	35mm	TC917012	TC911017	70mm	TC917012
TC911007	38mm	TC917012	TC911018	73mm	TC917012
TC911008	41mm	TC917012	TC911019	76mm	TC917012
TC911009	44mm	TC917012	TC911020	82mm	TC917012
TC911010	48mm	TC917012	TC911021	86mm	TC917012
TC911011	51mm	TC917012			

Carbon Steel Hole Saws

- Ideal for cutting wood, composite materials and plastic
- Not for use on metal or steel
- 19mm depth of cut

Part No.	Size
TC917009	Mandrel for sizes 19 - 28mm
TC917012	Mandrel for sizes 32 - 86mm



Drive Plate

TCDP001

Drive Plate (Black)

Packaged in double blister & carded

- » Support plate for carbon steel hole saws larger than 64mm.
- » Use with mandrel #TC917012



TORK CRAFT™ Dry Cut Diamond Core Drills



Stonework
(Brick)



Concrete

Brickwork	Thread	Size	Concrete	Thread	Size
TC180038	22mm	38 x 170mm	TC180038-2	22mm	38 x 170mm
TC180052	22mm	52 x 170mm	TC180052-2	22mm	52 x 170mm
TC180065	22mm	65 x 170mm	TC180065-2	22mm	65 x 170mm
TC180075	16mm	75 x 170mm	TC180075-2	22mm	75 x 170mm
TC180078	16mm	78 x 170mm	TC180117-3	16mm	117 x 150mm
TC180117	16mm	117 x 170mm	TC180117-2	22mm	117 x 170mm
TC180078-1	22mm	78 x 170mm - Universal			

NO HAMMER

For cutting large diameter holes,
quickly and neatly

**NB!
NOT FOR
RE-INFORCED
DRILLING IN
CONCRETE!**



Part No.	Description	(Pilot drill not incl)
TC18HEX1	Hex Shank Adaptor - 70mm M16	
TC18HEX2	Hex Shank Adaptor - 200mm M16	
TC18HEX3	Hex Shank Adaptor - 300mm M16 x 13mm	
TC18SDS1	SDS Plus Adaptor - 70mm M16	
TC18SDS2	SDS Plus Adaptor - 200mm M16	
TC18SDS3	SDS Adaptor - 300mm M16	
TC18SDS4	SDS Adaptor - 70mm M22	
TC18SDS5	SDS Adaptor - 200mm M22	
TC18SDS6	SDS Adaptor - 300mm M22	
TC18SDS7	SDS Adaptor MAX - 300mm M22	
TC18KEY	Drift Key for TC18 Diamond Core Bits	
TC18PILOT	Pilot Drill Bit	



TCT Hollow Core Bits & Adaptors

Part No.	Description & Size	INDUSTRIAL
TC322201	TCT Hollow Core Bit 30 x 72mm M22	
TC322202	TCT Hollow Core Bit 35 x 72mm M22	
TC322203	TCT Hollow Core Bit 40 x 72mm M22	
TC322204	TCT Hollow Core Bit 45 x 72mm M22	
TC322205	TCT Hollow Core Bit 50 x 72mm M22	
TC322232	TCT Hollow Core Bit 52 x 72mm M22	
TC322206	TCT Hollow Core Bit 55 x 72mm M22	
TC322207	TCT Hollow Core Bit 60 x 72mm M22	
TC322208	TCT Hollow Core Bit 65 x 72mm M22	
TC322209	TCT Hollow Core Bit 70 x 72mm M22	
TC322230	TCT Hollow Core Bit 75 x 72mm M22	
TC322210	TCT Hollow Core Bit 80 x 72mm M22	
TC322211	TCT Hollow Core Bit 90 x 72mm M22	
TC322212	TCT Hollow Core Bit 100 x 72mm M22	
TC322213	TCT Hollow Core Bit 110 x 72mm M22	
TC322214	TCT Hollow Core Bit 125 x 72mm M22	

Part No.	Description & Size
ADAPTORS 110mm	
TC322237	SDS Plus Adaptor 110mm x M22
TC322239	Hex Adaptor 110mm x M22
TC322216	110mm x M14 SDS Plus Adaptor
ADAPTORS 200mm	
TC322218	SDS Plus Adaptor 200mm x M16
TC322222	SDS Max Adaptor 200mm x M16
TC322225	SDS Plus Adaptor 200mm x M22
TC322240	13mm Hex Adaptor 200mm x M22
ADAPTORS 300mm	
TC322223	SDS Plus Adaptor 300mm x M16
TC322228	SDS Plus Adaptor 300mm x M22
TC322241	Hex Adaptor 300mm x M22
TC322243	SDS Max Adaptor 300mm x M22
ADAPTORS 400mm	
TC322233	SDS Plus Adaptor 400mm x M22
TC322234	SDS Max Adaptor 400mm x M22
TC317888	SDS Max Adaptor 400mm x M22
ADAPTORS 450mm	
TC322238	SDS Plus Adaptor 450mm x M22
TC322242	13mm Hex Adaptor 450mm x M22



Brick & Masonry

For cutting clean holes in brick and aerated block



Part No.	Description & Size
DRILL BITS	
TC322217	Pilot Centre Drill Bit for TC322 Core Bits
TC322229	Centre Drill Bit - Tapered shank

Part No.	Description & Size	
TC323040	TCT Hollow Core Bit LONG 40 x 150mm	M22
TC323050	TCT Hollow Core Bit LONG 50 x 150mm	M22
TC323055	TCT Hollow Core Bit LONG 55 x 150mm	M22
TC323060	TCT Hollow Core Bit LONG 60 x 150mm	M22
TC323065	TCT Hollow Core Bit LONG 65 x 150mm	M22
TC323070	TCT Hollow Core Bit LONG 70 x 150mm	M22
TC323080	TCT Hollow Core Bit LONG 80 x 150mm	M22
TC323110	TCT Hollow Core Bit LONG 110 x 150mm	M22
PILOT PIN		
TC323999	Pilot Drill to fit TC323 Series 150mm	

Series TC323

- » Longer length body
- » Minimize cleaning of core
- » Can drill through a standard single wall without core cleaning
- » Comes with pilot drill bit & arbor
- » Hammer action can cause adaptor breakage



Carbon Steel Hole Saw Sets



Plastic



Hard & Softwood



TCHSK013

13pc Hole Saw Set

Hole saws 19, 22, 25, 29, 32, 38, 44, 51 & 64mm
2 x Arbors, 1 x Hex wrench, 1 x Wood flat bit 25mm

Packaged in blow case and double blister

- Cuts smooth, clean, accurate through holes up to 25mm thick in wood, plastics and other soft materials

- **Not for use on metal or steel**



TCHSK015

15pc Hole Saw Set

Hole saws 19, 22, 25, 28, 32, 35, 38, 44, 51, 57, 64 & 76mm, 2 x Arbors, 1 Hex wrench

Packaged in blow case and double blister

- Cut smooth, clean, accurate through holes up to 25mm thick in wood, plastics & other soft material

- **Not for use on metal or steel**

TC911032

5 Pce Carbon Steel Hole Saw Set

Hole saws 32, 38, 44 & 54mm plus 1 x Mandrel

- Packaged in Blister

- Cuts smooth, clean accurate through holes up to 25mm thick in wood, plastics and other soft material

- **Not for use on metal or steel**



TC911048

16 Pce Master Hole Saw Kit

Hole saws 19, 22, 29, 32, 38, 44 51, 64, 76, 89, 102 & 127mm

2 x Arbors, 1 x Hex wrench & 1 x Drive plate

- Cuts smooth, clean accurate through holes up to 25mm thick in wood, plastics and other soft material

- **Not for use on metal or steel**



TCCC30200

Circle Hole Cutter

Adjustable 30 - 200mm

Cuts smooth clean accurate through holes up to 30mm in plywood, laminates, composite boards, gypsum board, plastic, rubber and a wide range of other materials



TCC911049

3 Pce Lock Installation Kit

1 x 54mm Hole Saw

1 x 25mm Spade Bit

1 x Hole Saw Mandrel

_Used for 54mm dead bolts or lock-sets with a 25mm latch hole

Installs Yale, Kwikset, Weslock, Schlage, Dexter, National, Sargent, Accord, E-Z Sets and others

Not for use on metal or steel



HSS Bi-Metal Industrial Hole Saw Sets



Sheet
Metal



Plastic



Hard &
Softwood



TCHSK006

6 Pce Bi-Metal Hole Saw Set
Contains: Hole saws 22, 25, 32, 35 & 51mm
1 x 3/8" Hex Mandrel
Packaged in blow mould case



TCHSK09E-1

9 Pce Bi-Metal Hole Saw Set
Contains: Hole saws 16, 20, 25, 32, 40 & 51mm
2 x Arbor & 1 x Adaptor
Packaged in aluminium case



TCHSK09E

9 Pce Bi-Metal Hole Saw Set
Contains: Hole saws 22, 29, 35, 44, 51 & 64mm
2 x Arbor & 1 x Adaptor
Packaged in blow mould case and double blister



TCHSK09P

9 Pce Bi-Metal Hole Saw Set
Contains: Hole saws 19, 22, 29, 38, 44 & 57mm
2 x Arbor & 1 x Adaptor
Packaged in blow mould case and double blister



TCHSK13J

13 Pce Bi-Metal Hole Saw Set
Contains: Hole saws 19, 22, 29, 35, 38, 44, 54, 57 & 64mm
1 x Hex Key, 2 x Arbor
Packaged in blow mould case and double blister

Carbon Steel Hole Saw Sets



Plastic



Hard &
Softwood

TCDK6

6 Pce Carbon Steel Downlighter Set
- Hole saws 51, 60, 64, 72, 75 & 86mm
- 1 x Pilot Drill, 1 x Hex Key, 1 x Arbor
- Packaged in blow mould case
- Large sizes for cable management & electrical fittings
- Hardened and tempered alloy steel for long life
- **Not for use on metal or steel**



TCDK009

9 Pce Carbon Steel Downlighter Set
- Hole saws 50, 60, 65, 72, 75 & 86mm
- 1 x Hex Wrench, 1 x Arbor, 1 x Drive plate
- Packaged in blow mould case
- Cuts smooth, clean accurate through holes up to 25mm thick in wood, plastics & other soft material
- **Not for use on metal or steel**



TCDK17

17 Pce Downlighter Installers Kit with Drill Saws
Hole saws 19, 22, 29, 32, 38, 44, 51, 64mm plus 1 x 9.5mm Mandrel, 1 x 6.35mm Mandrel, 1 x 2.5mm Hex key wrench
Packaged in blow mould case and double blister
- **Not for use on metal or steel**

ANNULAR CUTTERS PRODUCT KNOWLEDGE

Cutting holes in tube and pipe poses a few problems. These problems can be overcome by the use of an ANNULAR CUTTER. Due to the annular cutter being hollow there is no "dead zone" (as in the use of a twist drill), so dimpling and deburring are avoided, as is the deforming of the material. The use of a regular twist drill causes concerns with centering and hole location, hole roundness, hole finish, stock deformation, burrs and jagged edges of stock, and duration of operation.

Using ANNULAR CUTTERS in most tube and pipe cutting applications holes can be drilled without pre-spotting the location. Annular cutters require a smaller relief angle than twist drills as they cut the material rather than ripping through it, leaving a clean, round and virtually burr-free hole. As the annular cutter trepanns the hole it leaves the centre as a solid slug and exerts minimal force on the material. The tool's multiple cutting edges distribute the load evenly resulting in fast feed rates, minimizing the thrust and horsepower needed. Knowing how to use an ANNULAR CUTTER and what to look for can help to avoid problems and extend tool life. The annular cutter should be used with a portable magnetic drill with pipe adaptor securely fixed and wrapped with chain.

Annular Cutters will break or dull prematurely primarily if feed rate which is too slow. Using a firm, steady feed pressure throughout the cut will maximize performance and extend tool life. Clear chips before each cut - As the cutter begins removing material, new chips flow out through the gullets & up the flutes. If these pathways are not cleared before each new hole is cut, packing or binding may result, causing the cutter to fill with chips and possibly break. Jockeying a large pipe into position on a stationary drill is awkward - a portable magnetic drill takes the tool to the workpiece. A portable magnetic drill press may also be used in any position - vertical, horizontal, or overhead. The workpiece must be at least 3/8" thick. Ensure the support system for the drill arbor is rigid & in good condition. To prevent slipping, the magnetic drill base should be kept clear of chips and debris and securely attached to a clean work place. Uneven surfaces or large debris buildup prevent the magnet from obtaining optimum hold, which may cause the drill to shift or lift during operation. Using a lubricant or cutting fluid makes the slug easier to eject at the end of a cut. But, if the slug ejection becomes unreliable or the tube resists cutting, it probably means that the cutters edges are becoming dull - sharpen or replace the cutter. Always use some form of coolant when drilling to maintain cutting performance and tool life. Any form of coolant will help, even water is better than nothing. TorkCraft recommends using TC OIL for cooling.



INDUSTRIAL

HSS CUTTERS



Stainless Steel



Mild Steel

TCT CUTTERS



TCT

Part No.	Size	Part No.	Size
TCAC012-1	12 x 30mm	TCAC012-2	12 x 55mm
TCAC013-1	13 x 30mm	TCAC013-2	13 x 55mm
TCAC014-1	14 x 30mm	TCAC014-2	14 x 55mm
TCAC015-1	15 x 30mm	TCAC015-2	15 x 55mm
TCAC016-1	16 x 30mm	TCAC016-2	16 x 55mm
TCAC017-1	17 x 30mm	TCAC017-2	17 x 55mm
TCAC018-1	18 x 30mm	TCAC018-2	18 x 55mm
TCAC019-1	19 x 30mm	TCAC019-2	19 x 55mm
TCAC020-1	20 x 30mm	TCAC020-2	20 x 55mm
TCAC021-1	21 x 30mm	TCAC021-2	21 x 55mm
TCAC022-1	22 x 30mm	TCAC022-2	22 x 55mm
TCAC023-1	23 x 30mm	TCAC023-2	23 x 55mm
TCAC024-1	24 x 30mm	TCAC024-2	24 x 55mm
TCAC025-1	25 x 30mm	TCAC025-2	25 x 55mm
TCAC026-1	26 x 30mm	TCAC026-2	26 x 55mm
TCAC027-1	27 x 30mm	TCAC027-2	27 x 55mm
TCAC028-1	28 x 30mm	TCAC028-2	28 x 55mm
TCAC030-1	30 x 30mm	TCAC030-2	30 x 55mm
TCAC031-1	31 x 30mm	TCAC031-2	31 x 55mm
TCAC032-1	32 x 30mm	TCAC032-2	32 x 55mm
TCAC033-1	33 x 30mm	TCAC033-2	33 x 55mm
TCAC034-1	34 x 30mm	TCAC034-2	34 x 55mm
TCAC035-1	35 x 30mm	TCAC035-2	35 x 55mm
TCAC036-1	36 x 30mm	TCAC036-2	36 x 55mm
TCAC038-1	38 x 30mm	TCAC038-2	38 x 55mm
TCAC040-1	40 x 30mm	TCAC040-2	40 x 55mm
TCAC042-1	42 x 30mm	TCAC042-2	42 x 55mm
TCAC044-1	44 x 30mm	TCAC044-2	44 x 55mm
TCAC045-1	45 x 30mm	TCAC045-2	45 x 55mm
TCAC046-1	46 x 30mm	TCAC046-2	46 x 55mm
TCAC048-1	48 x 30mm	TCAC048-2	48 x 55mm
TCAC050-1	50 x 30mm	TCAC050-2	50 x 55mm
TCAC055-1	55 x 30mm	TCAC055-2	55 x 55mm
TCAC058-1	58 x 30mm	TCAC058-2	58 x 55mm
TCAC060-1	60 x 30mm	TCAC060-2	60 x 55mm
TCAC064-1	64 x 30mm	TCAC064-2	64 x 55mm
TCAC065-1	65 x 30mm	TCAC065-2	65 x 55mm



TCAC0001	Tool Holder MT3 - 3/4" Weldon shank
TCAC0002	Tool Holder MT2 - 3/4" Weldon Shank
TCAC0004	Pilot Pin 6.3 x 79mm for hole cutters 30mm
TCAC0005	Pilot Pin 6.3 x 102mm for hole cutters 55mm
TCAC0005-01	Pilot Pin TCT Cutter 12 - 17mm x 55mm
TCAC0005-02	Pilot Pin TCT Cutter 18 - 102mm x 35mm
TCAC0005-03	Pilot Pin TCT Cutter 12 - 17mm x 35mm
TCAC0005-04	Pilot Pin TCT Cutter 18 - 102mm x 50mm

TCAC006	Drill Bit HSS w/Weldon Shank 6mm
TCAC008	Drill Bit HSS w/Weldon Shank 8mm
TCAC009	Drill Bit HSS w/Weldon Shank 9mm
TCAC010	Drill Bit HSS w/Weldon Shank 10mm
TCAC011	Drill Bit HSS w/Weldon Shank 11mm



Annular Cutter Extension

TCAC0006	50 x 19.05 x 19.05mm
TCAC0007	75 x 19.05 x 19.05mm
TCAC0008	100 x 19.05 x 19.05mm
TCAC0009	31.75 - 19.05mm
TCAC0010	19.05 - 31.75mm



Magnetic Base Core Drills

* Cutters not included

TCMD0035WO : Magnetic Core Drill

Rated Voltage & Frequency	220V ~ 240V@ 50-60Hz
Cable Length	2.5m
Core Drill Capacity	35mm ø
Rated Input Power	1600W
No-Load Speed	810RPM
Max Attraction	16000N
Cutting Depth	35mm
Stroke	210mm
Magnet Dimensions	166(L) x 80(W) x 50(H)mm

- Soft start motor
- Torque control
- High efficiency and light weight
- Cooling and lubrication integrated
- With overload protection
- Strong dual coil magnet
- Integrated slide and gearbox provides high accuracy and minimal vibration
- Horizontal level, side face and top face drilling



TCMD0035HD : Magnetic Core Drill

Rated Voltage & Frequency	220V ~ 240V @ 50-60Hz
Cable Length	2.5m
Core Drill Capacity	35mm ø
Twist Drill Capacity	10mm ø
Rated Input Power	1550W
No-Load Speed	100/830RPM
Max Attraction	14800N
Cutting Depth	30mm
Stroke	130mm
Magnet Dimensions	166(L) x 80(W) x 50(H)mm

- Strong dual coil magnet
- With overload protection
- High power and light weight
- Constant power soft-starting
- Horizontal level, side face and top face drilling
- Integrated slide and gearbox provides high accuracy and minimal vibration

**CONSTANT
SPEED**



TCMD0035QE : Auto Magnetic Core Drill

Rated Voltage & Frequency	220V ~ 240V @ 50-60Hz
Cable Length	2.5m
Core Drill Capacity	35mm ø
Twist Drill Capacity	13mm ø
Rated Input Power	1600W
No-Load Speed	810RPM
Max Attraction	16000N
Cutting Depth	30mm
Stroke	210mm
Magnet Dimensions	230 x 160 x 72mm

- Soft start motor
- Auto stop after return
- Strong dual coil magnet
- With overload protection
- High efficiency and light weight
- Fully automatic drilling and return
- Cooling and lubrication integrated
- Auto adjusted feed speed according to the load
- Integrated slide and gearbox provides high accuracy and minimal vibration
- Horizontal level, side face and top face drilling

**FULLY
AUTOMATIC**



TCMD0035PM : Permanent Magnetic Core Drill

Rated Voltage & Frequency	220V ~ 240V @ 50-60Hz
Cable Length	2.5m
Core Drill Capacity	35mm ø
Twist Drill Capacity	13mm ø
Rated Input Power	1600W
No-Load Speed	810RPM
Max Attraction	16000N
Cutting Depth	35mm
Stroke	210mm
Magnet Dimensions	166(L) x 80(W) x 50(H)mm

- Torque Control
- Soft start motor
- Overload protection
- Strong permanent magnet
- High efficiency and light weight
- Cooling and lubrication integrated
- Integrated slide and gearbox provides high accuracy and minimal vibration
- Horizontal level, side face and top face drilling
- Swivel magnets to clamp on round surface

**PERMANENT
MAGNET**



Magnetic Base Core Drills

* Cutters not included

TCMD0050HD : Magnetic Core Drill

Rated Voltage & Frequency	220V ~ 240V @ 50-60Hz
Max Twist Drill	13mm
Core Drill Diameter Capacity	50mm ø
Rated Input Power	1700W
No-Load Speed	100/810RPM
Max Attraction	15600N
Cutting Depth	35mm
Stroke	130mm
Magnet Dimensions	166(L) x 80(W) x 50(H)mm

- Strong dual coil magnet
- Variable speed
- Constant power soft-starting
- High power and light weight
- Coolant Bottle Capacity: 500ml
- Integrated slide and gearbox provides high accuracy and minimal vibration
- Horizontal level, side face and top face drilling
- Electric stepless speed-regulation with overload protection

CONSTANT SPEED



TCMD0055QE : Auto Magnetic Core Drill

Rated Voltage & Frequency	220V ~ 240V @ 50-60Hz
Max Twist Drill	13mm
Core Drill Diameter Capacity	55mm ø
Rated Input Power	1700W
No-Load Speed	280/510RPM
Max Attraction	16500N
Cutting Depth	40mm
Stroke	230mm
Magnet Dimensions	166(L) x 80(W) x 50(H)mm

- Torque control
- Variable speed
- Soft start motor
- Auto stop after return
- Strong dual coil magnet
- With overload protection
- High efficiency and light weight
- Fully automatic drilling and return
- Cooling and lubrication integrated
- Integrated slide and gearbox provides high accuracy and minimal vibration
- Auto adjusted feed speed according to the load
- Horizontal level, side face and top face drilling

FULLY AUTOMATIC



TCMD0068HD : Magnetic Core Drill

Rated Voltage & Frequency	220V ~ 240V @ 50-60Hz
Core Drill Diameter Capacity	60mm ø
Twist Drill Capacity	23mm
Rated Input Power	1890W
No-Load Speed	100/440RPM
Max Attraction	16000N
Cutting Depth	60mm
Stroke	220mm
Magnet Dimensions	202(L)x102(W) x 45(H)mm

- Variable Speed
- Strong dual coil magnet
- With overload protection
- Constant power soft-starting
- High power and light weight
- Electric stepless speed-regulation
- Integrated slide and gearbox provides high accuracy and minimal vibration
- Horizontal level, side face and top face drilling

CONSTANT SPEED



TCMD001

Tool Holder MT2 x 19.05 (Inner) for Weldon Shank



TCMD002

Adaptor 19.05mm x 0.5" x 20UNF



TCMD004

Drift Key 1-2

TCMD005

Safety Protection Lanyard for magnetic base drills




TCMD003

Quick Release Chuck for TCMD0068HD



Taps & Dies

HSS Taps and Dies are good for cutting new thread and cleaning thread in metal and steel.
Carbon Steel Taps and Dies are good for cutting new thread in wood and plastics and thread cleaning in metal.



HIGH SPEED STEEL TAPS

1Pce Carded	3Pce Boxed	Size	Use Drill Size
NR1030C	NR1030-3	Taps HSS 3 x 0.5mm ISO	2.5mm
NR1040C	NR1040-3	Taps HSS 4 x 0.7mm ISO	3.3mm
NR1050C	NR1050-3	Taps HSS 5 x 0.8mm ISO	4.2mm
NR1060C	NR1060-3	Taps HSS 6 x 1.0mm ISO	5.0mm
NR1080-1C		Taps HSS 8 x 1.0mm ISO	7.0mm
NR1080C	NR1080-3	Taps HSS 8 x 1.25mm ISO	6.8mm
NR1100-1C		Taps HSS 10 x 1.0mm ISO	9.0mm
NR1100-2C		Taps HSS 10 x 1.25mm ISO	8.8mm
NR1100C	NR1100-3	Taps HSS 10 x 1.5mm ISO	8.5mm
NR1120-1C		Taps HSS 12 x 1.5mm ISO	10.5mm
NR1120-2C		Taps HSS 12 x 1.25mm ISO	10.8mm
NR1120C	NR1120-3	Taps HSS 12 x 1.75mm ISO	10.2mm
NR1140-1C		Taps HSS 14 x 1.25mm ISO	12.8mm
NR1140-2C		Taps HSS 14 x 1.5mm ISO	12.5mm
NR1140C	NR1140-3	Taps HSS 14 x 2.0mm ISO	12.0mm
NR1160-1C		Taps HSS 16 x 1.5mm ISO	14.5mm
NR1160C	NR1160-3	Taps HSS 16 x 2.0mm ISO	14.0mm
NR1180-1C		Taps HSS 18 x 1.5mm ISO	16.5mm
NR1200-1C		Taps HSS 20 x 2.5mm ISO	17.5mm

INDUSTRIAL



CARBON STEEL TAPS

1Pce Carded	3Pce Boxed	Size	Use Drill Size
NR2030C	NR2030-3	Taps Carbon Steel 3 x 0.5mm	2.5mm
NR2040C	NR2040-3	Taps Carbon Steel 4 x 0.7mm	3.3mm
NR2050C	NR2050-3	Taps Carbon Steel 5 x 0.8mm	4.2mm
NR2060C	NR2060-3	Taps Carbon Steel 6 x 1.00mm	5.0mm
NR2080C	NR2080-3	Taps Carbon Steel 8 x 1.25mm	6.8mm
NR2110C	NR2110-3	Taps Carbon Steel 10 x 1.50mm	8.5mm
NR2120C	NR2120-3	Taps Carbon Steel 12 x 1.75mm	10.2mm
NR2120-1C		Taps Carbon Steel 12 x 1.25mm	10.8mm
NR2140C	NR2140-3	Taps Carbon Steel 14 x 2.00mm	12.0mm
NR2160C	NR2160-3	Taps Carbon Steel 16 x 2.00mm	14.0mm



3-Flutes
M3



4-Flutes
M4-M12

HIGH SPEED STEEL TAP & DRILL SETS 2PCE

NR6030C	Taps HSS 3 x 0.5mm & Drill 2.5mm
NR6040C	Taps HSS 4 x 0.7mm & Drill 3.3mm
NR6050C	Taps HSS 5 x 0.8mm & Drill 4.2mm
NR6070C	Taps HSS 6 x 1.0mm & Drill 5.0mm
NR6080C	Taps HSS 7 x 1.0mm & Drill 6.0mm
NR6090C	Taps HSS 8 x 1.25mm & Drill 6.7mm
NR6100C	Taps HSS 9 x 1.25mm & Drill 7.7mm
NR6120C	Taps HSS 10 x 1.5mm & Drill 8.5mm
NR6800C	Taps HSS 12 x 1.75mm & Drill 10.3mm



HSS TITANIUM COATED Drillbit



HIGH SPEED STEEL DIES

1Pc Card	1Pc Case	Size
NR3030C	NR3030-3	Hex 3 x 0.50mm 1"
NR3040C	NR3040-3	Hex 4 x 0.70mm 1"
NR3050C	NR3050-3	Hex 5 x 0.80mm 1"
NR3060C	NR3060-3	Hex 6 x 1.00mm 1"
NR3080C	NR3080-3	Hex 8 x 1.25mm 1"
NR3110C	NR3100-3	Hex 10 x 1.50mm 1"
NR3120C	NR3120-3	Hex 12 x 1.75mm 1"
NR3140C	NR3140-3	Hex 14 x 2.00mm 1"
NR3160C	NR3160-3	Hex 16 x 2.00mm 1"
NR3180C	NR3180-3	Hex 18 x 2.50mm 1"
NR3240C	NR3240-3	Hex 24 x 3.00mm 1"

CARBON STEEL DIES

1Pc Card	1Pc Case	Size
NR4030C	NR4030-3	Die 3 x 0.5mm
NR4040C	NR4040-3	Die 4 x 0.7mm
NR4050C	NR4050-3	Die 5 x 0.8mm
NR4060C	NR4060-3	Die 6 x 1.0mm
NR4080C	NR4080-3	Die 8 x 1.25mm
NR4100C	NR4100-3	Die 10 x 1.5mm
NR4120C	NR4120-3	Die 12 x 1.75mm

INDUSTRIAL



NR9011C
Adjustable Tap
Socket Set
Tap Holder
M3 - M6 / M6 - M12
Square Drive 3/8"



Wrenches

Carded	Bulk	Description	Size
NR9001C	NR9001B	Tap Wrench No.0	2.1 - 4.9mm (M1 - M8)
NR9002C	NR9002B	Tap Wrench No.1½	2.4 - 7mm (M1 - M12)
NR9003C	NR9003B	Tap Wrench No.2	3.4 - 8mm (M4 - M12)
NR9004C	NR9004B	Tap Wrench No.3	4.9 - 12mm (M5 - M20)
NR9005C		Tap Wrench No.4	5.5 - 16mm (M9 - M27)
NR9006C	NR9006B	T Tap Wrench	1.6 - 6.3mm
NR9007C	NR9007B	T Tap Wrench	7.9 - 12.7mm
NR9008C	NR9008B	Die Holder 1"	25mm x 9mm
NR9009C		Die Holder 1"	38mm x 14mm
	NR9010B	Die Holder Hex 1½"	M14 - M18

INDUSTRIAL



NR9006B



NR9003B



3/8" SQ



Tap & Wrench Set

INDUSTRIAL



T9322

32pce HSS Tap & Die Set
3 - 12mm in Steel Case



T9441

44pce HSS Tap & Die Set
3 - 12mm in Metal Case



T9111

110pce Carbon Steel Tap & Die Set
2 - 18mm in Blow Mould Case

Tap & Wrench Set HSS

INDUSTRIAL



NR SET008-1

8 Pce HSS Tap & Tap Wrench Set M3 - M12
Contents:

1 x M3 x 0.5mm, M4 x 0.7mm, M5 x 0.8mm,
M6 x 1.0mm, M8 x 1.25mm, M10 x 1.5mm, M12 x 1.75mm
1 x Tap wrench (Do not use oil when cutting cast iron)



Die & Die Holder Set HSS



NR SET008-2

8 Pce HSS Metric Die & Die Holder Set M3 - M12

Contents:

1x M3 x 0.5mm, M4 x 0.7mm, M5 x 0.8mm,
M6 x 1.0mm, M8 x 1.25mm, M10 x 1.5mm, M12 x 1.75mm
1 x Die holder

PLUG
TAP

CARBON STEEL TAP & DIE SETS (in plastic case)

NR SET12	12 Pce	5 Pce Taps - M3, M4, M5, M6, M8, 5 Pce Dies - M3, M4, M5, M6, M8, 1 Pce Tap Wrench, 1 Pce Die Holder
NR SET16	16 Pce	7pce Taps - M3x0.5, M4x0.7, M5x0.8, M6x1.0, M8x1.25, M10x1.5, M12x1.75 7pce Dies - M3x0.5, M4x0.7, M5x0.8, M6x1.0, M8x1.25, M10x1.5, M12x1.75 1pce Tap Wrench (M3 - M12), 1 pce Die Wrench (25 X 9)
NR SET20	20 Pce	9pce Taps - M3x0.5, M4x0.7, M5x0.8, M6x1.0, M7x1.0, M8x1.25, M9x1.25, M10x1.5, M12x1.75 9pce Dies - M3x0.5, M4x0.7, M5x0.8, M6x1.0, M7x1.0, M8x1.25, M9x1.25, M10x1.5, M12x1.75 1pce Tap Wrench (M3 - M12), 1pce Die Wrench (25 X 9)
NR SET20-2	20 Pce	9pce Taps - 6xNC32, 8xNC32, 10xNC24, 12xNC24, 1/4xNC20, 5/16xNC18, 3/8xNC16, 7/16xNC14, 1/2xNC13 9pce Dies - 6xNC32, 8xNC32, 10xNC24, 12xNC24, 1/4xNC20, 3/8xNC16, 5/16xNC18, 7/16xNC14, 1/2xNC13 1pce Tap Wrench M3 - M12, 1pce Die Wrench 1"
NR SET39	39 Pce	16pce Taps - M3x0.5, M3x0.6, M4x0.7, M4x0.75, M5x0.8, M5x0.9, M6x0.75, M6x1.0, M7x0.75, M7x1.0, M8x1.0, M8x1.25, M10x1.25, M10x1.5, M12x1.5, M12x1.75 16pce Dies - M3x0.5, M3x0.6, M4x0.7, M4x0.75, M5x0.8, M5x0.9, M6x0.75, M6x1.0, M7x0.75, M7x1.0, M8x1.0, M8x1.25, M10x1.25, M10x1.5, M12x1.5, M12x1.75 1pce BSP Tap, 1pce BSP Die, 1pce Tap Wrench M3-M12, 1pce T-Tap Wrench, 1pce Die Wrench 25x9mm, 1pce Screwdriver, 1pce Screw Pitch Gauge



**NR SET12
CARBON STEEL**



**NR SET16
CARBON STEEL**



**NR SET20-2
CARBON STEEL**




**NR SET20
CARBON STEEL**



**NR SET39
CARBON STEEL**

Thread Repair Kits

Part No.	Description
NR5004	29 Pce Thread Repair Kit M4 x 0.7 x 1.5mm
NR5005	29 Pce Thread Repair Kit M5 x 0.8 x 1.5mm
NR5006	29 Pce Thread Repair Kit M6 x 1.0 x 1.5mm
NR5008	29 Pce Thread Repair Kit M8 x 1.25 x 1.5mm
NR5010	14 Pce Thread Repair Kit M10 x 1.5 x 1.5mm
NR5012	14 Pce Thread Repair Kit M12 x 1.75 x 1.5mm
NR5004-01	10 Pce Replacement Inserts M4 x 1D
NR5004-02	10 Pce Replacement Inserts M4 x 1.5D
NR5004-03	10 Pce Replacement Inserts M4 x 2D
NR5005-01	10 Pce Replacement Inserts M5 x 1D
NR5005-02	10 Pce Replacement Inserts M5 x 1.5D
NR5005-03	10 Pce Replacement Inserts M5 x 2D
NR5006-01	10 Pce Replacement Inserts M6 x 1D
NR5006-02	10 Pce Replacement Inserts M6 x 1.5D
NR5006-03	10 Pce Replacement Inserts M6 x 2D
NR5008-01	10 Pce Replacement Inserts M8 x 1D
NR5008-02	10 Pce Replacement Inserts M8 x 1.5D
NR5008-03	10 Pce Replacement Inserts M8 x 2D
NR5010-01	5 Pce Replacement Inserts M10 x 1D
NR5010-02	5 Pce Replacement Inserts M10 x 1.5D
NR5010-03	5 Pce Replacement Inserts M10 x 2D
NR5012-01	5 Pce Replacement Inserts M12 x 1D
NR5012-02	5 Pce Replacement Inserts M12 x 1.5D
NR5012-03	5 Pce Replacement Inserts M12 x 2D



Part No.	Description
NR8004	Thread Repair Kit M4 Internal (Metal Box)
NR8004-01	Thread Repair Kit M4 x 1D Replacement Inserts 10pce
NR8004-02	Thread Repair Kit M4 x 1.5D Replacement Inserts 10pce
NR8004-03	Thread Repair Kit M4 x 2D Replacement Inserts 10pce
NR8005	Thread Repair Kit M5 Internal (Metal Box)
NR8005-01	Thread Repair Kit M5 x 1D Replacement Inserts 10pce
NR8005-02	Thread Repair Kit M5 x 1.5D Replacement Inserts 10pce
NR8005-03	Thread Repair Kit M5 x 2D Replacement Inserts 10pce
NR8006	Thread Repair Kit M6 Internal (Metal Box)
NR8006-01	Thread Repair Kit M6 x 1D Replacement Inserts 10pce
NR8006-02	Thread Repair Kit M6 x 1.5D Replacement Inserts 10pce
NR8006-03	Thread Repair Kit M6 x 2D Replacement Inserts 10pce
NR8008	Thread Repair Kit M8 Internal (Metal Box)
NR8008-01	Thread Repair Kit M8 x 1D Replacement Inserts 10pce
NR8008-02	Thread Repair Kit M8 x 1.5D Replacement Inserts 10pce
NR8008-03	Thread Repair Kit M8 x 2D Replacement Inserts 10pce
NR8010	Thread Repair Kit M10 Internal (Metal Box)
NR8010-01	Thread Repair Kit M10 x 1D Replacement Inserts 5pce
NR8010-02	Thread Repair Kit M10 x 1.5D Replacement Inserts 5pce
NR8010-03	Thread Repair Kit M10 x 2D Replacement Inserts 5pce
NR8010-3	Thread Repair Kit M10 x 2D Replacement Inserts 5pce
NR8012	Thread Repair Kit M12 Internal (Metal Box)
NR8012-01	Thread Repair Kit M12 x 1D Replacement Inserts 5pce
NR8012-02	Thread Repair Kit M12 x 1.5D Replacement Inserts 5pce
NR8012-03	Thread Repair Kit M12 x 2.0D Replacement Inserts 5pce
NR8014	Thread Repair Kit M14 Internal (Metal Box)
NR8014-01	5 Pce Thread Repair Kit M14 x 1D Replacement Inserts
NR8014-02	5 Pce Thread Repair Kit M14 x 1.5D Replacement Inserts
NR8014-03	5 Pce Thread Repair Kit M14 x 2D Replacement Inserts
NR8016	Thread Repair Kit M16 Internal (Metal Box)
NR8016-01	5 Pce Thread Repair Kit M16 x 1D Replacement Inserts
NR8016-02	5 Pce Thread Repair Kit M16 x 1.5D Replacement Inserts
NR8016-03	5 Pce Thread Repair Kit M16 x 2D Replacement Inserts

NR8014



NR8016

Thread Repair Kits

Part No.	Description
NR700508	14 Pce M5 x 0.8 x 7.6mm Flange Insert
NR700610	14 Pce M6 x 1.0 x 9.4mm Flange Insert
NR7008125	14 Pce M8 x 1.25 x 11.7mm Flange Insert
NR7010125	14 Pce M10 x 1.25 x 14mm Flange Insert
NR701015	14 Pce M10 x 1.5 x 14mm Flange Insert
NR7012125	14 Pce M12 x 1.25 x 15mm Flange Insert
NR701215	14 Pce M12 x 1.5 x 9.2mm Flange Insert
NR7012175	14 Pce M12 x 1.75 x 16.2mm Flange Insert
NR7014125	14 Pce M14 x 1.25 x 15mm Flange Insert
Stainless Steel Replacement Inserts	
NR700508-01	10 Pce M5 x 0.8 x 7.6mm
NR700610-01	10 Pce M6 x 1.0 x 9.4mm
NR7008125-01	10 Pce M8 x 1.25 x 11.7mm
NR7010125-01	10 Pce M10 x 1.25 x 14mm
NR701015-01	10 Pce M10 x 1.5 x 14mm
NR7012125-01	10 Pce M12 x 1.25 x 15mm
NR701215-01	10 Pce M12 x 1.5 x 9.2mm
NR7012175-01	10 Pce M12 x 1.75 x 16.2mm
NR7014125-01	10 Pce M14 x 1.75 x 16.2mm



Chamfer Tool

TCCT0620

Chamfer Tool External 6 - 20mm 1/4" Shank Hex

- » Steel body
- » Black Iodized finish
- » 5 Cutting edges

Create a perfect chamfer for:

Starting a nut on a bolt or threaded bar.
Starting a button die or a die nut on a rod.
Creating a leading edge on a timber dowel.

Use at low speed - Maximum 800 RPM.
Use in impact drivers will reduce tool life.



The chamfer tool efficiently removes burrs & ridges from bolts, pipe, threaded rods & dowels. Suitable for use on metals including mild & hardened steels, stainless steel, copper & brass, timber, fiberglass & plastics.



Screw Extractors

Part No.	Description
TC SE01	#1 Carded
TC SE02	#2 Carded
TC SE03	#3 Carded
TC SE04	#4 Carded
TC SE05	#5 Carded
TC SE06	#6 Carded

Individually packaged, removes broken bolts and studs

Extractor w/Drill

Part No.	Description
TC SE0901-2	#1 - 2Pce
TC SE0902-2	#2 - 2Pce
TC SE0903-2	#3 - 2Pce
TC SE0904-2	#4 - 2Pce
TC SE0905-2	#5 - 2Pce
TC SE0906-2	#6 - 2Pce

Extractor with
Left Hand
Drill Bit



INDUSTRIAL

TC41012

12 Pce Screw Extractor & HSS Drill Set
(Left Hand Drill bits)
6 x Screw Extractors; #1, #2, #3, #4, #5, #6
6 x HSS Drills M2, M3, M4, M5, M7, M10

Screw Extractor Sets

TC SE06007

5 Pce Screw Extractor Set
(on skin card)
#1, #2, #3, #4, #5

The most popular
extractors packaged
in plastic storage case



Screw Extractor Drill Guide

Extractor #	Drill Size
#5	9.5mm
#4	6.0mm
#3	5.5mm
#2	4.0mm
#1	3.3mm

TC SE06008

5 Pce Square Screw Extractor Set

TC SE06009

5 Pce Spiral Screw Extractor Set
#5 use drill 9.5mm
#4 use drill 8.0mm
#3 use drill 6.0mm
#2 use drill 4.8mm
#1 use drill 3.2mm



TCBE007

7 Pce Bolt Extractor Set
for damaged bolts
#8, #10, #12, #13, #17, #19mm
1pc 50mm 1/4" Socket Adaptor
(in Blow Mould Case)



Thread Lock

For use on brass/zinc/steel

Bearing Lock

Part No.	Size
TCTL010-10	10 grams
TCTL010	50 grams
TCTL010P	50g Carded



Retaining standard size bearings.

Nut Lock


Part No.	Size
TCTL040-10	10 grams
TCTL040	50 grams
TCTL040P	50g Carded



Thread lock for standard size threads.

Multi Lock

Part No.	Size
TCTL070	50 grams
TCTL070P	50g Carded



Thread lock for large size threads.

Sleeve Lock


Part No.	Size
TCTL020-10	10 grams
TCTL020	50 grams
TCTL020P	50g Carded



Retaining large size cylindrical parts.

Stud Lock

Part No.	Size
TCTL050-10	10 grams
TCTL050	50 grams
TCTL050P	50g Carded



Thread lock for standard size threads.

Screw Lock

Part No.	Size
TCTL030-10	10 grams
TCTL030	50 grams
TCTL030P	50g Carded



Thread lock for small size threads.

Bolt Lock

Part No.	Size
TCTL060-10	10 grams
TCTL060	50 grams
TCTL060P	50g Carded



Thread lock for large size threads.

Hand Taper Reamers

Part No.	Size
TCHR012	12mm
TCHR019	19mm

Made of hardened & tempered tool steel with precision ground cutting edges. The T-handle provides leverage for easier reaming.



HSS Standard Drill Bits



Part No.	Size	Card	Part No.	Size	Card	Part No.	Size	Card
DR10010	1.0mm	2/Card	DR10038	3.8mm	1/Card	DR10078	7.8mm	1/Card
DR10015	1.5mm	2/Card	DR10040	4.0mm	1/Card	DR10080	8.0mm	1/Card
DR10016	1.6mm	2/Card	DR10042	4.2mm	1/Card	DR10082	8.2mm	1/Card
DR10018	1.8mm	2/Card	DR10045	4.5mm	1/Card	DR10085	8.5mm	1/Card
DR10020	2.0mm	2/Card	DR10048	4.8mm	1/Card	DR10090	9.0mm	1/Card
DR10022	2.2mm	2/Card	DR10050	5.0mm	1/Card	DR10095	9.5mm	1/Card
DR10025	2.5mm	2/Card	DR10052	5.2mm	1/Card	DR10100	10.0mm	1/Card
DR10028	1.8mm	2/Card	DR10055	5.5mm	1/Card	DR10102	10.2mm	1/Card
DR10029	2.9mm	2/Card	DR10060	6.0mm	1/Card	DR10105	10.5mm	1/Card
DR10030	3.0mm	2/Card	DR10062	6.2mm	1/Card	DR10110	11.0mm	1/Card
DR10032	3.2mm	2/Card	DR10065	6.5mm	1/Card	DR10115	11.5mm	1/Card
DR10033	3.3mm	2/Card	DR10068	6.8mm	1/Card	DR10120	12.0mm	1/Card
DR10035	3.5mm	1/Card	DR10070	7.0mm	1/Card	DR10125	12.5mm	1/Card
DR10037	3.7mm	1/Card	DR10075	7.5mm	1/Card	DR10130	13.0mm	1/Card



HSS Standard Drill Bits Bulk




Part No.	Description	Pack	Part No.	Description	Pack
DR60020	2.0mm	10/Pack	DR60070	7.0mm	10/Pack
DR60025	2.5mm	10/Pack	DR60075	7.5mm	10/Pack
DR60030	3.0mm	10/Pack	DR60080	8.0mm	10/Pack
DR60032	3.2mm	10/Pack	DR60082	8.2mm	10/Pack
DR60035	3.5mm	10/Pack	DR60085	8.5mm	10/Pack
DR60038	3.8mm	10/Pack	DR60090	9.0mm	10/Pack
DR60040	4.0mm	10/Pack	DR60100	10.0mm	10/Pack
DR60042	4.2mm	10/Pack	DR60105	10.5mm	5/Pack
DR60045	4.5mm	10/Pack	DR60110	11.0mm	5/Pack
DR60048	4.8mm	10/Pack	DR60115	11.5mm	5/Pack
DR60050	5.0mm	10/Pack	DR60120	12.0mm	5/Pack
DR60055	5.5mm	10/Pack	DR60125	12.5mm	5/Pack
DR60060	6.0mm	10/Pack	DR60130	13.0mm	5/Pack
DR60065	6.5mm	10/Pack			



HSS REDUCED Shank 13mm

Part No.	Size	Card
DR10135	13.5mm	1/Card
DR10140	14.0mm	1/Card
DR10145	14.5mm	1/Card
DR10150	15.0mm	1/Card
DR10155	15.5mm	1/Card
DR10160	16.0mm	1/Card
DR10165	16.5mm	1/Card
DR10170	17.0mm	1/Card
DR10175	17.5mm	1/Card
DR10180	18.0mm	1/Card
DR10185	18.5mm	1/Card
DR10190	19.0mm	1/Card
DR10195	19.5mm	1/Card
DR10200	20.0mm	1/Card



Drill Stop

TCDS002

7 Pce Drill Stop Set
5, 6, 8, 10, 11, 12mm
c/with Allen Key

» For accurate depth hole drilling



Spot Weld Drill



DR30060
6 x 40mm
INDUSTRIAL



DR30080
8 x 40mm
INDUSTRIAL

Machining Cut Fluid

TC OIL

Machining Cut Fluid
400ml Spray



HSS Industrial Drill Bits 135°



1/Card	2/Card	10/Pack	Size	1/Card	5/Pack	10/Pack	Size	1/Card	Size
									<i>Reduced Shank 13mm</i>
	DR20010	DR22010	1.0mm	DR20060		DR22060	6.0mm	DR20140	14.0mm
	DR20015	DR22015	1.5mm	DR20065		DR22065	6.5mm	DR20145	14.5mm
	DR20020	DR22020	2.0mm	DR20070		DR22070	7.0mm	DR20150	15.0mm
	DR20025	DR22025	2.5mm	DR20075		DR22075	7.5mm	DR20155	15.5mm
	DR20028	DR22028	2.8mm	DR20080		DR22080	8.0mm	DR20160	16.0mm
	DR20030	DR22030	3.0mm	DR20085		DR22085	8.5mm	DR20165	16.5mm
	DR20032	DR22032	3.2mm	DR20090		DR22090	9.0mm	DR20170	17.0mm
	DR20033	DR22033	3.3mm	DR20095		DR22095	9.5mm	DR20175	17.5mm
DR20035		DR22035	3.5mm	DR20100	DR22100		10.0mm	DR20180	18.0mm
DR20038		DR22038	3.8mm	DR20105	DR22105		10.5mm	DR20185	18.5mm
DR20040		DR22040	4.0mm	DR20110	DR22110		11.0mm	DR20190	19.0mm
DR20042		DR22042	4.2mm	DR20115	DR22115		11.5mm	DR20195	19.5mm
DR20045		DR22045	4.5mm	DR20120	DR22120		12.0mm	DR20200	20.0mm
DR20048		DR22048	4.8mm	DR20125	DR22125		12.5mm		
DR20050		DR22050	5.0mm	DR20130	DR22130		13.0mm		
DR20052		DR22052	5.2mm	DR20135			13.5mm		
DR20055		DR22055	5.5mm						



HSS Turbo Point Drill Bits



Plastic



Hard & Softwood



Mild Steel

Turbo Point Drill Bit advantages

- » remains sharper for longer
- » precise drilling



Part No.	Description	Card	Part No.	Description	Card	Part No.	Description	Card
DR40020	2.0mm	1/Card	DR40050	5.0mm	1/Card	DR40095	9.5mm	1/Card
DR40025	2.5mm	1/Card	DR40055	5.5mm	1/Card	DR40100	10.0mm	1/Card
DR40030	3.0mm	1/Card	DR40060	6.0mm	1/Card	DR40105	10.5mm	1/Card
DR40032	3.2mm	1/Card	DR40065	6.5mm	1/Card	DR40110	11.0mm	1/Card
DR40035	3.5mm	1/Card	DR40070	7.0mm	1/Card	DR40115	11.5mm	1/Card
DR40040	4.0mm	1/Card	DR40075	7.5mm	1/Card	DR40120	12.0mm	1/Card
DR40042	4.2mm	1/Card	DR40080	8.0mm	1/Card	DR40125	12.5mm	1/Card
DR40045	4.5mm	1/Card	DR40085	8.5mm	1/Card	DR40130	13.0mm	1/Card
DR40048	4.8mm	1/Card	DR40090	9.0mm	1/Card			

INDUSTRIAL

HSS HEX Shank Drill Bits



Part No.	Size	Card	Part No.	Size	Card
DR11015	1.5mm	1/Card	DR21015	1.5mm	1/Card
DR11002	2.0mm	1/Card	DR21002	2.0mm	1/Card
DR11003	3.0mm	1/Card	DR21003	3.0mm	1/Card
DR11004	4.0mm	1/Card	DR21004	4.0mm	1/Card
DR11005	5.0mm	1/Card	DR21005	5.0mm	1/Card
DR11006	6.0mm	1/Card	DR21006	6.0mm	1/Card
DR11008	8.0mm	1/Card	DR21008	8.0mm	1/Card
			DR21100	10.0mm	1/Card

STANDARD

INDUSTRIAL



Wood Drill Bits Bradpoint



Hard & Softwood



Brad Point

Part No.	Description	1/Card
DR09003	Wood 3.0mm x 60mm	
DR09004	Wood 4.0mm x 75mm	
DR09005	Wood 5.0mm x 85mm	
DR09006	Wood 6.0mm x 95mm	
DR09008	Wood 8.0mm x 115mm	
DR09010	Wood 10mm x 133mm	
DR09012	Wood 12mm x 150mm	
DR09014	Wood 14mm x 150mm	
DR09016	Wood 16mm x 150mm	
DR09018	Wood 18mm x 150mm	
DR09020	Wood 20mm x 150mm	



HSS Step Point Drill Bits



Part No.	Size	Card	Part No.	Size	Bulk
DR90020	2.0mm	2/Card	DR90030B	3.0mm	10 Pk
DR90030	3.0mm	2/Card	DR90035B	3.5mm	10 Pk
DR90035	3.5mm	1/Card	DR90040B	4.0mm	10 Pk
DR90040	4.0mm	1/Card	DR90042B	4.2mm	10 Pk
DR90042	4.2mm	1/Card	DR90045B	4.5mm	10 Pk
DR90045	4.5mm	1/Card	DR90048B	4.8mm	10 Pk
DR90048	4.8mm	1/Card	DR90050B	5.0mm	10 Pk
DR90050	5.0mm	1/Card	DR90055B	5.5mm	10 Pk
DR90055	5.5mm	1/Card	DR90060B	6.0mm	10 Pk
DR90060	6.0mm	1/Card	DR90065B	6.5mm	10 Pk
DR90065	6.5mm	1/Card	DR90080B	8.0mm	10 Pk
DR90080	8.0mm	1/Card	DR90100B	10.0mm	5 Pk
DR90100	10.0mm	1/Card	DR90120B	12.0mm	5 Pk
DR90120	12.0mm	1/Card	DR90130B	13.0mm	5 Pk
DR90130	13.0mm	1/Card			

INDUSTRIAL



Drill Adaptor Set



T AD0345

3 Pce Drill Adaptor Set

- Sizes; 3, 4, 5mm Round Grub Screw Type
- 1/4" Hex Shank
- » Convert your standard round shank drill bit into a hex shank for easy interchange



Morse Taper Shank Drill Bits



Plastic



Hard & Softwood



Mild Steel

Part No.	Description	Part No.	Description	Part No.	Description
DR50100	HSS 10mm x MT1	DR50165	HSS 16.5mm x MT2	DR50225	HSS 22.5mm x MT2
DR50105	HSS 10.5mm x MT1	DR50170	HSS 17mm x MT2	DR50230	HSS 23mm x MT2
DR50110	HSS 11mm x MT1	DR50175	HSS 17.5mm x MT2	DR50240	HSS 24mm x MT3
DR50120	HSS 12mm x MT1	DR50180	HSS 18mm x MT2	DR50250	HSS 25mm x MT3
DR50125	HSS 12.5mm x MT1	DR50185	HSS 18.5mm x MT2	DR50260	HSS 26mm x MT3
DR50130	HSS 13mm x MT1	DR50190	HSS 19mm x MT2	DR50270	HSS 27mm x MT3
DR50135	HSS 13.5mm x MT1	DR50195	HSS 19.5mm x MT2	DR50280	HSS 28mm x MT3
DR50140	HSS 14mm x MT1	DR50200	HSS 20mm x MT2	DR50290	HSS 29mm x MT3
DR50145	HSS 14.5mm x MT2	DR50205	HSS 20.5mm x MT2	DR50300	HSS 30mm x MT3
DR50150	HSS 15mm x MT2	DR50210	HSS 21mm x MT2	DR50310	HSS 31mm x MT3
DR50155	HSS 15.5mm x MT2	DR50215	HSS 21.5mm x MT2	DR50320	HSS 32mm x MT4
DR50160	HSS 16mm x MT2	DR50220	HSS 22mm x MT2	DR50350	HSS 35mm x MT4

INDUSTRIAL



Stubby End Double End Drill Bits



Plastic



Hard & Softwood



Mild Steel

Part No.	Pk Size	Part No.	Pk Size	Description	Part No.	Pk Size	Part No.	Pk Size	Description
DR55030	10 Pk	DR55030-1	1 Pk	HSS 3mm	DR55045	10 Pk	DR55045-1	1 Pk	HSS 4.5mm
DR55032	10 Pk	DR55032-1	1 Pk	HSS 3.2mm	DR55048	10 Pk	DR55048-1	1 Pk	HSS 4.8mm
DR55033	10 Pk	DR55033-1	1 Pk	HSS 3.3mm	DR55049	10 Pk	DR55049-1	1 Pk	HSS 4.9mm
DR55035	10 Pk	DR55035-1	1 Pk	HSS 3.5mm	DR55050	10 Pk	DR55050-1	1 Pk	HSS 5mm
DR55038	10 Pk	DR55038-1	1 Pk	HSS 3.8mm	DR55052	10 Pk	DR55052-1	1 Pk	HSS 5.2mm
DR55040	10 Pk	DR55040-1	1 Pk	HSS 4mm	DR55055	10 Pk	DR55055-1	1 Pk	HSS 5.5mm
DR55042	10 Pk	DR55042-1	1 Pk	HSS 4.2mm	DR55060	10 Pk	DR55060-1	1 Pk	HSS 6mm

INDUSTRIAL



Masonry/Concrete Drill Bits



Brick



Concrete



Part No.	Description	Part No.	Description	Part No.	Description	Part No.	Description	Card
DR80030	3.0mm	DR80100	10.0mm	DR80200	20.0mm	DR81003	3.0mm	1/Card
DR80040	4.0mm	DR80110	11.0mm	DR83080	8 x 400mm	DR81004	4.0mm	1/Card
DR80050	5.0mm	DR80120	12.0mm	DR83100	10 x 400mm	DR81005	5.0mm	1/Card
DR80055	5.5mm	DR80130	13.0mm	DR83120	12 x 400mm	DR81006	6.0mm	1/Card
DR80060	6.0mm	DR80140	14.0mm	DR83140	14 x 400mm	DR81008	8.0mm	1/Card
DR80065	6.5mm	DR80160	16.0mm	DR83160	16 x 400mm	DR81010	10.0mm	1/Card
DR80070	7.0mm	DR80160B	16.0mm Bulk	DR83180	18 x 400mm			1/Card
DR80080	8.0mm	DR80180	18.0mm	DR83200	20 x 400mm			
DR80090	9.0mm	DR80180B	18.0mm Bulk					

SDS Plus Drill Bits



Brick



Concrete

Part No.	Description	Part No.	Description	Part No.	Description	Part No.	Description
DR70040	110 x 50 4mm	DR70100	110 x 50 10mm	DR71080	160 x 100 8mm	DR72080	210 x 150 8mm
DR70050	110 x 50 5mm	DR70100B	100 x 50 10mm Bulk	DR71100	160 x 100 10mm	DR72100	210 x 150 10mm
DR70055	110 x 50 5.5mm	DR71050	160 x 100 5mm	DR71200	160 x 100 12mm	DR72120	210 x 150 12mm
DR70060	110 x 50 6mm	DR71055	160 x 100 5.5mm	DR71300	160 x 100 13mm	DR72140	210 x 150 14mm
DR70060B	110 x 50 6mm Bulk	DR71060	160 x 100 6mm	DR71400	160 x 100 14mm	DR72160	210 x 150 16mm
DR70080	110 x 50 8mm	DR71065	160 x 100 6.5mm	DR71600	160 x 100 16mm	DR72180	210 x 150 18mm
DR70080B	110 x 50 8mm Bulk	DR71070	160 x 100 7mm	DR72060	210 x 150 6mm	DR72200	210 x 150 20mm

SDS Plus Drill Bits



Brick



Concrete

Part No.	Description	Part No.	Description	Part No.	Description
DR73060	SDS Plus 260 x 200mm 6mm	DR74060	SDS Plus 310 x 250mm 6mm	DR75080	SDS Plus 400 x 310 8mm
DR73080	SDS Plus 260 x 200mm 8mm	DR74080	SDS Plus 310 x 250mm 8mm	DR75010	SDS Plus 400 x 310 10mm
DR73100	SDS Plus 260 x 200mm 10mm	DR74100	SDS Plus 310 x 250mm 10mm	DR75120	SDS Plus 400 x 310 12mm
DR73120	SDS Plus 260 x 200mm 12mm	DR74120	SDS Plus 310 x 250mm 12mm	DR75140	SDS Plus 400 x 310 14mm
DR73140	SDS Plus 260 x 200mm 14mm	DR74140	SDS Plus 310 x 250mm 14mm	DR75160	SDS Plus 400 x 310 16mm
DR73160	SDS Plus 260 x 200mm 16mm	DR74160	SDS Plus 310 x 250mm 16mm	DR75180	SDS Plus 400 x 310 18mm
DR73180	SDS Plus 260 x 200mm 18mm	DR74180	SDS Plus 310 x 250mm 18mm	DR75200	SDS Plus 400 x 310 20mm
DR73200	SDS Plus 260 x 200mm 20mm	DR74200	SDS Plus 310 x 250mm 20mm	DR75220	SDS Plus 400 x 310 22mm
DR73220	SDS Plus 260 x 200mm 22mm	DR74220	SDS Plus 310 x 250mm 22mm	DR75240	SDS Plus 400 x 310 24mm
DR73240	SDS plus 260 x 200mm 24mm	DR74250	SDS Plus 310 x 250mm 25mm	DR75250	SDS Plus 400 x 310 25mm
DR73250	SDS Plus 260 x 200mm 25mm				

Chisels



Brick



Concrete

Part No.	Description
TCCH25000-1	SDS Plus Pointed 14 x 250mm
TCCH25020-1	SDS Plus Flat 20 x 250mm
TCCH25022-1	SDS Plus Gouge 14 x 250 x 22mm
TCCH25040-1	SDS Plus Flat 14 x 250 x 40mm
TCCH28000	SDS Max Pointed 280 x 18mm
TCCH28000-1	SDS Hex Pointed 280 x 17mm
TCCH28022	SDS Hex Flat 280 x 22mm
TCCH28030	SDS Max Flat 280 x 25 x 18mm
TCCH28040	SDS Max Flat 280 x 40 x 18mm
TCCH28040-1	SDS Hex Flat 280 x 40mm
TCCH28075	SDS Max Flat 280 x 75 x 18mm
TCCH40000	SDS Max Pointed 400 x 18mm
TCCH40000-1	SDS Hex Pointed 400 x 17mm
TCCH40000-2	SDS Plus Pointed 400 x 14mm
TCCH40022	SDS Hex Flat 400 x 22 x 17mm
TCCH40030	SDS Max Flat 400 x 30 x 18mm
TCCH40040	SDS Max Flat 400 x 40 x 18mm
TCCH40040-1	SDS Flat 400 x 40 x 17mm
TCCH40040-2	SDS Flat 400 x 40 x 14mm
TCCH40075	SDS Max Flat 400 x 75 x 18mm

SDS Max Cross Head Drill Bit

Part No.	Description
MX32020	SDS Max Double Flute 320 x 200 x 20
MX34012	SDS Max Double Flute 340 x 200 x 12
MX34014	SDS Max Double Flute 340 x 200 x 14
MX34016	SDS Max Double Flute 340 x 200 x 16
MX52020	SDS Max Double Flute 520 x 400 x 20
MX52022	SDS Max Double Flute 520 x 400 x 22
MX52025	SDS Max Double Flute 520 x 400 x 25
MX52028	SDS Max Double Flute 520 x 400 x 28
MX54016	SDS Max Double Flute 540 x 400 x 16
MX54018	SDS Max Double Flute 540 x 400 x 18
MX54032	SDS Max Double Flute 540 x 400 x 32
MX57032	SDS Max Double Flute 570 x 450 x 32
MX57038	SDS Max Double Flute 570 x 450 x 38

INDUSTRIAL



Brick



Concrete



SDS max



Cross Head

SDS Drill & Chisel Sets

SDS Plus TCYC01401

3 Pce SDS Plus Chisel Set
» Pointed 14mm
» Flat 20mm & 40mm
Blister packed

SDS Max TCYC1501

3 Pce SDS Max Chisel Set
» Pointed 18mm
» Flat 25mm & 40mm
Blister packed

Drill Bit Sets HSS

ROLL FORGED

Part No.	Size / Description
NR00013	13pce in Metal Case
NR00019	19pce in Metal Case
NR00025	25pce in Metal Case

Application/Material

For drilling mild steels, carbon steels, alloy steels, wood, composition board plastic and PVC

Features/Benefits

- Packaged in a sturdy metal index case



TITANIUM COATED

Part No.	Size / Description
NR02013	13pce in Metal Case
NR02019	19pce in Metal Case
NR02025	25pce in Metal Case

Features/Benefits

- Tork Craft have chosen a top quality, fully ground HSS drill bit sharpened with a split point which prevents drill walking
- Titanium coated - lasts up to 6x longer than standard HSS bits
- Packaged in a sturdy metal index case



FULLY GROUND - Bright Finish

Part No.	Size / Description
NR01013	13pce in Metal Case
NR01019	19pce in Metal Case
NR01025	25pce in Metal Case

Application/Material

For drilling mild steels, carbon steels, alloy steels, wood, composition board plastic and PVC. For industrial users and precision drilling

Features/Benefits

- Packaged in a sturdy metal index case



NR08015
15 Pce Combo Set
WOOD
3, 4, 5, 6, 8mm
HSS
3, 4, 5, 6, 8mm
MASONRY
3, 4, 5, 6, 8mm



NR06018
18 Pce Combo Set
WOOD
3, 4, 5, 6, 8 & 10mm
HSS
3, 4, 5, 6, 8 & 10mm
MASONRY
3, 4, 5, 6, 8 & 10mm



NR9006
6 Pce Step Point
HSS Drill Bit
Set Industrial

SDS Plus Cross Head Rebar Drill Bit

Part No.	Description
DR76005	5mm x 95mm x 160mm
DR76006	6mm x 95mm x 160mm
DR77008	8mm x 142mm x 210mm
DR77010	10mm x 142mm x 210mm
DR77012	12mm x 142mm x 210mm
DR79010	10mm x 330mm x 400mm
DR79012	12mm x 319mm x 400mm
DR79014	14mm x 319mm x 400mm
DR79016	16mm x 319mm x 400mm



Cross Head



NR9019
19 Pce Precision Max
Step Point Drill Set
1 - 10mm x 0.5mm

HSS PRECISION MAX

Tube Brush Hex Shank




Part No. Description

Brass Wire

TCW TBB006	6pc Set
TCW TBB008	8mm x 120mm
TCW TBB010	10mm x 120mm
TCW TBB012	12mm x 120mm
TCW TBB015	15mm x 120mm
TCW TBB017	17mm x 120mm
TCW TBB019	19mm x 120mm

Stainless Steel

TCW TBSS006	6pc Set
TCW TBSS008	8mm x 120mm
TCW TBSS010	10mm x 120mm
TCW TBSS012	12mm x 120mm
TCW TBSS015	15mm x 120mm
TCW TBSS017	17mm x 120mm
TCW TBSS019	19mm x 120mm



TCW TBB006



TCW TBSS006

Drill Bit Sets

Part No. Description

NRM00005	5 Pce Masonry Drill Bit Set 4 - 10mm
NR05005-1	5 Pce Drill Bit Set Half Ground Polished Hex Shank 1.5 - 5mm
NR05005-2	5 Pce Drill Bit Set Fully Ground Titanium Hex Shank 1.5 - 5mm
NR00006	6 Pce HSS Roll Forged Drill Bit Set 2 - 8mm
NR01006	6 Pce HSS Fully Ground Drill Bit Set 2 - 8mm
NRM00008	8 Pce Masonry Drill Bit Set 3 - 9mm
NRM00016	16 Pce Masonry Drill Bit Set 3 - 16mm

STANDARD



NR00006



NR05005-1



NR01006



NR05005-2



NRM00008



NRM00016



**TZ AC27
HSS Drill Bits**
Die Casting
Hex Shank allows
more torque
and lasts longer.

Drill sizes:
2.5, 3, 4 & 5mm
On blister card



NR06015 : 3 Set Combo
WOOD - 4, 5, 6, 8 & 10mm
HSS Polished / Half Ground
4, 5, 6, 8 & 10mm
MASONRY Chromed
4, 5, 6, 8 & 10mm



DR20568
3 Pce HSS Drill Bit Set
5, 6 & 8mm



DR09568
3 Pce Wood Drill Bit Set
5, 6 & 8mm



DR80568
3 Pce Masonry / Concrete
Drill Bit Set 5, 6 & 8mm

PRO SERIES Spade Bits



Features of the New Pro Series Spade Bit from Tork Craft

Angle edge design cuts faster than standard bits.

Cutting spurs give cleaner cuts even through knotted timber.

1/4" hex shank for electric and cordless drills.

Available in all the popular sizes

6 - 40mm x 150mm and 6 - 25mm x 400mm.

Part No.	Description
TCSB006	Spade Bit Pro Series 6 x 150mm
TCSB008	Spade Bit Pro Series 8 x 150mm
TCSB010	Spade Bit Pro Series 10 x 150mm
TCSB012	Spade Bit Pro Series 12 x 150mm
TCSB013	Spade Bit Pro Series 13 x 150mm
TCSB014	Spade Bit Pro Series 14 x 150mm
TCSB016	Spade Bit Pro Series 16 x 150mm
TCSB017	Spade Bit Pro Series 17 x 150mm
TCSB018	Spade Bit Pro Series 18 x 150mm
TCSB019	Spade Bit Pro Series 19 x 150mm
TCSB020	Spade Bit Pro Series 20 x 150mm
TCSB022	Spade Bit Pro Series 22 x 150mm
TCSB024	Spade Bit Pro Series 24 x 150mm
TCSB025	Spade Bit Pro Series 25 x 150mm
TCSB028	Spade Bit Pro Series 28 x 150mm
TCSB030	Spade Bit Pro Series 30 x 150mm
TCSB032	Spade Bit Pro Series 32 x 150mm
TCSB035	Spade Bit Pro Series 35 x 150mm
TCSB038	Spade Bit Pro Series 38 x 150mm
TCSB040	Spade Bit Pro Series 40 x 150mm
TCSB406	Spade Bit Pro Series 6 x 400mm
TCSB408	Spade Bit Pro Series 8 x 400mm
TCSB410	Spade Bit Pro Series 10 x 400mm
TCSB412	Spade Bit Pro Series 12 x 400mm
TCSB413	Spade Bit Pro Series 13 x 400mm
TCSB414	Spade Bit Pro Series 14 x 400mm
TCSB416	Spade Bit Pro Series 16 x 400mm
TCSB418	Spade Bit Pro Series 18 x 400mm
TCSB419	Spade Bit Pro Series 19 x 400mm
TCSB420	Spade Bit Pro Series 20 x 400mm
TCSB422	Spade Bit Pro Series 22 x 400mm
TCSB425	Spade Bit Pro Series 25 x 400mm

INDUSTRIAL



PRO SERIES

Wood Spade Bit



Spade Bits



Part No.	Size
TC02075	6mm
TC02076	8mm
TC02077	10mm
TC02078	12mm
TC02079	13mm
TC02080	14mm
TC02081	16mm
TC02082	18mm
TC02083	19mm
TC02084	20mm
TC02085	22mm
TC02087	25mm



400mm

Part No.	Size
TC02034	6mm
TC02035	8mm
TC02036	10mm
TC02037	12mm
TC02038	13mm
TC02039	14mm
TC02040	16mm
TC020401	17mm
TC02041	18mm
TC02042	19mm
TC02043	20mm
TC02044	22mm
TC02045	24mm
TC02046	25mm
TC02047	28mm
TC02048	30mm
TC02049	32mm
TC02051	35mm
TC02052	38mm
TC02053	40mm



1/4" Hex shank
fits all drills
& screwdrivers

Part No. TC02123

150mm Extension for Spade Bits

Part No. TC02126

300mm Extension for Spade Bits



TORK CRAFT™ 4 Flute Wood Drill Bits



Hard & Softwood



Part No.	Size	Length	INDUSTRIAL
BKP010	10mm	150mm	
BKP012	12mm	150mm	
BKP013	13mm	150mm	
BKP014	14mm	150mm	
BKP016	16mm	150mm	
BKP018	18mm	150mm	
BKP019	19mm	150mm	
BKP020	20mm	150mm	
BKP022	22mm	150mm	
BKP024	24mm	150mm	
BKP025	25mm	150mm	
BKP40010	10mm	400mm	
BKP40012	12mm	400mm	
BKP40014	14mm	400mm	
BKP40016	16mm	400mm	
BKP40019	19mm	400mm	



4 Flute
Wood Drill
6x FASTER

6x FASTER
THAN STANDARD SPADE BITS

4 Flute Wood Drill Bits

- 6x faster than standard spade bits
- Designed for faster chip ejection
- Cutting spur for smoother clean holes
- Minimal break out with through holes
- Screw tip for effortless feed
- For use on all types of wood
- 4 blades = faster drilling
- Designed for professionals

Top quality TORK CRAFT™ Spade Bits are available in all the popular sizes and are designed to meet the needs of the DIYer as well as the professional user!!

TORK CRAFT™ Spade Bits



6 Pce 150mm Spade Bit Set
Contents: 10, 12, 16, 19, 20 & 25mm
TC02116



6 Pce Pro Series Spade Bit Set CARDED
Contents: 10, 12, 16, 18, 20, 25mm
TCSBS06



TC02118
13 Pce Spade Bit Set

Titanium MAD-Bit



The MAD Bit is good for use in all types of solid woods, laminates, chipboards, particle board and super wood, etc.

The MAD-bit replaces Augers, Spade bits & Brad bits to form holes in thick timbers and laminates such as joists, noggins, floor boards, decking, kitchen worktops, cupboards & shelves. Typically used when installing plumbing, heating, air-con systems, shower heads & taps, electrical installations like satellite TV, security alarms, mains electric conduits, junction boxes, light switches etc. The MAD-bit is neater and faster than chisels to form mortices and channels in wood and laminates such as door posts, doors, cabinets, chairs and tables, skirting panels, as well as stud walls & partitions. Typically used when installing locks, hinges, rebates & mortice joinery joints.

Part No.	Diameter	Length
MAD15	15mm	130mm
MAD16	16mm	130mm
MAD17	17mm	130mm
MAD19	19mm	130mm
MAD20	20mm	130mm
MAD22	22mm	130mm
MAD25	25mm	130mm
MAD32	32mm	130mm
MAD35	35mm	130mm



9 different cutting edges
Allows you to cut
Forward
Backwards
Sideways
Straight
Curved



Cuts

Mills

Drills

Channels

Flat-bottomed Holes

Routes

Edge Drilling



Forstner Bits



Hard & Softwood

Part No.	Description	Size
TCFB10	Forstner Bit Blister	10mm
TCFB12	Forstner Bit Blister	12mm
TCFB15	Forstner Bit Blister	15mm
TCFB16	Forstner Bit Blister	16mm
TCFB19	Forstner Bit Blister	19mm
TCFB20	Forstner Bit Blister	20mm
TCFB22	Forstner Bit Blister	22mm
TCFB25	Forstner Bit Blister	25mm
TCFB30	Forstner Bit Blister	30mm
TCFB35	Forstner Bit Blister	35mm
TCFB38	Forstner Bit Blister	38mm
TCFB40	Forstner Bit Blister	40mm
TCFB45	Forstner Bit Blister	45mm
TCFB50	Forstner Bit Blister	50mm
TCFB54	Forstner Bit Blister	54mm

- Bores perfectly smooth, flat-bottomed holes
- Bores accurate holes from any angle
- Carbon steel for longer life
- Ideal for drilling decorative holes used in fine woodworking



Hinge Bore Bit



Hard & Softwood

Hinge Bore Bit - 35mm

Cuts perfect "blind holes" for installing hinges

PART NO. TCHB35T - Titanium Coated

PART NO. TCHB35-2 - Tungsten Tipped

Tungsten tipped = Long life for heavy duty users




Auger Bits



Hard & Softwood

Part No.	Description	Part No.	Description
AB03170	3 x 170mm Pouched	AB14170	14 x 170mm Pouched
AB03300	3 x 300mm Pouched	AB14300	14 x 300mm Pouched
AB04170	4 x 170mm Pouched	AB14400	14 x 400mm Pouched
AB04300	4 x 300mm Pouched	AB14460	14 x 460mm Pouched
AB04400	4 x 400mm Pouched	AB16170	16 x 170mm Pouched
AB05170	5 x 170mm Pouched	AB16300	16 x 300mm Pouched
AB05300	5 x 300mm Pouched	AB16460	16 x 460mm Pouched
AB06170	6 x 170mm Pouched	AB18170	18 x 170mm Pouched
AB06300	6 x 300mm Pouched	AB18300	18 x 300mm Pouched
AB06400	6 x 400mm Pouched	AB18460	18 x 460mm Pouched
AB06460	6 x 460mm Pouched	AB19170	19 x 170mm Pouched
AB08170	8 x 170mm Pouched	AB19300	19 x 300mm Pouched
AB08300	8 x 300mm Pouched	AB19300B	19 x 300mm Bulk
AB08400	8 x 400mm Pouched	AB19460	19 x 460mm Pouched
AB08460	8 x 460mm Pouched	AB20170	20 x 170mm Pouched
AB10170	10 x 170mm Pouched	AB20300	20 x 300mm Pouched
AB10300	10 x 300mm Pouched	AB20460	20 x 460mm Pouched
AB10400	10 x 400mm Pouched	AB22170	22 x 170mm Pouched
AB10460	10 x 460mm Pouched	AB22300	22 x 300mm Pouched
AB12170	12 x 170mm Pouched	AB22300B	22 x 300mm Bulk
AB12300	12 x 300mm Pouched	AB22460	22 x 460mm Pouched
AB12400	12 x 400mm Pouched	AB24170	24 x 170mm Pouched
AB12460	12 x 460mm Pouched	AB24300	24 x 300mm Pouched
AB13170	13 x 170mm Pouched	AB24460	24 x 460mm Pouched
AB13300	13 x 300mm Pouched	AB25170	25 x 170mm Pouched
AB13400	13 x 400mm Pouched	AB25300	25 x 300mm Pouched
AB13460	13 x 460mm Pouched	AB25460	25 x 460mm Pouched
		TCAB22300SP	22 x 300mm (10mm Shaft Bulk)

For drilling in all soft and hard woods
Screw tip design provides faster drilling action




Scotch Eye Auger Bit



Hard & Softwood

Part No.	Size CARDED
TCSA40008	8mm x 400mm
TCSA40010	10mm x 400mm
TCSA40012	12mm x 400mm
TCSA40013	13mm x 400mm
TCSA40014	14mm x 400mm
TCSA40016	16mm x 400mm
TCSA40019	19mm x 400mm
TCSA40020	20mm x 400mm
TCSA40022	22mm x 400mm
TCSA40025	25mm x 400mm
Part No.	Size BULK
TCSA40008B	8mm x 400mm
TCSA40010B	10mm x 400mm
TCSA40012B	12mm x 400mm
TCSA40013B	13mm x 400mm
TCSA40014B	14mm x 400mm
TCSA40016B	16mm x 400mm
TCSA40019B	19mm x 400mm
TCSA40020B	20mm x 400mm
TCSA40022B	22mm x 400mm
TCSA40025B	25mm x 400mm



16mm Eye

- » For hand operation.
- » An auger handle / T bar is placed through the eye and the auger is turned by hand to bore.
- » Boring a wide range of holes in hardwoods in a variety of locations especially where electrical power is not available.




Expansive Bit



Hard & Softwood

Part No.	Description
TC312001	Expansive Bit 15-45mm For Wood
TC312004	Expansive Bit 22-76mm For Wood



- » Use one drill for many sizes
- » Easily adjusts to any size between 15-76mm
- » Screw point to centre and pull drill through timber



Plug Cutters



Hard & Softwood

Part No.	Size
TC11001	6mm
TC11002	8mm
TC11004	10mm
TC11007	12mm
TC11009	13mm
TC11012	14mm
TC11015	16mm
TC11016	20mm
TC11018	25mm

- » Bit produces accurate plugs from any type of wood
- » Use to fill counter-bored holes
- » Hardened steel for long life
- » Precision-ground cutters for fine woodworking
- » 1/4" Shank fits any drill
- » Use an offcut to match timber perfectly



5 Piece Plug Cutter Set
 Sizes: 6, 8, 10, 12, 16mm
 PART NO. TC311024

Plug, Dowel & Tenon Cutters



Hard & Softwood

Part No.	Size	INDUSTRIAL
W60008	8mm	
W60010	10mm	
W60012	12mm	
W60016	16mm	
W60020	20mm	
W60022	22mm	
W60025	25mm	



Overall Length: 140mm
Max. Length of plug: 70mm
 » Packaged in hanging tube

Precise ground inner and outer cutting edges cut through the hardest woods maintaining an extremely sharp edge. Suitable for large quantities and highly accurate.

NB. For use only in a drill press and the work piece must be clamped.



TORK CRAFT™ Diamond Core Tile Bits



Glass



Tiles



Porcelain

Watch our video link <http://www.youtube.com/watch?v=vxavnokjtzo>

USAGE INSTRUCTIONS

The drill must be used with water cooling at all times (maximum permissible temperature of diamond tip 500°C). Drilling with water can be done using the following methods;

Tile attached to wall:

- Spraying water onto the surface
- Using a wet sponge
- Attaching a water feed device to allow a constant stream of water to run down the tile and into the target hole.

Loose tile or horizontal surface:

Pour water onto the tile and create a small puddle over the intended position of the hole, drill "through" the water and the spiral feed will draw water to the cutting edge as the hole is drilled. After drilling each hole, allow the tool to cool down completely and clean it before proceeding. The tool life will depend on correct usage and tile hardness. 10 or more holes are possible in hard tiles. We are unable to offer any guarantee if the tool is used dry.

Start Drilling;

- Use lengths of double-sided adhesive tape to secure the drilling template.
- Select the correct spindle speed:

Drill diameter	5	6	7/8	10	>12
Spindle speed	800	600	500	400	<300

- Apply only low feed pressure (grinding process).
- To start the hole you must have the drill rotating prior to touching the surface of the tile.
- Start drilling at a 45° angle to avoid skating on the tile.
- Once a groove has been made slowly raise the drill bit up to a horizontal or vertical level then continue drilling.
- The Tork Craft Diamond Tile Drill will work with all power units.
- Select a slower speed if water source is restricted.



TCGC001

Glass Cutter

Tungsten Carbide Wheel

Part No.	Size	Description
TC180803	3mm	Diamond Core Bit
TC180804	4mm	Diamond Core Bit
TC180805	5mm	Diamond Core Bit
TC180806	6mm	Diamond Core Bit
TC180808	8mm	Diamond Core Bit
TC180810	10mm	Diamond Core Bit
TC180812	12mm	Diamond Core Bit
TC180814	14mm	Diamond Core Bit
TC180815	15mm	Diamond Core Bit
TC180816	16mm	Diamond Core Bit
TC180819	19mm	Diamond Core Bit
TC180820	20mm	Diamond Core Bit
TC180822	22mm	Diamond Core Bit

Part No.	Size	Description
TC180825	25mm	Diamond Core Bit
TC180830	30mm	Diamond Core Bit
TC180832	32mm	Diamond Core Bit
TC180835	35mm	Diamond Core Bit
TC180838	38mm	Diamond Core Bit
TC180840	40mm	Diamond Core Bit
TC180850	50mm	Diamond Core Bit
TC180857	57mm	Diamond Core Bit
TC180864	64mm	Diamond Core Bit
TC180870	70mm	Diamond Core Bit
TC180876	76mm	Diamond Core Bit
TC180898	98mm	Diamond Core Bit

Ideal for;

- » Glass » Ceramics » Porcelain
- » Limestone » Slate » Marble
- » Granite » Quartz » Fibreglass



Glass & Tile Drills



Part No.	Size
TCGD03	3mm
TCGD04	4mm
TCGD05	5mm
TCGD06	6mm
TCGD08	8mm
TCGD10	10mm
TCGD12	12mm
TCGD5PC	5 Pce Set

3, 4, 5, 6 & 8mm



4 Flute Glass Drill



Part No.	Size
TCGD03	3mm
TCGD04	4mm
TCGD05	5mm
TCGD06	6mm
TCGD08	8mm
TCGD10	10mm
TCGD12	12mm
TCGD4PC	4 Pce Set

4, 5, 6 & 8mm



Glass & Hard Tile Drills Hex Shank



Part No.	Size
TCGDI003	3mm
TCGDI004	4mm
TCGDI005	5mm
TCGDI006	6mm
TCGDI008	8mm
TCGDI010	10mm
TCGDI012	12mm
TCGDI5PC	5 Pce Set

3, 4, 5, 6 & 8mm

INDUSTRIAL



INSTRUCTIONS FOR DRILLING IN GLASS

Glass has to lay down on a leveled, not too hard surface. Glass should never be drilled completely from one side, always from both sides to prevent glass from flaking. To avoid overheating when drilling and splinters of glass in your eyes, ALWAYS WEAR SAFETY GOGGLES (see our range on Page 104), and you must use an oily liquid as a coolant & lubricant, eg. paraffin. Drilling in glass is a slow operation! You have to work really carefully! The revolutions when drilling should not exceed 100 rpm. To fix hinges in a glass door you need really good drilled holes. We recommend shatter-proof glass for this.

Step Drills

Part No.	Size	INDUSTRIAL
TC353040	Step Drill HSS 4 - 12mm x 1mm	
TC353041	Step Drill HSS 4 - 12mm x 2mm	
TC353042	Step Drill HSS 6 - 18mm x 2mm	
TC353043	Step Drill HSS 4 - 22mm x 2mm	
TC353044	Step Drill HSS 5 - 35mm x 2 - 3mm	
TC353045	Step Drill HSS 4 - 22mm x 2mm Spiral	
TC353046	Step Drill HSS 3 - 35mm x 2 - 3mm Spiral	
TC353047	Step Drill HSS 6 - 39mm x 2 - 3mm Spiral	
TC353048	Step Drill HSS 6 - 52mm x 2mm Spiral	
TC353049	Step Drill HSS 6 - 60mm x 2mm Spiral	

STEP DRILLS

- » Use one drill for many hole sizes.
- » Multiple step and countersink tool for drilling and countersinking in one smooth operation.
- » Suitable for materials with a maximum thickness of 4 - 6mm, dependant on hardness.
- » The use of cutting paste is recommended.
- » The best type of drill for steel plate.
- » Burr-free holes
- » Perfectly round holes
- » Easy to enlarge holes
- » Stronger - more rigid
- » Drills plastic easily
- » Non-slip points



T9950
3 Pce
HSS Set
in Metal Box

TC373101-2
3 Pce HSS Set in Blister



Spiral Step Drill
TC353045
TC353046



Countersinks

Part No.	Size	INDUSTRIAL
T CS101	6mm (1/4")	
T CS102	10mm (3/8")	
T CS103	12mm (1/2")	
T CS104	16mm (5/8")	
T CS105	19mm (3/4")	
Part No.	Size	
T CS201	6mm (1/4")	
T CS202	10mm (3/8")	
T CS203	12mm (1/2")	
T CS204	16mm (5/8")	
T CS205	19mm (3/4")	

HSS

- Countersink, deburr and chamfer in iron, steel, plastic and wood
- 5-Flute design with 90 degree point for smooth chamfering
- 1/4" shank fits all drills

CARBON STEEL

- Countersink, deburr and chamfer in plastic and wood
- 1-flute design with point for smooth chamfering
- 1/4" shank fits all drills



Part No. T CS005
5 Pce HSS Countersink Set
1/4" Shank
Sizes: 8, 12, 16, 19mm
w/Hex Shank Adaptor



STANDARD

Part No. T CS300
HSS Countersink 12mm
90° on Plastic Handle
» Min. cutting size 5mm
» Max. cutting size 12mm
Suitable for use on steel
& wood

Tungsten Rotary Burrs



For use on pneumatic air tools and electric die grinders.
For cleaning welding seams, de-burring, grinding and shaping



#	Part No.	Width x Length	Description
1	TCBU10606	6 x 16mm	Rotary Tungsten Burr Cylindrical
2	TCBU10612	12 x 25mm	Rotary Tungsten Burr Cylindrical
3	TCBU11606	10 x 25mm	Rotary Tungsten Burr Round Point
4	TCBU11612	16 x 36mm	Rotary Tungsten Burr Round Point
5	TCBU20606	6 x 18mm	Rotary Tungsten Burr Cylindrical w/Bottom Cutter
6	TCBU20612	12 x 25mm	Rotary Tungsten Burr Cylindrical w/Bottom Cutter
7	TCBU21606	8 x 7mm	Rotary Tungsten Burr 60 Degree Cone
8	TCBU21612	12 x 10mm	Rotary Tungsten Burr 60 Degree Cone
9	TCBU30606	6 x 18mm	Rotary Tungsten Burr Conical Straight
10	TCBU30612	12 x 25mm	Rotary Tungsten Burr Conical Straight
11	TCBU31606	6 x 3mm	Rotary Tungsten Burr 90 Degree Cone
12	TCBU31612	12 x 6mm	Rotary Tungsten Burr 90 Degree Cone
13	TCBU40606	6 x 18mm	Rotary Tungsten Burr Conical Curved
14	TCBU40612	12 x 25mm	Rotary Tungsten Burr Conical Curved
15	TCBU41606	8 x 10mm	Rotary Tungsten Burr Inverted Cone
16	TCBU41612	16 x 16mm	Rotary Tungsten Burr Inverted Cone
17	TCBU50606	6 x 5mm	Rotary Tungsten Burr Tungsten Ball
18	TCBU50612	12 x 10mm	Rotary Tungsten Burr Tungsten Ball
19	TCBU60606	6 x 16mm	Rotary Tungsten Burr Round Point
20	TCBU60612	12 x 25mm	Rotary Tungsten Burr Round Point
21	TCBU70606	6 x 16mm	Rotary Tungsten Burr Conical
22	TCBU70612	12 x 28mm	Rotary Tungsten Burr Conical
23	TCBU80606	6 x 18mm	Rotary Tungsten Burr Round Point
24	TCBU80612	12 x 25mm	Rotary Tungsten Burr Round Point
25	TCBU90606	6 x 10mm	Rotary Tungsten Burr Rounded
26	TCBU90612	12 x 20mm	Rotary Tungsten Burr Rounded

INDUSTRIAL



Shank size
all 6mm

Tungsten Rotary Burr Sets



Part No.	Size	Description
M6501	5 Pce	6mm Assorted Tungsten Rotary Burrs
M6502	5 Pce	8mm Assorted Tungsten Rotary Burrs
M6504	5 Pce	12mm Assorted Tungsten Rotary Burrs



M6501



M6502



M6504

Rotary Files / Rotary Rasps



Mild Steel



Hard & Softwood

Part No.	Description	
TC RF01	Round end	CARDED
TC RF02	Conical	
TC RF03	Ball	
TC RF04	Cylindrical	
TC RF05	V Point	
TC RF06	V Point	
TCRFS05	5 Pce Rotary File Set	



Application/Material

- For rasping or filing soft metal

Features/Benefits

- Special alloy steel is hardened and tempered for long life
- Precision cutting edges will not clog or load up
- 1/4" Shank fits all drills

Part No.	Description	
TC RR01	Straight	CARDED
TC RR02	Cylindrical	
TC RR03	Round End	
TC RR04	Conical	
TC RR05	Ball End	
TC RR06	Conical	
TC RR07	3-in-1 Cylindrical/20mm Holesaw/15mm Plug Cutter	
TC RR08	3-in-1 Cylindrical/25mm Holesaw/20mm Plug Cutter	
TCRRS05	5 Pce Rotary Rasp Set	



Application/Material

- For rasping or filing wood

Features/Benefits

- Special alloy steel is hardened and tempered for long life
- Precision cutting edges will not clog or load up
- 1/4" Shank fits all drills



Grinding Points



Mild Steel

Part No.	Description	
TC GP01	Conical	Carded
TC GP02	Round Cone	Carded
TC GP03	Bevel	Carded
TC GP04	Wheel	Carded
TC GP05	Ball	Carded
TC GP06	Cylindrical	Carded
TC GP07	Flat	Carded
TC GPS07	7 Pce Set	Carded



Application/Material

- For grinding and shaping metal

Features/Benefit

- Aluminium oxide for fast metal removal
- 1/4" shank fits die grinder and all drills

Titanium Drill Saws



Hard & Softwood



Mild Steel

Part No.	Size	Description
TC362003	4mm	Titanium Coated Carded
TC362004	5mm	Titanium Coated Carded
TC362009	6mm	Titanium Coated Carded
TC362013	8mm	Titanium Coated Carded
TC362017	10mm	Titanium Coated Carded
TC362018	3,4,5,6,8	HSS Set Titanium Coated



Application/Material

- For drilling and rasping in wood and steel
- For enlarging holes and shapes

1-Speed Angle Drive

TCAD01

1-Speed Angle Drive w/handle for right or left hand use & 10mm (3/8")

Chuck key 90° drive attachment



1-Speed Angle Drive

1/4"



TCAD02

1-Speed 90° Angle Drive (1/4") M/F w/Ratchet Driver & 6 Bits - SQ2, PH1, PH2, PZ1, PZ2, SL4



Chucks



Hardened steel body and jaws for long life

CM13



CM20-5



Part No. CM16-2
Keyed Chuck 16mm
1.0 - 16mm
with B16 Taper



Part No. CMH06
1/4" Hex Shank Chuck
0.6 - 6mm

Part No.	Description
CM10	Chuck & Key 10mm 3/8" x 24
CM13	Chuck & Key 13mm 1/2" x 20
CM13-1	Chuck & Key 1 - 13mm B16
CM13-5	Chuck & Key 1.5 - 13mm 1/2" x 20 Colour Box
CM16	Chuck & Key 16mm JT3 Taper
CM16-2	Keyed Chuck 16mm 1.0 - 16mm with B16 Taper
CM16-4	Chuck & Key 1 - 16mm 5/8"-16 UNF Heavy-duty
CM16-5	Chuck & Key 16mm 1.0 - 16mm JT6 Taper
CM19	Chuck & Key 1.0 - 19mm JT4 Taper
CM20-5	Chuck & Key 5 - 20mm B22 Taper



Part No. CM13-5

Part No. CM99
Locking screw for chucks
Reverse thread
Bulk



Keyless Chucks

Part No.	Description
CM10-2	10mm with 3/8" x 24 UNF
CM13-2	13mm with 1/2" x 20 UNF
CM13-3	13mm x 1/2" x 20 UNF : Metal knurled ring
CM13-4	13mm x 1/2" x 20 UNF : Self-tightening
CM13-6	13mm x 1/2" x 20 UNF Plastic
CM16-3	16mm B16 Taper with lock : Precision chuck



CM10-2



CM13-2



CM13-3

Convenient and easy to use, no chuck key to lose.
Keyless for easier chucking and bit changes. Best for rotary drilling.

Chuck Adaptors



Part No. TC17900
SDS Plus Chuck Adaptor
with 1/2" x 20 Thread
- Fits all SDS Plus machines



Part No. CM113
Chuck & Key 13mm 1/2" UNF
& SDS Adaptor
- Fits all SDS Plus machines
NB. NOT FOR SDS HAMMER ACTION



CM13-6



CM13-4



CM16-3



CMB16

CMMT2-1

Chuck Keys

Part No.	Description
CM01	Chuck Key for 3/8"/10mm Chucks
CM02	Chuck Key for 1/2"/13mm Chucks
CM04	Chuck Key for 16mm Chucks



Flange Lock Nut


Part No.	Description
TCFN1001	M14 Tool-less Finger Tab
TCFN1002	M14 Self-lock Quick release



Part No.	Description
CMB16	Arbor Taper Adaptor MT2 x B16
CMMT2-1	Morse Taper Sleeve MT2 - MT1
CMMT2-2	Chuck Arbor Adaptor MT2 - B22
CMMT3	Arbor Taper Adaptor MT3 x B16
CMMT3-2	Taper Sleeve MT3 - MT2
CMMT3-3	Chuck Arbor Adaptor MT3 - B22
CMJT3-1	Taper Adaptor MT2 - JT3
CMJT3-2	Taper Adaptor MT3 - JT3
CMJT4-1	Taper Adapter MT2 - JT4
CMJT4-2	Taper Adapter MT3 - JT4
CMJT6-1	Chuck Arbor MT2 - JT6 CMMT Morse Taper

INDUSTRIAL

TORK CRAFT™ Extra Hard Screwdriving Bits



Fully hardened and tempered for long life
1/4" Shank

INSERT BITS

	SIZE	LENGTH	2 Pc CARDED	BULK
	PHILLIPS			
	PH1	25mm	T PH0125C	
	PH2	25mm	T PH0225C	T PH0225B
	PH3	25mm	T PH0325C	
	POZI			
	PZ1	25mm	T PZ0125C	T PZ0125B
	PZ2	25mm	T PZ0225C	T PZ0225B
	PZ3	25mm	T PZ0325C	T PZ0325B
	SLOTTED			
	3mm	25mm	T SL0325C	
	4mm	25mm	T SL0425C	
	5mm	25mm	T SL0525C	
	6mm	25mm	T SL0625C	
	8mm	25mm	T SL0825C	

INDUSTRIAL

	SQUARE RECESS			
	0	25mm	T SQ0025C	T SQ0025B
	1	25mm	T SQ0125C	T SQ0125B
	2	25mm	T SQ0225C	T SQ0225B
	3	25mm	T SQ0325C	T SQ0325B

	TRIANGULAR			
		25mm	T SCTR01-2	T SCTR01

	TORX TAMPER PROOF			
	T30	25mm	TTP302510 (10mm Hex Shank)	

	TRIWING			
		25mm	T TR001C	T TR001
		25mm	T TR002C	T TR002
		25mm	T TR003C	T TR003
		25mm	T TR004C	T TR004

	PHILLIPS			
	PH1	50mm	T PH0150C	
	PH2	50mm	T PH0250C	T PH0250B
	PH2	70mm		T PH0270B
	PH2	150mm	T PH02150C	T PH02150B
	PH3	50mm	T PH0350C	
	PH2	25mm	T PHDW025-1	T PHDW025
	PH2	50mm	T PHDW050-1	T PHDW050

	POZI			
	PZ1	50mm	T PZ0150C (1pc)	T PZ0150B
	PZ2	50mm	T PZ0250C	T PZ0250B
	PZ2	70mm		T PZ0270B
	PZ2	89mm		T PZ0289B
	PZ2	150mm	T PZ02150C	T PZ02150B
	PZ3	50mm	T PZ0350C	T PZ0350B

	SLOTTED			
	3mm	50mm	T SL0350C	
	4mm	50mm	T SL0450C	
	5mm	50mm	T SL0550C	
	6mm	50mm	T SL0650C	
	8mm	50mm	T SL0850C	
	10mm	50mm	T SL1050C	

	SQUARE RECESS			
	No. 0	50mm	T SQ0050C	T SQ0050B
	No. 1	50mm	T SQ0150C	T SQ0150B
	No. 2	50mm	T SQ0250C	T SQ0250B
	No. 3	50mm	T SQ0350C	T SQ0350B
	No. 1	150mm	T SQ01150C	T SQ01150B
	No. 2	150mm	T SQ02150C	T SQ02150B
	No. 3	150mm	T SQ03150C	T SQ03150B

	PH1 x PH1	65mm	T PH0165C	
	PH2 x PH2	45mm	T PH0245C	
	PH2 x PH2	65mm	T PH0265C	T DE PH0265B
	PH2 x SL.5	45mm	T PHS0245C	
	PH2 x SL.5	65mm	T PHS0265C	T DE PHSL65B
	PZ1 x PZ1	65mm	T PZ0165C	
	PZ2 x PZ2	45mm	T PZ0245C	
	PZ2 x PZ2	65mm	T PZ0265C	T DE PZ0265B
	PZ2 x SL.5	45mm	T PZS0245C	
	PZ2 x SL.5	65mm	T PZS0265C	T DE PZSL65B

DOUBLE ENDED BITS

T PHDW0225
T PHDW025-1 Pouch
For drywall

T PHDW0250
T PHDW050-1 Pouch
For drywall

Impact Magnetic Bit Holder

Length	Carded	Bulk
1/4" x 57mm	TCIBH54C	TCIBH54B
1/4" x 76mm	TCIBH75C	TCIBH75B

INDUSTRIAL



Impact Magnetic Nutsetter

Length	Carded	Bulk
5/16" x 42mm		TCINS03
5/16" x 65mm	TCINS51665C	TCINS01
8 x 65mm	TCINS08065C	TCINS05
3/8" x 65mm	TCINS38065C	
10 x 65mm	TCINS10065C	TCINS09
13 x 65mm		TCINS10



Phillips



Impact Power Bit Phillips

Length	Carded	Bulk
PH1 X 25mm	TCIPH0125C	
PH1 X 50mm	TCIPH0150C	
PH2 X 25mm	TCIPH0225C	TCIPH0225B
PH2 X 50mm	TCIPH0250C	TCIPH0250B
PH3 X 25mm	TCIPH0325C	
PH3 X 50mm	TCIPH0350C	
PH1 X 73mm		TCIPH1073B
PH2 X 73mm		TCIPH2073B
PH3 X 73mm		TCIPH3073B
PH2 X 90mm	TCIPH2090C	TCIPH2090B
PH2 X 110mm	TCIPH2110C	TCIPH2110B

INDUSTRIAL



TCIPH022515



15 Pc Tic Tac Case
Impact Power Bits
PH2 x 25mm

TCIPH025015



15 Pc Tic Tac Case
Impact Power Bits
PH2 x 50mm

Impact Power Bit Pozi

Length	Carded	Bulk
PZ1 X 25mm	TCIPZ0125C	
PZ1 X 50mm	TCIPZ0150C	TCIPZ0150B
PZ2 X 25mm	TCIPZ0225C	TCIPZ0225B
PZ2 X 50mm	TCIPZ0250C	TCIPZ0250B
PZ3 X 25mm	TCIPZ0325C	
PZ3 X 50mm	TCIPZ0350C	
PZ1 X 73mm		TCIPZ1073B
PZ2 X 73mm		TCIPZ2073B
PZ3 X 73mm		TCIPZ3073B
PZ2 X 90mm	TCIPZ2090C	TCIPZ2090B
PZ2 X 110mm	TCIPZ2110C	TCIPZ2110B

INDUSTRIAL



Pozi



TCIPZ022515



15 Pc Tic Tac Case
Impact Power Bits
PZ2 x 25mm

TCIPZ025015



15 Pc Tic Tac Case
Impact Power Bits
PZ2 x 50mm

Impact Square Recess Bit

Length	Carded	Bulk
SQ1 X 25mm	TCISQ0125C	
SQ1 X 50mm	TCISQ0150C	TCISQ0150B
SQ2 X 25mm	TCISQ0225C	TCISQ0225B
SQ2 X 50mm	TCISQ0250C	TCISQ0250B
SQ3 X 25mm	TCISQ0325C	
SQ3 X 50mm	TCISQ0350C	

INDUSTRIAL



Square Recess



TCISQ022515



15 Pc Tic Tac Case
Impact Power Bits
SQ2 x 25mm

TCISQ025015



15 Pc Tic Tac Case
Impact Power Bits
SQ2 x 50mm

Quick Change Bit Holder

TCQCH06514

Quick Change Bit Holder 1/4" 65mm Carded



T AD12014

Magnetic Impact Wrench/
Ratchet Adaptor 60mm

Impact Socket Adaptor

TCIAD143812

3 Pce Impact Socket
Adaptor Set
1/4" & 3/8"



Impact Power Bit TORX

Length	2/Card	Bulk
TX 4 x 25mm	TCITX02504C	TCITX02504B
TX 5 x 25mm	TCITX02505C	TCITX02505B
TX 6 x 25mm	TCITX02506C	TCITX02506B
TX 7 x 25mm	TCITX02507C	TCITX02507B
TX 8 x 25mm	TCITX02508C	TCITX02508B
TX 9 x 25mm	TCITX02509C	TCITX02509B
TX 10 x 25mm	TCITX02510C	TCITX02510B
TX 15 x 25mm	TCITX02515C	TCITX02515B
TX 20 x 25mm	TCITX02520C	TCITX02520B
TX 25 x 25mm	TCITX02525C	TCITX02525B
TX 27 x 25mm	TCITX02527C	TCITX02527B
TX 30 x 25mm	TCITX02530C	TCITX02530B
TX 35 x 25mm	TCITX02535C	TCITX02535B
TX 40 x 25mm	TCITX02540C	TCITX02540B
TX 45 x 25mm	TCITX02545C	TCITX02545B
TX 50 x 25mm	TCITX02550C	TCITX02550B
TX 4 x 50mm	TCITX05004C	TCITX05004B
TX 5 x 50mm	TCITX05005C	TCITX05005B
TX 6 x 50mm	TCITX05006C	TCITX05006B
TX 7 x 50mm	TCITX05007C	TCITX05007B
TX 8 x 50mm	TCITX05008C	TCITX05008B
TX 9 x 50mm	TCITX05009C	TCITX05009B
TX 10 x 50mm	TCITX05010C	TCITX05010B
TX 15 x 50mm	TCITX05015C	TCITX05015B
TX 20 x 50mm	TCITX05020C	TCITX05020B
TX 25 x 50mm	TCITX05025C	TCITX05025B
TX 27 x 50mm	TCITX05027C	TCITX05027B
TX 30 x 50mm	TCITX05030C	TCITX05030B
TX 35 x 50mm	TCITX05035C	TCITX05035B
TX 40 x 50mm	TCITX05040C	TCITX05040B



Impact bits provide extended lifetime compared to standard insert bits. Recommend for driving screws when using an impact driver or in high torque applications.



TCITX25100C
10Pc TORX Impact Bit Set
(T8, T10, T15, T20X2, T25X2, T27, T30, T40)



TCIBS010
10Pc 50mm
Impact Power
Bit Set
(PZ, PH, SQ,
TORX, HEX)



TCIBS018
18Pc Impact
Power Bit Set
50mm
w/Quick Change
Bit Holder



TCIBS041
41Pc Impact Bit Set 50mm w/Bit Holder

Screwdriving Insert Bits

Length	1/Card	Bulk		INDUSTRIAL
1 x 73mm		T PH1073B		
2 x 73mm		T PH2073B		
2 x 90mm	T PH2090C	T PH2090B		
2 x 110mm	T PH2110C	T PH2110B		
3 x 73mm		T PH3073B		
1 x 73mm		T PZ1073B		
2 x 73mm		T PZ2073B		
2 x 90mm	T PZ2090C	T PZ2090B		
2 x 110mm	T PZ2110C	T PZ2110B		
3 x 73mm		T PZ3073B		
T8H x 25mm		T TXTR02508B		
T9H x 25mm		T TXTR02509B		
T10H x 25mm		T TXTR02510B		
T15H x 25mm		T TXTR02515B		
T20H x 25mm		T TXTR02520B		
T25H x 25mm		T TXTR02525B		
T27H x 25mm		T TXTR02527B		
T30H x 25mm		T TXTR02530B		
T35H x 25mm		T TXTR02535B		
T40H x 25mm		T TXTR02540B		



T TX25100C
10Pc TORX Bit Set
(T8, T10, T15, T20X2, T25X2, T27, T30, T40)

Length	2/Card	Bulk
TX 4 x 25mm	T TX02504C	T TX02504B
TX 5 x 25mm	T TX02505C	T TX02505B
TX 6 x 25mm	T TX02506C	T TX02506B
TX 7 x 25mm	T TX02507C	T TX02507B
TX 8 x 25mm	T TX02508C	T TX02508B
TX 9 x 25mm	T TX02509C	T TX02509B
TX 10 x 25mm	T TX02510C	T TX02510B
TX 15 x 25mm	T TX02515C	T TX02515B
TX 20 x 25mm	T TX02520C	T TX02520B
TX 25 x 25mm	T TX02525C	T TX02525B
TX 27 x 25mm	T TX02527C	T TX02527B
TX 30 x 25mm	T TX02530C	T TX02530B
TX 35 x 25mm	T TX02535C	T TX02535B
TX 40 x 25mm	T TX02540C	T TX02540B
TX 45 x 25mm	T TX02545C	T TX02545B
TX 50 x 25mm	T TX02550C	T TX02550B
TX 4 x 50mm	T TX05004C	T TX05004B
TX 5 x 50mm	T TX05005C	T TX05005B
TX 6 x 50mm	T TX05006C	T TX05006B
TX 7 x 50mm	T TX05007C	T TX05007B
TX 8 x 50mm	T TX05008C	T TX05008B
TX 9 x 50mm	T TX05009C	T TX05009B
TX 10 x 50mm	T TX05010C	T TX05010B
TX 15 x 50mm	T TX05015C	T TX05015B
TX 20 x 50mm	T TX05020C	T TX05020B
TX 25 x 50mm	T TX05025C	T TX05025B
TX 27 x 50mm	T TX05027C	T TX05027B
TX 30 x 50mm	T TX05030C	T TX05030B
TX 35 x 50mm	T TX05035C	T TX05035B
TX 40 x 50mm	T TX05040C	T TX05040B



One Touch Magnetic Bit Holder

Length	Carded
75mm	T BH2101075
150mm	T BH21010150
300mm	T BH21010300
SDS Plus 80mm	T SD2071180
SDS Plus 80mm	T SD21680
SDS Quick Change T	SD22680
1/4" Hex	

INDUSTRIAL



SDS PLUS



SDS

TCMSH02114
Magnetic Screw
Holder 1/4"

21mm Carded
Magnetizes all power bits

Magnetic Bit Holder & 1/4" Extension


Length	Carded	Bulk
54mm	T BH54C	T MBH54B
60mm		T MBH60B
75mm	T BH75C	T MBH75B
90mm	T BH30090	
100mm	T BH30100	
100mm	T BH03100A	

INDUSTRIAL



Strong
one-piece
design
for long
life

T BH30090



T BH30100



T BH03100A

Magnetic Nutsetters

Size	Length	Carded	Bulk	Size	Length	Carded	Bulk
Metric				Imperial			
5.5mm	65mm		T NS11	1/4"	65mm	T NS14065C	T NS14
6mm	65mm	T NS06065C	T NS10	5/16"	42mm	T NS51642C	T NS03
6mm	100mm	T NS206100C	TNS201	5/16"	48mm	TCNNS51648C	
7mm	65mm	T NS07065C	T NS08	5/16"	65mm	T NS51665C	T NS01
8mm	48mm	TCNNS08048C		5/16"	100mm	T NS2516100C	TNS207
8mm	65mm	T NS08065C	T NS05	3/8"	45mm	T NS38045C	T NS04
8mm	100mm	T NS208100C	TNS202	3/8"	48mm	TCNNS38048C	
10mm	48mm	TCNNS10048C		3/8"	65mm	T NS38065C	T NS02
10mm	65mm	T NS10065C	T NS06	3/8"	100mm	T NS238100C	TNS206
10mm	100mm	T NS210100C	TNS203				
12mm	65mm	T NS12065C	T NS07				
12mm	100mm	T NS212100C	TNS204				
13mm	65mm	T NS13065C	T NS09				
13mm	100mm	T NS213100C	TNS205				

INDUSTRIAL




SDS Magnetic Nutsetters

Size	Length	Carded	Bulk
Imperial			
5/16"	65mm	T NS351665C	T NS351665B
3/8"	65mm	T NS338065C	T NS338065B
Metric			
8mm	65mm	T NS308065C	T NS308065B
10mm	65mm	T NS310065C	T NS310065B

INDUSTRIAL



- » Universal 1/4" Hex Shank with power groove
- » Magnetic bit holds fastener
- » Ideal for fast, easy driving of nuts, bolts & hex held screws



Socket Adaptors



Size	Length	Carded	Bulk
1/4" Hex x 1/4" Square	25mm	T AD14014C	T AD14014B
1/4" Hex x 1/4" Square	50mm	T AD14050C	
1/4" Hex x 1/4" Square	75mm		T AD14075B
1/2" Square SDS	75mm	T AD31012	
3/8" Square SDS	65mm	T AD31038	
1/4" Hex x 3/8" Square	50mm	T AD38050C	T AD38050B
1/4" Hex x 1/2" Square	50mm	T AD12050C	T AD12050B

INDUSTRIAL



T AD14050/14075

T AD38050

T AD12050

T AD14014

T AD31012

T AD31038

SDS

1/2"
3/8"


- Converts drill into a power nutsetter
- Ideal for fast, easy driving of nuts, bolts and hex head screws
- 1/4" shank fits all variable-speed drills

Screw Guide

TZ AC23 Magnetic Screw Guide & Extension 1/4" 120mm
TZ AC23-01 Magnetic Screw Guide 1/4" M & F 80mm



Magnetic bit holder holds 6.35mm (1/4") hex shank insert bits
Outer self-retracting sleeve easily and quickly holds and guides the screw
straight into the timber and helps to eliminate any slippage while driving.



Flexible Shaft Bit Holder

Part No. TCFS200

Flexible Shaft Bit Holder : Overall length 200mm (8") Hex 1/4" M x 1/4" F
For Hand or Power Drill Use





Screw Pilots

Part No.	Size
T SP06075C	# 6 x 75mm
T SP08075C	# 8 x 75mm
T SP10075C	# 10 x 75mm
T SP12075C	# 12 x 75mm
T SP05000C	5 Pce Set with #6, 8, 10, 12 plus 1 x Allen Key
T SP24	Replacement Drill Bit 2.4mm for Screw Pilot #6
T SP28	Replacement Drill Bit 2.8mm for Screw Pilot #8
T SP32	Replacement Drill Bit 3.2mm for Screw Pilot #10
T SP35	Replacement Drill Bit 3.5mm for Screw Pilot #12

- Fast countersinking and counter boring in one operation
- Drills in wood, plastic and composition material
- Replaceable drill bit

Part No.	Size
TZ AC26-6	#6 X 7/64" (2.8mm) Screw pilot
TZ AC26-8	#8 x 1/8" (3mm) Screw pilot
TZ AC26-10/12	#10-12 x 5/32" (4mm) Screw pilot
TZ AC26	3 Pce Set with #6, #8 & #10
TZ AC26-02	Allen Key for TZ AC26
TZ AC27-B	Hex Shank Drill Bit 2.5mm X PZ1
TZ AC27-D	Hex Shank Drill Bit 4mm X PZ3



Even Pilot Clutch System

Part No. TZ AC11A The Even Pilot Plus 1/4"

The ideal for clutch screw driving.

Can also be used with self-drilling screws on corrugated steel materials.

Adjustable depth stop.

Use with magnetic nut-driver in sizes of 1/4" & 5/16".

Free rotating ring to hold & guide screw in accurately.

Automatic clutch release enables precise countersinking of screws in drywall, particle board and plywood.




Dimpler


Part No. DIM001

» For driving drywall screws PH2

» Auto clutch fits any drill



With Dimpler




Without Dimpler

Converts your electric drill into a professional screwgun!
Countersink screws fast & accurately

A must for drywall...prevents screwhead from penetrating too far & tearing through the paper layer & weakening its core

Features a powerful magnet
www.drywalldriver.com/torkcraft



Display Box available



Screwdriving Bits & Insert Bits

Complete range of styles and sizes
Ideal complement for any electric drill or screwdriver
Standard 1/4" Hex shanks



T SC06045C

6 Pc 45mm Double End Bit Set
on Skin card
Contents:
PH1 x PZ1, PH2 x PZ2, PH3 x PZ3
SL3 x SL5, SL4 x SL6, SL5 x SL7



TIN COATED TORSION BIT

T PZ0225TINB

PZ #2 x 25mm Tin Coated Torsion Bit

T PZ0225TINC

PZ #2 x 25mm Tin Coated Torsion Bit (2 Pce)



Part No. T SC06504C

4PC 65mm Double End Bit set in Skin Card.

Contents:

PH1 X PZ1, PH2 X PZ2
Slotted 3mm x 5mm, Slotted 4mm x 6mm



Part No. T SC06506C

6PC 65mm Double End Bit set in Skin Card.

Contents:

PH1 x PZ1, PH2 x PZ2, PH3 x PZ3
Slotted 3mm x 5mm, 4mm x 6mm, 5mm x 7mm



T SC06510C

10 Pc 65mm Double End Bit Set
on Skin card

Contents:

PH1 x PH1, 2 x PH2 x PH2, PH2 x PH2,
PZ1 x PZ1, PZ2 x PZ2, PZ3 x PZ3



Part No. T SC50005C

5pce 50mm long S2 Power Bit Set in Blister pack

Contents:

1 x PH1, 1 x PH2, 1 x PH3
1 x PZ1, 1 x PZ2



Part No. T SC10006C

6pce 100mm long Power Bit Set
Long series for hard to reach screws

Contents:

Phillips: 1 x PH1, 1 x PH2
Pozi: 1 x PZ1, 1 x PZ2
Slotted: 1 x 4mm, 1 x 5mm



T SC25007C

7 Pce Compact Case Set in Blister Pack

Contents:

25mm;
1 x PH2, 1 x PZ1, 1 x PZ2,
1 x 4mm, 1 x 6mm, 1 x SQ2
1 x Bit Holder



TZ SQ250401C

4 Pc 25mm Square Recess Bit Set

Contents:

SQ #0, 1, 2, 3



TZ SQ500401C

4 Pc 50mm Square Recess Bit Set

Contents:

SQ #0, 1, 2, 3



T BH3505

6 Pce Quick Release Bit Holder Set

1 x Carabiner

5 x Bit Holders

Portable


Lightweight

Lockable Carabiner

Push & Pull ring sleeve



1/2" (6.35mm)
Hex Bit Holders (x5)
"Snap-It!
Fast
System"




18mm Width
Carabiner Clip



TORK CRAFT™ Decking Tool

Part No.	Description
TCDT008-01	8G Standard Head Pre-Drill & Countersink (c/w 2 x Repl. Bits)
TCDT008-02	Replacement Drill Bit for Decking Tool 8G - x 5Pce
TCDT010-01	10G Standard Head Pre-Drill & Countersink (c/w 2 x Repl. Bits)
TCDT010-02	Replacement Drill Bit for Decking Tool 10G - x 5Pce
TCDT012-01	12G Standard Head Pre-Drill & Countersink (c/w 2 x Repl. Bits)
TCDT012-02	Replacement Drill Bit for Decking Tool 12G - x 5Pce

DECKING TOOL, the ultimate all-in-one pre-drilling countersink tool!
Purpose built for decking and woodworking applications, especially where stainless steel screws are used. The single drilling countersinking action of the tool allows for an easier, quicker and more professional looking finish.



HSS Parabolic Bits for **FASTER** drilling



Screwdriving Bit Sets



Part No. T SC25010C

10pce 25mm long S2 Insert Bit Set in Blister Pack

Contents:

Pozi 1 x PZ1, 1 x PZ2, 1 x PZ3
Phillips 1 x PH1, 2 x PH2, 1 x PH3
Slotted 1 x 4mm, 1 x 5mm, 1 x 6mm



Part No. T SC25020C

20pce Handy Bit Box on Sliding Card

Contents:

Phillips: #1, #2, #3
Pozi: #1, #2, #3
Slotted: 4, 5, 6 & 7mm
Torx: 10, 15, 20, 25, 30 & 40
Hex: 3, 4, 5 & 6



TC02507

7 Pce Screwdriver Bit Set

Phillips: 1 x PH1 & PH2
Pozi: 1 x PZ1 & PZ2
Slotted: 1 x SL6 & SL7
1 x Magnetic Bit Holder



TC02531

31 Pce Screwdriver Bit Set
30 x Assorted bits
1 x Magnetic Bit Holder



TC02510

10 Pce Screwdriver Bit Set
Phillips, POZI & Slotted &
1 x Magnetic Bit Holder



TC700310

23 Pce
Combination Drill
& Screwdriving Set



The Ultimate Assortment

KT2573

101 Pce Bit Set - consists of;
4 x Slotted, 9 x Phillips,
8 x Pozidriv,
13 x Torx, 19 x Hex,
3 x Spline M-Type, 4 x Square,
4 x Spanner, 3 x Torq,
4 x Three Wings,
9 x Torx with hole,
12 x Hex with hole,
3 x Clutch, 1 x 25mm &
1 x 50mm Adaptor,
1 x Hook Adaptor,
1 x 60mm Magnetic Bit holder,
1 x Ratchet Screwdriver
1 x 1/4" Coupler

Screwdriving Bit Sets



KT7124
24 Pce Screwdriver Bit & Socket Set
Contents;
1 x T-Handle
9 x 1/4" Drive Sockets
5, 6, 7, 8, 9, 10, 11, 12, 13mm
4 x 25mm
Slotted : SL5, SL6, SL7 & SL8
Phillips : PH1, PH3 & 2 x PH2
Torx : TX10, TX15 & TX20
Square : #1 & #2
1 x Adaptor

INDUSTRIAL



KT1115
15 Pce Screwdriver Set
Set consists of;
1 Pce Screwdriver Bit Holder
8 Pce 25mm CRV bits:
PH1, PH2
SL4.5mm, SL7mm
PZ1, PZ2
TX15, TX20
5 Pce 1/4" Drive Sockets
6, 7, 8, 9 & 10mm
1 Pce Adaptor



T SC25033C
33pce 25mm long Insert Bit Set
8 Piece Slotted: 3, 4, 4.5, 5, 6, 7, 8, 9mm
8 Piece PH/PZ: PH: 0, 1, 2, 3 PZ: 0, 1, 2, 3
8 Piece Hex: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm
8 Piece Torx: 8, 10, 15, 20, 25, 27, 30, 40
1 x Zinc Bit Holder



T SC25008C
8 Pce 25mm S2 Insert Bit Set
on Sliding Card
Contents :
1 x PH0, 1 x PH1, 1 x PH2, 1 x PH3
1 x PZ0, 1 x PZ1, 1 x PZ2, 1 x PZ3



T SC2500801C
8 Pce Screwdriver Bit Set
25mm Slotted Bits
3, 4, 4.5, 5, 6, 7, 8 & 9mm



T SC2500802C
8 Pce Screwdriver Bit Set
25mm Torx Bits
T8, T10, T15, T20, T25, T27, T30 & T40



T SC2500803C
8 Pce Screwdriver Bit Set
25mm Hex Bits
1.5, 2, 2.5, 3,
4, 5, 5.5 & 6mm



T SC25018C
8 Pce 25mm S2 Insert Bit Set
on Sliding Card
Contents : Tamper Resistant Torx Bits
T8, T10, T15, T20, T25, T27, T30 & T40

Screwdriving Bit Sets



KT6239 39 Pce Bit Set w/Quick Release Bit Holder

Contents:

- » 1 Pc Magnetic Holder
- » 7 Pc Bits (6.35 x 50mm)
4mm, 5mm, 6mm
PH0, PH1, PH2, PH3
- » 31 Pc Bits (6.35 x 25mm)
3mm, 4mm, 2 x 5mm, 2 x 6mm
PH0, 2 x PH1, 2 x PH2, PH3
T10, T15, T20, T25, T27, T30, T35
PZ0, PZ1, PZ2, PZ3
2 x S0, S2, S3
H3, H4, H5, H6

- » **Easy bit changes**
- » **Made of high degree special steel**



KT2301 20 Pce Screwdriver Set includes Insert Bits w/Quick Release Bit Holder

Contents:

- » 5 x Screwdrivers
- » 1 Bitholder with handle
- » 14 Pc Bits
- Hex/Pozi/Slotted

KT2676 12-in-1 Ratchet Screwdriver Set w/1 x Driver

Contents:

- » 1 Bitholder w/handle
- » 12 Pc Bits
- Phillips, Torx, Hex



Impact Driver Set

TZ C2506


6Pce Impact Driver Set

- 1 x Impact Driver
- 1 x Bit Adaptor:
1/2" (12.7mm) Square (F) drive
5/16" (7.9mm) Hex (F) Bit Holder Adaptor
- 4 x Impact Driver Bits ;
5/16" x 36mm Impact Bits
PH2, PH3, SL8mm, SL10mm

TZ C2506-01

4Pce Insert Driver Insert Bits

- 4 x Impact Driver Bits ;
5/16" x 36mm Impact Bits
PH2, PH3, SL8mm, SL10mm



Magnetic Screwdriver

T 938001 1/4" Hex Magnetic Screwdriver Bit Holder CD



JJBS18 18 Pce Flexible Shaft & Accessories Set

Ratchet Screwdrivers

KT6231 Screwdriver

31 Pce Ratchet Screwdriver T-Handle Bit Set

Contents:

- » 1 Pc Ratchet Screwdriver
- » 1 Pc ADP (25mm)
- » 20 Pc Bits (6.35 x 25mm)
3mm, 4mm, 5mm, 6mm, 7mm
PH0, PH1, PH2, PH3
PZ0, PZ1, PZ2, PZ3
T10, T15, T20, T25, T27,
T30, T40
- » 9 Pc 1/4" Socket
4mm, 5mm, 6mm, 7mm, 8mm,
9mm, 10mm, 11mm, 12mm



TZ RH2 Screwdriver Reversible Ratchet Screwdriver with pivot action for all angle drive & 10 x 25mm insert bits

- PZ:** 1, 2, 3 **PH:** 1, 2, 3
SL: 5, 6 **Torx:** T15, T20



KT2675

- 14 in 1 Ratchet Screwdriver
with 13 x 25mm insert bits
& 1 x 60mm Bit Holder
PH: 0, 1, 2, 2, 3
SL: 3, 4, 5, 6
HEX: 2, 3, 4, 5

Screwdriver Sets



KT2222

6 Pce Screwdriver Set

SL 3 x 75, 5 x 100

SQ 2 x 150mm

PZ 2 x 150, 1 x 100, 0 x 75mm

• with Wall Mountable Rack



KT2552

6 Pce Screwdriver Set

Set consists of;

SL 3 x 75, 5 x 100, 6 x 150mm

PH 2 x 150, 1 x 100, 0 x 75mm

• with Wall Mountable Rack

KT2554

4 Pce Screwdriver Set

SL 5 x 100, 6 x 150mm

PH 1 x 100, 2 x 150mm



KT2551

6 Pce Screwdriver Set w/Black Handles

» PH0 X 75mm, PH1 x 100mm, PH2 x 150mm

» SL3 x 75mm, SL5 x 100mm, SL6 x 150mm

KT2677

6 in 1 Screwdriver

Set consists of;

1 x Handle

1 x Double-sided bit holder

1 x Double-sided bit PH1 - SL 3/16

1 x Double-sided bit PH2 - SL 1/4

Replacement Bits Double-ended

KT2677-1 : 75mm PH2 - SL

KT2677-2 : 65mm PH1 - SL



Sold as a
Box of 9pc

Wire Strippers

TCWS300

3-in-1 Wire Stripper

4 - 10mm Round cables

8 - 10mm Longitudinal cutting



TCWS301

Wire Stripper Pistol Grip

0.2 - 6mm Round cables

w/3mm Wire Cutter

TCWS302

Wire Stripper Drill Attachment

3Pce Set - Solid Coarse Strand Core

For use on 2.5, 4 & 6mm wire

Optimal performance of the wire stripper

is on solid and coarse strand wire eg.

general purpose, house or surfix wiring



KT2789

89 Pce Gun Repair & Maintenance Screwdriver Set

Set Includes;

» 54 Hollow-ground Flat Bits

» 15 Speciality Gunsmith Bits

» 8 Allen Bits

» 4 Phillips Bits

» 3 Torx Bits

» Square to Hex Adaptor

» 3" Shaft Extension

» Regular Length No-Slip Handle

» Short Length No-Slip Handle



» Handy Carry Case with Bit Location Guide

Location Guide

CrV
CHROME
VANADIUM



The bits are designed to fit gun screw slots correctly to prevent damage



Correct fit with hollow ground flat bits



Incorrect fit with standard screwdriver bits

Weavers / Rugers Scope Ring Clamp Bit

Redfield Windage Screw Bit

Leupold / Bushnell Windage Screw Bit

.052" Pin Punch

Millett Rear Sight Adjustment Bit

Rugers / Colt SA Base Pin Latch Nut Bit

M1 / M14 / M1A Rear Sight Bit

1911 Grip Screw Bushing Driver

Mauser Stock Bolt Bit

.052" Pin Punch

.118" Pin Punch

Ramington M370, 1100 & 1187 Trigger Plate Pin Punch

2" #2 Phillips Bit

Glocke Replacement Front Sight Screw Bit

S&W Rebound Spring Compressor Tool

Plus

54 Hollow-Ground Flat Bits

4 Phillips

8 Allen

3 Torx

Screwdriver Sets

KT2503

3Pce Screwdriver & Combination Plier Set

Contents:

- » 1 x SL5 x 100mm
- » 1 x PH2 x 100mm
- » 1 x Combination Plier (160mm)



KT2574

116 Pce Screwdriver Bit & Hex Key Set

Contents:

- » 25 x Screwdrivers
- » 7 SL, 6 x PH, 6 x TORX, 4 x SQ
- » 2 x Offset (PH& SL)
- » 60 x Insert Bits
- » 10 x SL, 10 x PH, 10 x PZ,
- » 10 x TORX, 10 x HEX, 10 x SQ
- » 6 x Nut Setters
- » 1 x Ratchet Handle
- » 8 x Precision Screwdrivers
- » 2 x SL, 2 x PH, 4 x TORX
- » 16 x HEX Keys
- » 8 x Metric Keys
- » 8 x Imperial Keys

Features

- » Comfortable & ergonomic handles on the screwdrivers
- » Hardened steel construction on the nut setters & insert bits for durability
- » Magnetised tip to hold & control screws during installation & removal
- » Offset screwdriver allows access in confined spaces
- » Knurled handle for easy grip
- » The set has both Metric & Imperial keys for versatility



CONVENIENT STORAGE
Supplied in display stand



KT2504

4 Pce Screwdriver Set

- PH2 x 100mm
- PH0 x 75mm
- SL3 x 75mm, 6 x 100mm



Precision Swivel Top Screwdriver Sets



KT2467

7 Pce Screwdriver Set

Set consists of;

- SL 1.5 x 50, 2 x 50mm
- PH 000 x 50, 00 x 50mm
- TX T6 x 50, T7 x 50, T8 x 50mm



KT2467-1

7 Pce Precision Screwdriver Set (for cell phone use) - Set consists of;

- SL 1.5 x 50, 2 x 50mm
- PH 00 x 50mm
- Spanner M2.6
- TX T4 x 50, T5 x 50, T6 x 50mm



KT2468

14 Pce Screwdriver Set

Set consists of;

- SL 1.5 x 50, 2 x 50,
- 2.5 x 50, 3 x 50mm
- PH 000 x 50, 00 x 50, 0 x 50, 1 x 50mm
- TX T5 x 50, T6 x 50, T7 x 50, T8 x 50
- T9 x 50, T10 x 50mm

Precision Screwdriver Sets

KT2105

5 Pce Precision
Electronic Insulated
Screwdriver Set
2 Component Handles

Contents:

- T6 x 65, T7 x 65,
T8 x 65, T9 x 65,
T10 x 65mm

CrV
CHROME
VANADIUM



KT2106

6 Pce Precision
Electronic Insulated
Screwdriver Set
2 Component Handles

- 2.0 x 65mm
- 2.5 x 65mm
- 3.0 x 65mm
- PH000 x 65mm
- PH00 x 65mm
- PH0 x 65mm

CrV
CHROME
VANADIUM



KT4001-2 1 Pce 4-in-1 Pocket Precision Screwdriver Carded

- Ends
PH0 x 1/8",
5/32" x PH1
- Satin finish,
heat treated bits
- Easy to carry
pen size with clip




KT2108

8 Pce Insulated Screwdriver & Tester Set
Contents : 7 Pce Insulated Screwdrivers
1 Pce 140mm Tester

- 0.6 x 3.5 x 75mm
- 0.8 x 4.0 x 100mm
- 1.0 x 5.5 x 125mm
- 1.2 x 6.5 x 150mm
- PH0 x 75mm
- PH1 x 80mm
- PH2 x 100mm

CrV
CHROME
VANADIUM



KT2502

2 Pce Insulated
Electrician
Screwdriver Set

CrV
CHROME
VANADIUM



KT2314 14 Pce VDE Insulated Screwdriver & Hand Tools Set in storage case

CrV
CHROME
VANADIUM



CrV
CHROME
VANADIUM



KT2313 8 Pce VDE Insulated Electrician Screwdriver Set in storage box



KT5001

Electric Tester Screwdriver
30 Pcs / Candy Jar
Part No. KT5001-1
Electric Tester Screwdriver
30 Pcs each

Insulation Tape

Part No.	Size
TCTA10010BLA	0.15 x 15mm x 10M
TCTA10010RED	0.15 x 15mm x 10M
TCTA10010YEL	0.15 x 15mm x 10M
TCTA10010GRE	0.15 x 15mm x 10M
TCTA10010WHI	0.15 x 15mm x 10M
TCTA10010BLU	0.15 x 15mm x 10M
TCTA10010Y-G	0.15 x 15mm x 10M
TCTA10010Y-G	0.20 x 18mm x 20M
TCTA10020BLA	0.20 x 18mm x 20M
TCTA10020RED	0.20 x 18mm x 20M
TCTA10020YEL	0.20 x 18mm x 20M
TCTA10020GRE	0.20 x 18mm x 20M
TCTA10020WHI	0.20 x 18mm x 20M
TCTA10020BLU	0.20 x 18mm x 20M



Insulated Water Pump Pliers

TC151250 Insulated Water Pump Pliers / 250mm VDE

- Adjustment by shifting one jaw directly on to the workpiece & clamping with the second jaw.
- Max Clamping Capacity 40mm Throat Depth 80mm



Insulated Combination Pliers

TC152180 Insulated Combination Pliers / 180mm VDE

- For gripping and cutting objects & wires.



Insulated Diagonal Side Cutter

TC153160 Insulated Diagonal Side Cutters 180mm VDE

- For gripping and cutting objects & wires.



Insulated Long Nose Pliers

TC154200 Insulated Long Nose Pliers / 200mm VDE

- Long narrow jaws allows for use in confined spaces.
- Ideal for electrical work.



Insulated Cable Cutter

TC155165 Insulated Cable Cutter 165mm VDE

- For cutting electrical cables & wires.
- Ideal for electrical work.



Insulated Wire Stripper

TC156160 Insulated Wire Stripper 160mm VDE

- For stripping electrical cables & wires.
- Ideal for electrical work.



Precision Tools

TCPH001 4 Pce Pick Hook Set

- Engineered for industrial, automotive, hobby & craft use
- Can be used for a variety of pulling & marking applications



Tweezer Sets

TC4404 6 Pce Tweezer Set

- Various Sizes
Stainless Steel w/pouch
- 1 x ESD-10 125 x 10 x 1.2mm
 - 1 x ESD-11 140 x 10 x 1.2mm
 - 1 x ESD-12 135 x 10 x 1.2mm
 - 1 x ESD-13 123 x 10 x 1.2mm
 - 1 x ESD-14 125 x 10 x 1.2mm
 - 1 x ESD-15 125 x 10 x 1.2mm



TC4405

10 Pce Plier & Tweezer Set

- Various Sizes
Stainless Steel w/pouch
- 1 x ESD-10 125 x 10 x 1.2mm
 - 1 x ESD-11 140 x 10 x 1.2mm
 - 1 x ESD-12 135 x 10 x 1.2mm
 - 1 x ESD-13 123 x 10 x 1.2mm
 - 1 x ESD-14 125 x 10 x 1.2mm
 - 1 x ESD-15 125 x 10 x 1.2mm
 - 1 x ESD-16 125 x 10 x 1.2mm
 - 1 x ESD-17 123 x 10 x 1.2mm
 - 1 x ESD-34A 120 x 10 x 1.2mm
 - 1 x Micro Wire Cutter



Screwdrivers Black Head

PART NO.	SIZE		PART NO.	SIZE	
PHILLIPS (PH)			VDE INSULATED		
TC16000	PH 0 X 75mm	+	TC16031	PH 0 x 75mm	+
TC16001	PH 1 x 75mm		TC16032	PH 1 x 80mm	
TC16002	PH 1 X 100mm		TC16033	PH 2 x 100mm	
Tc16003	PH 1 X 150mm		TC16035	PZ 0 x 75mm	+
TC16004	PH 2 x 38mm		Tc16036	PZ 1 x 80mm	+
TC16005	PH 2 x 100mm		TC16037	PZ 2 x 100mm	
TC16006	PH 2 x 150mm		TC16039	SL 0.6 x 3.5 x 75mm	—
TC16007	PH 2 x 250mm		TC16040	SL 0.8 x 4 x 100mm	—
TC16008	PH 3 x 150mm		TC16041	SL 1.0 x 5.5 x 125mm	
TC16009	PH 3 x 200mm		TC16042	SL 1.2 x 6.5 x 150mm	
TC16082	PH 2 x 300mm				
POZI			SQUARE INSULATED		
TC16012	PZ 0 x 75mm	+	TC16074	SQ 1 x 80mm	
TC16013	PZ 1 x 75mm		TC16075	SQ 2 x 100mm	
TC16014	PZ 2 x 100mm		TORX		
TC16015	PZ 3 x 150mm		TC16045	T5 4 x 75mm	⚙
			TC16046	T6 4 x 75mm	
SLOTTED			TC16047	T7 4 x 75mm	
TC16018	SL 3.2 x 75mm	—	TC16048	T8 4 x 75mm	
TC16019	SL 4 x 75mm		TC16049	T9 4 x 75mm	
TC16020	SL 5 x 75mm		TC16050	T10 5 x 100mm	
TC16021	SL 5 x 100mm		TC16051	T15 5 x 100mm	
TC16022	SL 5 x 150mm		TC16052	T20 5 x 100mm	
TC16023	SL 6 x 38mm		TC16053	T25 6 x 100mm	
TC16024	SL 6 x 100mm		TC16054	T27 6 x 100mm	
TC16025	SL 6 x 150mm		TC16055	T30 6 x 100mm	
TC16026	SL 6 x 250mm		TC16056	T40 8 x 115mm	
TC16027	SL 8 x 150mm		SECURITY TORX		
TC16028	SL 8 x 200mm		TC16060	T8 3 x 100mm	⚙
TC16080	SL 4 x 300mm		TC16061	T9 3 x 100mm	
TC16081	SL 5 x 300mm		TC16062	T10 5 x 100mm	
			TC16063	T15 5 x 100mm	
			TC16064	T20 5 x 100mm	
SQUARE RECESS			TC16065	T25 6 x 100mm	
T SQ10002	No. 2	■	TC16066	T27 6 x 100mm	
SQUARE			TC16067	T30 6 x 100mm	
TC16070	0 x 75mm		TC16068	T40 8 x 115mm	
TC16071	1 x 75mm		SPANNER BITS		
TC16072	2 x 100mm		TC16076	4 x 150mm	□
TC16073	3 x 150mm		TC16077	6 x 150mm	
ALLEN KEY			TC16078	8 x 150mm	
TC16090	1.5mm Blue Handle	⬡	TC16079	10 x 150mm	
TC16091	2.0mm Red Handle				



PRECISION SCREWDRIVERS

PART NO.	SIZE		PART NO.	SIZE	
PHILLIPS (PH)			SLOTTED		
TC16097	PH 000 X 50mm	+	TC16092	SL 1.5 x 50mm	—
TC16098	PH 00 x 50mm		TC16093	SL 2.0 x 50mm	
TC16099	PH 0 X 50mm		TC16094	SL 2.5 x 50mm	
TC16100	PH 1 X 50mm		TC16095	SL 3.0 x 50mm	
			TC16096	SL 4.0 x 50mm	
TORX			HEX		
TC16101	T5 5 x 50mm	⚙	TC16108	H1.3 x 50mm	⬡
TC16102	T6 6 x 50mm		TC16109	H2.0 x 50mm	
TC16103	T7 7 x 50mm		TC16110	H2.5 x 50mm	
TC16104	T8 8 x 50mm				
TC16105	T9 9 x 50mm				
TC16106	T10 10 x 50mm				



L-Wrench Key Sets



NT2115
18 Pce Combo HEX Key Set
» Chrome Vanadium Steel
for maximum performance

Part No.	Description
NT2636-2	Ball Point T-handle Hex Allen Key 2.0mm
NT2636-25	Ball Point T-handle Hex Allen Key 2.5mm
NT2636-3	Ball Point T-handle Hex Allen Key 3.0mm
NT2636-4	Ball Point T-handle Hex Allen Key 4.0mm
NT2636-5	Ball Point T-handle Hex Allen Key 5.0mm
NT2636-6	Ball Point T-handle Hex Allen Key 6.0mm
NT2636-8	Ball Point T-handle Hex Allen Key 8.0mm
NT2636-10	Ball Point T-handle Hex Allen Key 10.0mm



NT2636
8 Pce Ball Point
Allen Key Set w/non-slip
Rubber T-Handles



NT2125
9 Pce Ball Point Allen Key Set
w/Interchangeable Handle



NT2126
9 Pce Torx Allen Key Set
w/Interchangeable Handle
Sizes : T10 - T50



NT2137
Hex Key Set 10 Pc
1.5 - 10mm Carded
CR-V - Short



NT2106
Hex Key Set 9 Pc
Ball Point 1.5 - 10mm
CR-V - Long



NT2111
Hex Key Set 10 Pc
Ball Point 1.5 - 10mm
CR-V Long



NT2116-1
Torx Key Set 10 Pc
T9 - T50 CR-V



NT2116-2
Torx Security Set 10 Pc
T9 - T50 CR-V



L-Wrench Key Sets

NT2304

10 Pce Hex
Allen Key Set
on Key Ring
Sizes: 1.5, 2, 2.5, 3, 4,
5, 5.5, 6, 8, 10mm



HEX



NT2507

30 Pce Ball Point Allen Key Set
Metric & Imperial Sizes in Storage case



NT2501

10 Pce Hex L-Wrench
Key Set **Imperial**
Sizes: 1/16, 5/64, 3/32, 1/8,
5/32, 3/16, 7/32, 1/4"

IMPERIAL



NT2508

9 Pce 1.5 - 10mm CR-V Short

L-WRENCH HEX KEYS CRV BLACK



HEX

Part No.	Size	Part No.	Size	Long Series
TCAK10015	1.5 x 45 x 11mm	TCAK30015	1.5 x 72 x 14mm	
TCAK10020	2.0 x 50 x 15mm	TCAK30020	2.0 x 80 x 15mm	
TCAK10025	2.5 x 55 x 17mm	TCAK30025	2.5 x 86 x 17mm	
TCAK10030	3.0 x 60 x 19.5mm	TCAK30030	3.0 x 94 x 19mm	
TCAK10040	4.0 x 65 x 23mm	TCAK30040	4.0 x 102 x 21mm	
TCAK10050	5.0 x 72 x 26mm	TCAK30050	5.0 x 115 x 26mm	
TCAK10055	5.5 x 72 x 26mm	TCAK30055	5.5 x 123 x 28mm	
TCAK10060	6.0 x 90 x 32mm	TCAK30060	6.0 x 134 x 30mm	
TCAK10070	7.0 x 94 x 32mm	TCAK30070	7.0 x 145 x 32mm	
TCAK10080	8.0 x 100 x 36mm	TCAK30080	8.0 x 152 x 32mm	
TCAK10100	10 x 100 x 36mm	TCAK30100	10 x 170 x 38mm	
TCAK10120	12 x 125 x 45mm	TCAK30120	12 x 190 x 45mm	
TCAK10140	14 x 125 x 45mm	TCAK30140	14 x 215 x 56mm	

L-WRENCH TORX KEYS CRV BLACK



Torx

Part No.	Size	Part No.	Size	Long Series
TCAK20010	T10 x 13.5 x 45mm	TCAK40010	T10 x 86 x 17mm	
TCAK20015	T15 x 15 x 50mm	TCAK40015	T15 x 90 x 19mm	
TCAK20020	T20 x 18 x 56mm	TCAK40020	T20 x 95 x 20mm	
TCAK20025	T25 x 20 x 63mm	TCAK40025	T25 x 99 x 21mm	
TCAK20030	T30 x 28 x 80mm	TCAK40030	T30 x 114 x 25mm	
TCAK20040	T40 x 32 x 90mm	TCAK40040	T40 x 124 x 27mm	






Ideal for;

- » Automotive market
- » Aircrafts, boat and ship repairs
- » All riveting applications
- » Replaces hand riveting
- » General facility maintenance and repairs
- » Roofing and fencing

Turn your drill into an efficient Nut or Pop riveter

Drill Riveters



TCRIV003 Drill Pop Riveter w/ handle Features

- Shank Size: Hex shank 8mm
- Robust ultra-heavy-duty design
- Set up to 6.4mm Stainless steel and structural rivets
- Recommended Drive Speed: <20 RPM

Application

Blind rivetting in all materials

7 Accessories included:

- * 2.4, 3.2, 4.0, 4.8, 6.0, 6.4mm Nose Pieces
- * 12mm Combination ratchet ring wrench & open-ended 17-&12mm flat wrench (combined)



Riveting Capability	Rivet Nut Size		2.4 mm (3/32")	3.2 mm (1/8")	4.0 mm (5/32")	4.8 mm (3/16")
	Blind Rivet Material	Aluminum	✓	✓	✓	✓
		Steel	✓	✓	✓	✓
		Stainless Steel	✓	✓	✓	✓

Nut Riveters



TCRIV002 Drill Nut Riveter


- Maximum Stroke : 18mm
- Nose pieces included : 4 (M3, M4, M5 & M6)
- Thread Mandrels : 4
- Shank : 1/4" (6.35mm)
- Weight (grams) : 580
- Recommended RPM : Low speed <240RPM
- » Can be used on aluminium, steel & stainless steel
- » 1/4" Hex shank (6.35mm) to fit 3 Jaw Chucks & most electric & cordless drills & drivers
- » Instruction manual included
- » Spare parts available

Riveting Capability	Rivet Nut Size		M3	M4	M5	M6
	Nut Material	Aluminum	✓	✓	✓	✓
		Steel	✓	✓	✓	✓
		Stainless Steel	✓	✓	✓	✓


Drill not included

Hand Riveters

TCRG0300 Aluminium Riveter 2 Jaw design



TCRG0310 Aluminium Riveter 3 Jaw Design for maximum rivet grip




- Rivet Capacity;
2.4, 3.2, 4.0 & 4.8mm
- » Rubber grip for comfort
 - » High grade aluminium die cast housing with carbon steel forged & heat-treated handle
 - » For aluminium, steel & stainless steel rivets

CONTRACTOR

TCRG0320

3 Jaw Lazy Tong Hand Riveter
3 Jaw design for industrial use



INDUSTRIAL

- Rivet Capacity; 3.2, 4.0, 4.8, 6.0 & 6.4mm
- » Slim design for hard to reach riveting application
 - » Lattice levering system reduces operator fatigue
 - » For aluminium, steel & stainless steel rivets

Paint Mixers

Part No.	Description	
PM507	Mixer Paint/Liquids 80 x 400mm	Galvanized
PM508	Mixer Paint/Liquids 100 x 500mm	Galvanized
PM509	Mixer Paint/Liquids 120 x 500mm	Galvanized
PM510	Mixer Paint/Liquids 60 x 350mm	Red Painted
PM511	Mixer Paint/Liquids 60 x 400mm	Red Painted
PM512	Mixer Paint/Liquids 80 x 400mm	Red Painted
PM513	Mixer Paint/Liquids 100 x 600mm	Red Painted
PM514	Mixer Paint/Liquids 120 x 600mm	Red Painted



PM507 - PM509

PM510 - PM514

- » Designed to mix all viscous fluids quickly and effectively.
- » Use to mix paints, coatings, wall textures and adhesives.
- » Fits on power drills

Staple Gun



Part No.	Description
TCSG0210	Staple Gun Heavy Duty c/w 1 Box 200 Pce 1.2mm x 8mm Staples
TCSG0500	Staple Gun Light Duty c/w 2 Boxes 400 Pce 0.7mm x 8mm Staples
TCSG0600	Staple Gun Light Duty & Heavy Duty Staples, plus Cable & Brad Nails
Staples;	
TCSG02108	1250pce Staples - T50 x 8mm Heavy Duty
TCSG02110	1250pce Staples - T50 x 10mm Heavy Duty
TCSG02112	1250pce Staples - T50 x 12mm Heavy Duty
TCSG05006	1000pce Staples - JT21 x 6mm Light Duty
TCSG05008	1000pce Staples - JT21 x 8mm Light Duty

TCSG0210

- » Suitable for insulation, house wraps, roofing, wiring, carpeting & upholstery
- » All steel construction for long life
- » Compact design for easy portability & operation

TCSG0500

- » Suitable for insulation, house wraps, roofing, wiring, carpeting & upholstery
- » All steel magazine construction provides smooth, durable sliding surface for staples
- » Ergonomic steel handle for greater comfort and grip
- » Convenient bottom loading allows for quick and easy reloading
- » Chrome plating surface for anti-rust and corrosion resistant

TCSG0600

- » This Staple Gun is versatile and powerful and is ideal for a variety of household and professional tasks.
- » It is equipped with four different types (light duty staples, heavy duty staples, cable staples and brad nails), making it suitable for a wide range of applications, from upholstery and furniture assembly to insulation and home improvement projects.
- » The gun also comes with 400 staples, so you can get started right away.



TCSG0600



TCSG0210



TCSG0500

Leather Hole Punch

Part No.	Description
TC4300	Leather Hole Punch & Grommet Setting Tool Kit c/w 100 Eyelets
TC4301	Spare Eyelets x 400pc for TC4300
TC4302	Grommet Setting Tool Kit c/w 10 Eyelets 7mm
TC4302-1	Spare Eyelets x 12pc 7mm for TC4302
TC4303	Grommet Setting Tool Kit c/w 10 Eyelets 8mm
TC4303-1	Spare Eyelets x 12pc 8mm for TC4303
TC4304	Grommet Setting Tool Kit c/w 10 Eyelets 12mm
TC4304-1	Spare Eyelets x 12pc 12mm for TC4304
TC4302-500	Spare Eyelets 7mm Bulk Bag
TC4303-500	Spare Eyelets 8mm Bulk Bag
TC4304-500	Spare Eyelets 12mm Bulk Bag



- » Hole Sizes; 2.5, 3, 3.5, 4, 4.5 & 5mm

Cutting & Grinding Discs

Very thin discs enable you to achieve a clean cut in the shortest time using a minimum amount of force
10 per pack Shrinkwrapped / Order in packs of 10

STEEL & STAINLESS STEEL CUTTING

Size	Part No.	INDUSTRIAL
115 x 1.0 x 22.2mm	ABR115S-2	
115 x 0.8 x 22.2mm	ABR115S-5	
115 x 1.0 x 22.2mm	ABR115S-6	
115 x 1.6 x 22.2mm	ABR115S-7	
115 x 3.0 x 22.2mm	ABR115S-8	
115 x 2.5 x 22.2mm	ABR115S-9	
230 x 2.0 x 22.2mm	ABR230S-5	
230 x 3.0 x 22.2mm	ABR230S-6	
230 x 2.5 x 22.2mm	ABR230S-7	

STEEL CUTTING

Size	Part No.	INDUSTRIAL
76 x 1.1 x 9.53mm	ABR07600	
For 76mm Airtool grinder		
115 x 1.6 x 22.2mm	ABR115S-1	
115 x 0.8 x 22.2mm	ABR115S-3	
115 x 3.0 x 22.2mm	ABR115S-4	
115 x 1.0 x 22.2mm	ABR115SE	
115 x 1.0 x 22.2mm	ABR115S-10	
180 x 2.5 x 22.2mm	ABR180S	
230 x 2.0 x 22.2mm	ABR230S-1	
230 x 1.6 x 22.2mm	ABR230S-2	
230 x 3.0 x 22.2mm	ABR230S-3	
230 x 1.8 x 22.2mm	ABR230S-8	
230 x 2.5 x 22.2mm	ABR230S-9	
230 x 3.0 x 22.2mm	ABR230S-10	
300 x 3.0 x 25.4mm	ABR300S	
350 x 3.0 x 25.4mm	ABR350S	
400 x 3.0 x 25.4mm	ABR400S	

MASONRY CUTTING

Size	Part No.	INDUSTRIAL
115 x 1.6 x 22.2mm	ABR115M-1	
115 x 1.0 x 22.2mm	ABR115M-2	
115 x 3.0 x 22.2mm	ABR115M-3	
115 x 2.5 x 22.2mm	ABR115M-4	
115 x 2.0 x 22.2mm	ABR115M-5	
125 x 2.5 x 22.2mm	ABR125M-1	
125 x 1.2 x 22.2mm	ABR125S-1	
125 x 1.6 x 22.2mm	ABR125S-2	
230 x 2.0 x 22.2mm	ABR230M-1	
230 x 3.0 x 22.2mm	ABR230M-2	
230 x 2.5 x 22.2mm	ABR230M-3	



STAINLESS STEEL CUTTING

Size	Part No.	INDUSTRIAL
115 x 1.0 x 22.2mm	ABR115SS-1	
115 x 1.6 x 22.2mm	ABR115SS-2	
115 x 3.0 x 22.2mm	ABR115SS-3	
115 x 2.5 x 22.2mm	ABR115SS-4	
115 x 2.5 x 22.2mm	ABR115S-11	
115 x 3.0 x 22.2mm	ABR115S-12	
230 x 2.5 x 22.2mm	ABR230SS-3	



GRINDING WHEEL - STEEL

Size	Part No.	INDUSTRIAL
76 x 4.8 x 9.53mm	ABRG07601	
For 76mm Airtool grinder		
115 x 6.0 x 22.2mm	ABRG115-1	
115 x 8.0 x 22.2mm	ABRG115-2	
125 x 6.0 x 22.2mm	ABRG125-1	
180 x 8.0 x 22.2mm	ABRG180	
230 x 6.0 x 22.2mm	ABRG230	



MULTI-PURPOSE CUTTING DISC

Size	Part No.	INDUSTRIAL
115 x 1.0 x 22.2mm	ABR115SM	
230 x 2.0 x 22.2mm	ABR230SM	
For steel, stainless steel, PVA and masonry (stone)		



Sold as a box of 50

COMBO'S

Part No.	Contents
COMBO 100	15 + 5 Free Cutting Discs Steel 115 x 1.0 x 22.23mm
COMBO 103	5 + 1 Free Cutting Discs Steel 115 x 1.0 x 22.23mm
COMBO 105	4 + 1 Free Cutting Discs Steel 230 x 1.6 x 22.23mm
COMBO 109	5 + 1 Free Cutting Discs Masonry 115 x 1.0 x 22.23mm
COMBO 110	10 Pce Cutting Discs in Tin Case 115 x 1.0 x 22.2mm
COMBO 111	10 Pce Cutting Disc Metal Contractor 115 x 1.0 x 22.23mm
COMBO 113	5 + 1 Cutting Discs Steel 230 x 3.0 x 22.23mm
COMBO 115	10 + 5 Cutting Discs Steel & SS 115 x 1.0 x 22.2mm
COMBO 116	3 + 1 Free Cutting Discs Steel/SS 230 x 2.0 x 22.23mm + B5161 Safety Glasses
COMBO 119	3 + 1 Free Cutting Discs Steel/SS 115 x 0.8 x 22.23mm
COMBO 160	5 + 1 Free Cutting Discs Steel 230 x 1.8 x 22.2mm
COMBO 162	50 + 5 Free Cutting Discs Steel 115 x 1.0 x 22.2mm

INDUSTRIAL

2-in-1 CUTTING & GRINDING STEEL

Size	Part No.	INDUSTRIAL
115mm x 2.8 x 22.2mm	ABR115GC	



Angle Grinder Pin Spanners

Part No.	Description
TCPS3504	Pin Spanner 35 x 4mm Black
TCPS3505	Pin Spanner 35 x 5mm Red
TCPS3506	Adjustable Pin Spanner 15 - 52 x 4mm Black
TCPS3507	Offset Pin Spanner 35 x 4mm for Angle Grinders



Fits most Angle Grinders

* See Pg 54 for Flange Nuts



COMBO 103

COMBO 110



Contractor Value Bulk Packs
ABR115S-2-10P : 10 Pack
 Steel & SS 115 x 1.0 x 22.2mm
ABR115S-2-25P : 25 Pack
 Steel & SS 115 x 1.0 x 22.2mm

Fibre Discs (with centre hole 22mm)

10 per pack Shrinkwrapped
Order in packs of 10


115mm			180mm		
Part No.	Grits	Pack	Part No.	Pack	
ABR51016	16	5/pk	ABR55016	Bulk	INDUSTRIAL
ABR51024	24	5/pk	ABR55024	Bulk	
ABR51036	36	5/pk	ABR55036	Bulk	
ABR51060	60	5/pk	ABR55060	Bulk	
ABR51080	80	5/pk	ABR55080	Bulk	
ABR51100	100	5/pk	ABR55100	Bulk	
ABR54016	16	5/pk	ABR56016	Bulk	
ABR54024	24	5/pk	ABR56024	Bulk	
ABR54036	36	5/pk	ABR56036	Bulk	
ABR54060	60	5/pk	ABR56060	Bulk	
ABR54080	80	5/pk	ABR56080	Bulk	
ABR54100	100	5/pk	ABR56100	Bulk	



Use on backing pad w/angle grinder
Recommended pads; TCBP115-1,
TCBP115-2 60-100 Grit, TCBP115-3 16-36 Grit

Vulcanized Fibre Discs » For use on an angle grinder

115mm			180mm		
Part No.	Grits	Pack Size	Part No.	Grits	Pack Size
ABR72016	16	Bulk	ABR75016	16	Bulk
ABR72024	24	Bulk	ABR75024	24	Bulk
ABR72036	36	Bulk	ABR75036	36	Bulk
ABR72060	60	Bulk	ABR75060	60	Bulk



Recommended pads;
» TCBP115-3
» TCBP178-1

Application/Material

- » Ideal for grinding marbelite surfaces in swimming pools
- » Also suitable to grind concrete surfaces and for heavy duty sanding
- » Also used for rubber vulcanising
- » It is recommended for use with a TCBP backing pad

Flap Sanding Discs

Part No.	Grits	Angle
TCFD115-2-40	40	15°
TCFD115-2-60	60	15°
TCFD115-2-80	80	15°
TCFD115-2-120	120	15°
TCFD115-40	40	Flat
TCFD115-60	60	Flat
TCFD115-80	80	Flat
TCFD115-120	120	Flat
TCFD180-2-40	40	15°
TCFD180-2-80	80	15°
TCFD230-40	40	Flat
TCFD230-60	60	Flat
TCFD230-80	80	Flat
TCFD230-120	120	Flat



- » Use on wood & mild steels
- » Use on angle grinder

ZIRCONIUM FLAP SANDING DISCS

Part No.	Grits	Angle
TCFD115-3-40	40	Flat
TCFD115-3-60	60	Flat
TCFD115-3-80	80	Flat
TCFD115-3-120	120	Flat
TCFD115-4-40	40	15°
TCFD115-4-60	60	15°
TCFD115-4-80	80	15°
TCFD180-4-40	40	15°
TCFD180-4-60	60	15°
TCFD180-4-80	80	15°
TCFD125-3-40	40	Flat
TCFD125-3-60	60	Flat
TCFD125-3-80	80	Flat
TCFD125-3-120	120	Flat



- » Use on stainless steel
- » Use on angle grinder

FLAP SANDING DISC 5 PACKS

Part No.	Grits	Angle	115mm
TCFD115-40-5	40	Flat	4 + 1 FREE
TCFD115-60-5	60	Flat	4 + 1 FREE
TCFD115-80-5	80	Flat	4 + 1 FREE
TCFD115-120-5	120	Flat	4 + 1 FREE



ZIRCONIUM FLAP SANDING DISC COMBOS

Part No.	Grits	Angle	115mm
COMBO200	40	Flat	4 + 1 FREE
COMBO201	60	Flat	4 + 1 FREE
COMBO202	80	Flat	4 + 1 FREE
COMBO203	120	Flat	4 + 1 FREE



Non-woven Flap Disc 115 x 22mm

Part No.	Colour	Type
TCNW115-1	Yellow	Coarse
TCNW115-2	Red	Medium
TCNW115-3	Blue	Fine
TCNW115-4	Grey	Extra Fine

- » De-scaling
- » Rust cleaning
- » Paint surface treatment
- » Stainless steel polishing
- » Weld seam polishing
- » Wood polishing



ROUND EDGE

Part No.	Grits	Angle
TCFD115-3-40R	40	Round
TCFD115-3-60R	60	Round
TCFD115-3-80R	80	Round
TCFD115-3-120R	120	Round
TCFD125-40	40	15°
TCFD125-60	60	15°
TCFD125-80	80	15°
TCFD125-120	120	15°



For normal grinding applications
as well as fillet welding & corner
grinding applications.
Use on angle grinder on stainless
steel & steel, non-ferrous metals,
lacquers & wood

WOOL FELT FLAP DISC

Part No.	Size
TCWF115-1	115 x 22.23mm FLAP
TCWF115-2	115 x 22.23mm SOLID SMOOTH



Wire Brushes

* All in Blister Pack except Bulk codes



- Hardened steel wire
- Brass coated for longer life & rust resistant
- Ideal for removing rust, paint, dirt and scale

WIRE WHEEL BRUSH

Part No.	Size
TCWW3806	38mm x 6mm with shaft
TCWW5006	50mm x 6mm with shaft
TCWW6306	63mm x 6mm with shaft
TCWW7506	75mm x 6mm with shaft
TCWW10006	100mm x 6mm with shaft



STEEL WIRE CUP BRUSH

Part No.	Size
TCW CR6014-2	60mm x M14 Crimped
TCW CR7514-2	75mm x M14 Crimped
TCW CR10014-2	100mm x M14 Crimped
TCW CR12514-2	125mm x M14 Crimped
TCW CR15014-2	150mm x M14 Crimped

CONTRACTOR



WIRE END BRUSH

Part No.	Size
TCWE1206	12mm x 6mm with shaft
TCWE2406	24mm x 6mm with shaft
TCWE2406HS	30mm x 6mm with shaft
TCWE3006	30mm x 6mm with shaft



SINGLE SECTION WIRE WHEEL BRUSH

Part No.	Size
TCWS115-1	115 x M14 Plain Twisted
TCWS115-2	115 x M14 Stinger Twisted
TCWS175-1	175 x M14 Plain Twisted
TCWS175-2	175mm x M14 Twisted

INDUSTRIAL



WIRE CUP BRUSH

Part No.	Size
TCWC5006	50mm x 6mm with shaft
TCWC6306	63mm x 6mm with shaft
TCWC6506	65mm x 6mm with shaft
TCWC7506	75mm x 6mm with shaft
TCWC8006	80mm x 6mm with shaft



WIRE SPIRAL BRUSH

Part No.	Size
TCW SP285590	90mm x 60mm x 28mm

CONTRACTOR



WIRE WHEEL FOR BENCHGRINDER

Part No.	Size
TCW125	125 x 14 x 16mm w/1/2" bush
TCW150	150 x 25mm
TCW150-2	150 x 25mm Bulk
TCW150B	150 x 25mm 0.30mm Wire
TCW200	200 x 25mm



STEEL WIRE WHEEL BRUSH

Part No.	Size
TCW SS150	150 x 25mm
TCW SS6306	63 x 6mm Shaft
TCW SS10006	100 x 6mm Shaft

INDUSTRIAL



TWISTED STEEL WIRE CUP BRUSH

Blister Pack	Bulk	Size
TCW TW6514	TCW TW6514B	65mm x M14
	TCW TW7514B	75mm x M14
TCW TW8014	TCW TW8014B	80mm x M14
TCW TW10014	TCW TW10014B	100mm x M14
TCW TW12014	TCW TW12014B	120mm x M14
TCW TW15014	TCW TW15014B	150mm x M14
TCBCB150		150mm x 25.4mm

INDUSTRIAL



TWISTED STEEL WIRE CUP BRUSH HEAVY DUTY

TCW TW12014HD	TCW TW12014HD-B	125mm x M14 with 0.8mm Wire
TCW TW15014HD	TCW TW15014HD-B	150mm x M14 with 0.8mm Wire
TCW TW12014HS		125mm x M14 High Speed

NYLON CUP BRUSH

Part No.	Size
TCNY0806	0.2 x 80mm x 6mm Black
TCBCB200-1	200mm x 25.4mm



NYLON WHEEL BRUSH

Part No.	Size
TCNY05006	50mm x 6mm shaft Crimped
TCNY07506	75mm x 6mm shaft Crimped
TCNY10006	100mm x 6mm shaft Crimped



STEEL WIRE CUP BRUSH / BRASS COATED **CRIMPED**

Blister Pack	Bulk	Bulk Plain	Size
TCW CR6014	TCW CR6014B	TCW CR6014-2B	60mm x M14
TCW CR7514	TCW CR7514B	TCW CR7514-2B	75mm x M14
TCW CR10014	TCW CR10014B	TCW CR10014-2B	100mm x M14
TCW CR12514	TCW CR12514B	TCW CR12514-2B	125mm x M14
TCW CR15014	TCW CR15014B	TCW CR15014-2B	150mm x M14

INDUSTRIAL



STEEL WIRE CUP BRUSH NON SPARKING (Bulk)

Blister Pack	Bulk	Size
TCW CRNS6014B	60mm x M14 Crimped	
TCW CRNS10014B	65mm x M14 Crimped	

INDUSTRIAL



STAINLESS STEEL WIRE CUP BRUSH

Part No.	Size
TCSS07514	75mm x M14 Crimped
TCSS10014	100mm x M14 Crimped
TCSS15014	150mm x M14 Crimped
TCSS06514	65mm x M14 Twisted
TCSS08014	80mm x M14 Twisted
TCSS10014-2	100mm x M14 Twisted
TCSS12514	125mm x M14 Twisted
TCSS10014-2B	100mm x M14 Crimped Plain
TCSS10014B	100mm x M14 Crimped Bulk
TCSS15014B	150mm x M14 Crimped Bulk

INDUSTRIAL



RUBBER ERASER WHEEL

Part No.	Size
TCEB10006	100 x 6mm SERRATED
TCEB8706	87 x 6mm SOLID



Wire Brush Sets



3 Pce Wire Brush Set
Shaft mounted circular cup
& end brushes
TCW003-1



3 Pce Wire Brush Set
Circular brushes with
separate shaft
TCW003-2



4 Pce Wire Brush Set
Shaft mounted circular cup
and end brushes
TCW004-1



4 Pce Wire Brush Set
Shaft mounted circular cup,
end brushes & scratch brushes
TCW004-2



5 Pce Wire Brush Set
Shaft mounted circular cup
& end brushes
TCW005-1



3 Pce Bench Grinder
Wire Brush Set 150mm
Wire, Nylon & Buff
TCW003-3



3 Pce
Wire Brush Set
Twist Knot Wheel
100mm, Cup
& Crimped Wheel
for Angle Grinder
TCW003-4




10 Pce Wire Brush
Polishing Set
TCW010



2 Pce Wire Cup Brush Set
75mm X M14
Crimped & Knotted
For 115mm Angle Grinders
TCW006-2



5 Pce Wire Brush Angle Grinder Kit
M14 Crimped & Knotted
Hand Brush
TCW006-3



3 Pce Mini Wire Brush Set
Brass/Stainless Steel/Nylon
BR013



9 Pce Brass Tube
Pipe Brush Set
TCW006-8



5 Pce Mini Brass Wire Brushes
3.2mm Shaft Assorted Shapes
TCW006-5

9 Pce Nylon Tube
Pipe Brush Set .
TCW006-7



5 Pce Mini Wire Brushes
Nylon 3.2mm Shaft
Assorted Shapes
TCW006-6



5 Pce Wire Brushes Mini
Stainless Steel
3.2mm Shaft Assorted Shapes
TCW006-4

#	Brush Dia	Brush Length	Handle Length
1	8	75	100
2	19 - 43	105	60
3	32	157	90
4	28	98/70	100
5	13	100	130
6	17	98	190
7	7	74	205
8	19	93	200
9	8	112	175

Hand Wire Brushes



Wire Hand Brush
Brass Coated
Steel Wire for
rust resistance
Order 24 for a box
TCW17230-1



TCW17230-2
Wire Hand Brush
Stainless Steel for long brush life
Multi-purpose use

TCW17230-3
Wire Hand Brush
Brass for long brush life
For medium duty cleaning
Minimal surface damage

TCW17230-4
Wire Hand Brush
Nylon bristles for delicate applications
Light duty cleaning - scratch free
Multi-purpose use

Wire Hand Brush - Scratch
Wooden Handle
TCW HB01

Wire Hand Brush - Block
Wooden - Rectangular
TCW HB02



Paint/Can Opener



Paint & Can & Bottle Opener
All Steel
BR010




Wire Brushes - Braai/BBQ

Wire Brush
450mm Handle 18"
For cleaning braai grids
BR001

Three sided Wire Brush
530mm Handle 21"
For cleaning braai grids
BR002



TCWPC001
**PIPE CLEANER &
DEBURRER TUBE BRUSH**
15 & 19mm Wire Brush



Stripper Brushes



Soft Grip Wide Nylon
Stripper Brush
5 x 11 Row
BR003



Soft Grip Wide Brass
Stripper Brush
5 x 11 Row
BR004



Soft Grip Wide
Stainless Steel
Stripper Brush
5 x 11 Row
BR005

3 Pce Soft Grip
Wide Brush Set
Stainless Steel,
Brass, Nylon
5 x 11 Row (in blister)
BR006



Grinding Wheels



Part No.	Grit / Type / Colour	RPM
FOR ANGLE GRINDER 100 x 50mm x M14		
TCGR100-1	#36 Bowl	9500
TCGR100-2	#36 Cup	9500
FOR ANGLE GRINDER 110 x 58mm x M22		
TCGR110-1	#36 Bowl	8500
FOR BENCH GRINDER 125 x 20 x 32mm (with bushes)		
TCGR125-1	36 Coarse BLACK	4136
TCGR125-2	36 Coarse GREEN	4136
TCGR125-3	36 Coarse WHITE	4136
TCGR125-4	60 Fine BLACK	4136
TCGR125-5	60 Fine GREEN	4136
TCGR125-6	60 Fine WHITE	4136
FOR BENCH GRINDER 150 x 20 x 32mm (with bushes)		
TCGR150-7	36 Fine BLACK	4136
TCGR150-8	36 Fine GREEN	4136
TCGR150-9	36 Fine WHITE	4136
TCGR150-10	60 Fine BLACK	4136
TCGR150-11	60 Fine GREEN	4136
TCGR150-12	60 Fine WHITE	4136
FOR BENCH GRINDER 150 x 25 x 32mm (with bushes)		
TCGR150-1	60 Fine GREY	4136
TCGR150-2	36 Coarse GREY	4136
TCGR150-3	36 Coarse GREEN	4136
TCGR150-4	60 Fine GREEN	4136
TCGR150-5	36 Coarse WHITE	4136
TCGR150-6	36 Coarse WHITE	4136
FOR BENCH GRINDER 200 x 25 x 32mm (with bushes)		
TCGR200-1	60 Fine GREY	3170
TCGR200-2	36 Coarse GREY	3170
TCGR200-3	36 Coarse GREEN	3170
TCGR200-4	60 Fine GREEN	3170
TCGR200-5	36 Coarse WHITE	3170
TCGR200-6	60 Fine WHITE	3170
FOR BENCH GRINDER 250 x 40 x 50.8mm (with bushes)		
TCGR250-1	36 Coarse BLACK	3170
TCGR250-2	36 Coarse GREEN	3170
TCGR250-3	36 Coarse WHITE	3170
TCGR250-4	60 Fine BLACK	3170
TCGR250-5	60 Fine GREEN	3170
TCGR250-6	60 Fine WHITE	3170

INDUSTRIAL

Economic & efficient in grinding of all steels
All Bench Grinder Wheels come with 4 different size bushes; 1", 3/4", 5/8" & 1/2".



Aluminium Oxide Wheels (**BLACK & GREY**)

are used for grinding all metals in a variety of grinding operations ranging from rough sharpening to off-hand grinding or sharpening of tools.

Silicone Carbide Wheels (**GREEN**)


are suitable for grinding hard alloy, optical glass, vitrify, gem, agate, honing cylinder sleeve and other hard friable materials.

Fused Aluminium Wheels (**WHITE**)

are suitable for work pieces of strong intensity such as chilled steel, high-speed steel, high-carbon steel for high hardness grinding.

Emery Cloth

	Per Roll	Per Roll	Grits
25mm x 50M	ABR01040	ABR01040-10	40
	ABR01060	ABR01060-10	60
	ABR01080	ABR01080-10	80
	ABR01100	ABR01100-10	100
	ABR01120	ABR01120-10	120
	ABR01180	ABR01180-10	180
	ABR01240	ABR01240-10	240
25mm x 10M	ABR01400	ABR01400-10	400



	Per Roll	Per Roll	Grits
50mm x 50M	ABR02040	ABR02040-10	40
	ABR02060	ABR02060-10	60
	ABR02080	ABR02080-10	80
	ABR02100	ABR02100-10	100
	ABR02120	ABR02120-10	120
	ABR02150		
	ABR02180	ABR02180-10	180
50mm x 10M	ABR02240	ABR02240-10	240
	ABR02400	ABR02400-10	400

INDUSTRIAL

Sanding Belt & Disc Cleaner

T BC32324

Sanding Belt Cleaner (carded)
Dimensions : 105 x 40 x 35mm



Application/Material

- Removes embedded particles with the ease of an eraser

Features/Benefits

- Extends sanding belts, discs and drum life up to 10 times
- Cleans while sander is running



Sanding Belts

60 x 400mm			
2 Pack	10 Pack	Type	Grits
ABR03040	ABR03040-10	Coarse	40
ABR03060	ABR03060-10	Coarse	60
ABR03080	ABR03080-10	Medium	80
ABR03100	ABR03100-10	Medium	100
ABR03120	ABR03120-10	Fine	120
ABR03150		Fine	150
ABR03180		Fine	180
ABR03240		X-Fine	240
ABR03320		X-Fine	320

64 x 406 64 x 406mm			
ABR04040	ABR04040-10	Coarse	40
ABR04060	ABR04060-10	Coarse	60
ABR04080	ABR04080-10	Medium	80
ABR04100		Medium	100
ABR04120	ABR04120-10	Fine	120
ABR04150		Fine	150
ABR04180		Fine	180
ABR04240		Xtra Fine	240
ABR04320		Xtra Fine	320

100 x 530mm			
ABR14040	ABR14040-10	Coarse	40
ABR14060	ABR14060-10	Coarse	60
ABR14080	ABR14080-10	Medium	80
ABR14100		Medium	100
ABR14120	ABR14120-10	Fine	120

100 x 915mm			
ABR20040	40	Bulk	
ABR20060	60	Bulk	
ABR20080	80	Bulk	
ABR20100	100	Bulk	
ABR20120	120	Bulk	

75 x 533mm (Zirconium)			
2 Pack	Type	Grits	
ABR13040	Coarse	40	
ABR13060	Coarse	60	
ABR13080	Medium	80	
ABR13100	Medium	100	
ABR13120	Fine	120	

75 x 457mm			
2 Pack	10 Pack	Type	Grits
ABR06040	ABR06040-10	Coarse	40
ABR06060	ABR06060-10	Coarse	60
ABR06080	ABR06080-10	Medium	80
ABR06100	ABR06100-10	Medium	100
ABR06120	ABR06120-10	Fine	120
ABR06180		Fine	180
ABR06240		X-Fine	240
ABR06400		X-Fine	400

75 x 510mm			
ABR07040	ABR07040-10	Coarse	40
ABR07060	ABR07060-10	Coarse	60
ABR07080	ABR07080-10	Medium	80
ABR07100		Medium	100
ABR07120	ABR07120-10	Fine	120

100 x 560mm			
ABR15040	ABR15040-10	Coarse	40
ABR15060	ABR15060-10	Coarse	60
ABR15080	ABR15080-10	Medium	80
ABR15100	ABR15100-10	Medium	100
ABR15120	ABR15120-10	Fine	120

150 x 1220mm			
ABR19040	40	Bulk	
ABR19060	60	Bulk	
ABR19080	80	Bulk	
ABR19100	100	Bulk	
ABR19120	120	Bulk	

100 x 610mm (Zirconium)			
2 Pack	Type	Grits	
ABR17040	Coarse	40	
ABR17060	Coarse	60	
ABR17080	Medium	80	
ABR17100	Medium	100	
ABR17120	Fine	120	

75 x 533mm			
2 Pack	10 Pack	Type	Grits
ABR09040	ABR09040-10	Coarse	40
ABR09060	ABR09060-10	Coarse	60
ABR09080	ABR09080-10	Medium	80
ABR09100	ABR09100-10	Medium	100
ABR09120	ABR09120-10	Fine	120
ABR09180		Fine	180
ABR09240		X-Fine	240
ABR09400		X-Fine	400
ABR09600		X-Fine	600

75 x 610mm			
ABR12040	ABR12040-10	Coarse	40
ABR12060	ABR12060-10	Coarse	60
ABR12080	ABR12080-10	Medium	80
ABR12100		Medium	100
ABR12120	ABR12120-10	Fine	120

100 x 610mm			
ABR18040	ABR18040-10	Coarse	40
ABR18060	ABR18060-10	Coarse	60
ABR18080	ABR18080-10	Medium	80
ABR18100	ABR18100-10	Medium	100
ABR18120	ABR18120-10	Fine	120
ABR18180		Fine	180
ABR18240		X-Fine	240
ABR18400		X-Fine	400
ABR18600		X-Fine	600

100 x 620mm			
ABR26040	Coarse	40	
ABR26060	Coarse	60	
ABR26080	Medium	80	
ABR26100	Medium	100	
ABR26120	Fine	120	

25 x 762mm			
ABR28040	Coarse	40	
ABR28060	Coarse	60	
ABR28080	Medium	80	
ABR28120	Fine	120	
ABR26180	Fine	180	

Application/Material

» Designed for sanding wood, metal, fibreglass, auto-body filler and plastic

Features/Benefits

- » Full-bonded resin abrasive lasts up to four times longer than glue-bonded belts
- » Extra-heavy cloth backing resists tearing & stretching during sanding
- » Stronger joints eliminate belt breakage

Application/Material : Zirconium

- » For ferrous & non-ferrous metals, stainless steel, wood, plastics & glass

Powerfile Sanding Belts

13 x 451mm (5pk)	
Part No.	Grits
ABR93040	40
ABR93080	80
ABR93100	100
ABR93120	120

13 x 457mm (5pk)	
Part No.	Grits
ABR91040	40
ABR91080	80
ABR91100	100
ABR91120	120

30 x 451mm (5pk)	
Part No.	Grits
ABR89040	40
ABR89060	60
ABR89080	80
ABR89100	100
ABR89120	120



Triangle Hook & Loop Backed

94 x 94 x 94mm with holes

Part No.	Description	Grits	Pk Size
ABR21060	Triangle Hook & Loop Disc	60	5/pk
ABR21080	Triangle Hook & Loop Disc	80	5/pk
ABR21120	Triangle Hook & Loop Disc	120	5/pk
ABR21240	Triangle Hook & Loop Disc	240	5/pk




Part No. Type Grits

ABR22060	Medium	60
ABR22080	Medium	80
ABR22120	Fine	120
ABR22240	Extra Fine	240



140 x 140 x 98mm

Part No.	Description	Grits	Pk Size
ABR25040	Triangle Hook & Loop w/holes	40	5/pk
ABR25060	Triangle Hook & Loop w/holes	60	5/pk
ABR25080	Triangle Hook & Loop w/holes	80	5/pk
ABR25120	Triangle Hook & Loop w/holes	120	5/pk
ABR25180	Triangle Hook & Loop w/holes	180	5/pk
ABR25220	Triangle Hook & Loop w/holes	220	5/pk
ABR25400	Triangle Hook & Loop w/holes	400	5/pk
ABR25600	Triangle Hook & Loop w/holes	600	5/pk



Use Hook & Loop Backing Pad with 7 holes / 140mm / 98mm wide



Peel & Stick Discs (PSA)


10 Pack	Description	Grits	10 Pack	Description	Grits	10 Pack	Description	Grits
ABR39040	PSA No holes 125mm	40	ABR42040	PSA No holes 150mm	40	ABR40040	PSA No holes 304mm	40
ABR39060	PSA No holes 125mm	60	ABR42060	PSA No holes 150mm	60	ABR40060	PSA No holes 304mm	60
ABR39080	PSA No holes 125mm	80	ABR42080	PSA No holes 150mm	80	ABR40080	PSA No holes 304mm	80
ABR39120	PSA No holes 125mm	120	ABR42120	PSA No holes 150mm	120	ABR40100	PSA No holes 304mm	100
ABR39180	PSA No holes 125mm	180	ABR42180	PSA No holes 150mm	180	ABR40120	PSA No holes 304mm	120
ABR39240	PSA No holes 125mm	240	ABR42240	PSA No holes 150mm	240	ABR40180	PSA No holes 304mm	180
						ABR40220	PSA No holes 304mm	220
						ABR40320	PSA No holes 304mm	320

Application/Material

» Ideal for finishing wood, metal and fibreglass

Features/Benefits

- » Easy to use - just peel & stick aluminium oxide sanding discs
- » Eliminates messy glue or special screws
- » Premium, top-coated resin abrasive outlasts ordinary sandpaper




Hook & Loop Backed Discs

115mm - 10/Pk			125mm - 10/Pk			150mm - 10/Pk		
No hole	With hole	Grits	No hole	With hole	Grits	No hole	With hole	Grits
ABR24040	ABR30040	40	ABR27040	ABR33040	40	ABR35040	ABR36040	40
ABR24060	ABR30060	60	ABR27060	ABR33060	60	ABR35060	ABR36060	60
ABR24080	ABR30080	80	ABR27080	ABR33080	80	ABR35080	ABR36080	80
ABR24120	ABR30120	120	ABR27120	ABR33120	120	ABR35120	ABR36120	120
ABR24180	ABR30180	180	ABR27180	ABR33180	180	ABR35180	ABR36180	180
ABR24240	ABR30240	240	ABR27240	ABR33240	240	ABR35240	ABR36240	240
							ABR36320	320
							ABR36400	400
							ABR36600	600



Sanding Discs

125mm		
Part No.	Grits	Description
ABR57080	80	Hook & Loop, no hole, Bulk
ABR57120	120	Hook & Loop, no hole, Bulk
ABR57180	180	Hook & Loop, no hole, Bulk
ABR60040	40	10/Pk with centre hole
ABR60080	80	10/Pk with centre hole
ABR60120	120	10/Pk with centre hole
ABR60240	240	10/Pk with centre hole



150mm			
Part No.	Grits	Pk Size	Description
ABR63040	40	10/Pk	With centre hole
ABR63080	80	10/Pk	With centre hole
ABR63120	120	10/Pk	With centre hole
ABR63240	240	10/Pk	With centre hole

Use on backing pad with drilling machine
Recommended pads;

- » TCBP125C
- » TCBP150C
- » SPC00120 (Hook & Loop)


GOLD Abrasive Discs (Hook & Loop)

125mm w/Holes	
50 Pack	Grits
ABR97040	40
ABR97060	60
ABR97080	80
ABR97100	100
ABR97120	120
ABR95150	150
ABR95180	180
ABR97220	220
ABR97320	320

125mm No Holes	
50 Pack	Grits
ABR98040	40
ABR98060	60
ABR98080	80
ABR98100	100
ABR98120	120
ABR98150	150
ABR98180	180
ABR98220	220
ABR98320	320

150mm w/Holes	
50 Pack	Grits
ABR94040	40
ABR94060	60
ABR94080	80
ABR94100	100
ABR94120	120
ABR94150	150
ABR94180	180
ABR94220	220
ABR94240	240
ABR94320	320
ABR94400	400
ABR94500	500
ABR94600	600
ABR941500	1500

INDUSTRIAL



Comes in a
Box of 50 Pcs

150mm No Holes	
50 Pack	Grits
ABR95040	40
ABR95080	80
ABR95120	120
ABR95150	150
ABR95180	180
ABR95240	240
ABR95320	320
ABR95400	400
ABR95500	500

INDUSTRIAL



Comes in a
Box of 50 Pcs

INDUSTRIAL



Comes in a
Box of 50 Pcs

Dura Mesh Abrasive Disc - Hook & Loop

150mm - For Sander Polisher					
Part No.	Grits	Pk Size	Part No.	Grits	Pk Size
ABR58080	80	Bulk	ABR58080-03	80	3Pk
ABR58120	120	Bulk	ABR58120-03	120	3Pk
ABR58150	150	Bulk	ABR58150-03	150	3Pk
ABR58180	180	Bulk	ABR58180-03	180	3Pk
ABR58240	240	Bulk	ABR58240-03	240	3Pk
ABR58320	320	Bulk	ABR58320-03	320	3Pk
ABR58400	400	Bulk	ABR58400-03	400	3Pk
ABR58500	500	Bulk	ABR58500-03	500	3Pk

For ultimate dust extraction, reduced clogging



Sponge Sanding Block

Part No.	Size	Grit	Description	Qty
DURA SS01	100 x 70 x 25mm	80/120 Medium/Fine	Double-sided	1Pk
DURA SS02	120 x 70 x 25mm	60 Coarse	Single angle four-sided	1Pk
DURA SS03	120 x 70 x 25mm	80 Medium	Dual angle four-sided	1Pk
DURA SS04	125 x 100 x 10mm	100 Fine	Double-sided	2Pk

- » Black Aluminium Oxide sponge blocks allow for use on metal, plastic & wood
- » These washable grit sponges are ideal for dry or wet sanding
- » Sands into corners and round surfaces easily



Rotary Flap Sanders

Part No.	Description
TCRF4020-80	40 X 20mm 80 Grit
TCRF5020-80	50 x 20mm 80 Grit

Carded



**Shank Size
= 6mm**

Part No.	Description	Carded
TCRF4020-120	40 x 20 x 6mm	120 Grit
TCRF4020-180	40 x 20 x 6mm	180 Grit
TCRF4020-220	40 x 20 x 6mm	220 Grit
TCRF6040-80	60 x 40 x 6mm	80 Grit
TCRF6040-120	60 x 40 x 6mm	120 Grit
TCRF6040-180	60 x 40 x 6mm	180 Grit
TCRF6040-220	60 x 40 x 6mm	220 Grit
TCRF8030-80	80 x 30 x 6mm	80 Grit

INDUSTRIAL

Part No.	Size (Shaft)	Grits	#/Box	Part No.	Size (Shaft)	Grits	#/Box
ABRF301060	30 x 10 x 6mm	60	100	ABRF602080	60 x 20 x 6mm	80	20
ABRF301080	30 x 10 x 6mm	80	100	ABRF603060	60 x 30 x 6mm	60	14
ABRF301580	30 x 15 x 6mm	80	100	ABRF603080	60 x 30 x 6mm	80	14
ABRF302060	30 x 20 x 6mm	60	90	ABRF604060	60 x 40 x 6mm	60	12
ABRF302080	30 x 20 x 6mm	80	90	ABRF604080	60 x 40 x 6mm	80	12
ABRF401060	40 x 10 x 6mm	60	50	ABRF605060	60 x 50 x 6mm	60	8
ABRF401080	40 x 10 x 6mm	80	50	ABRF605080	60 x 50 x 6mm	80	8
ABRF402060	40 x 20 x 6mm	60	50	ABRF802060	80 x 20 x 6mm	60	7
ABRF402080	40 x 20 x 6mm	80	50	ABRF802080	80 x 20 x 6mm	80	7
ABRF4020120	40 x 20 x 6mm	120	50	ABRF802580	80 x 25 x 6mm	80	7
ABRF403060	40 x 30 x 6mm	60	35	ABRF803060	80 x 30 x 6mm	60	7
ABRF403080	40 x 30 x 6mm	80	35	ABRF803080	80 x 30 x 6mm	80	7
ABRF502060	50 x 20 x 6mm	60	30	ABRF8030120	80 x 30 x 6mm	120	7
ABRF502080	50 x 20 x 6mm	80	30	ABRF804060	80 x 40 x 6mm	60	6
ABRF503060	50 x 30 x 6mm	60	20	ABRF804080	80 x 40 x 6mm	80	6
ABRF503080	50 x 30 x 6mm	80	20	ABRF805060	80 x 50 x 6mm	60	4
ABRF602060	60 x 20 x 6mm	60	20	ABRF805080	80 x 50 x 6mm	80	4

INDUSTRIAL

Bulk



Part No.	Size (Bore)	Grits	#/Box
ABRF155060	150 x 50 x 25mm	60	100
ABRF155080	150 x 50 x 25mm	80	100
ABRF205060	205 x 50 x 25mm	60	90
ABRF205080	205 x 50 x 25mm	80	90

INDUSTRIAL




Drum Sanders

Part No.	Size / Grit	Description
TCDS	15 - 50mm	25 Pc Drum Sander Kit
TCDS0025	25.4mm	Drum Sander 6mm Shaft w/5 Pk Sanding sleeves
TCDS25	25.4mm	Drum Sander 6mm shaft
TCDS35	38mm	Drum Sander 6mm shaft
TC805060	60 Grit	13 - 50mm Sanding Drum replacement sleeves 5/pk
TC805120	120 Grit	13 - 50mm Sanding Drum replacement sleeves 5/pk
TC805180	180 Grit	13 - 50mm Sanding Drum replacement sleeves 5/pk

Part No.	Size	Grits	Description
TCDS25080	25.4mm	80	Sanding Sleeve 5/Pack
TCDS25120	25.4mm	120	Sanding Sleeve 5/Pack
TCDS25180	25.4mm	180	Sanding Sleeve 5/Pack
TCDS35080	38mm	80	Sanding Sleeve 5/Pack
TCDS35120	38mm	120	Sanding Sleeve 5/Pack
TCDS35180	38mm	180	Sanding Sleeve 5/Pack



TCDS0025



Application/Material

- » Ideal for wood, fibreglass and metal
- » Ideal for sanding awkward, hard-to-reach places

Features/Benefits

- » Durable, resin abrasives easily handle toughest sanding jobs
- » 1/4" shank fits any electric drill




TCDS - Drum Sander Kit

Contents;

- » 1 x 15mm, 1 x 20mm,
- 1 x 30mm, 1 x 40mm,
- 1 x 50mm

Orbital Sanding

95 x 230mm		95 x 230mm		115 x 280mm		115 x 280mm	
5 Pack	Grits	5 Pk Plain	Grits	5 Pack	Grits	5 Pk Velcro	Grits
ABR45080	80	ABR46050	50	ABR48080	80	ABR49050	50
ABR45120	120	ABR46080	80	ABR48120	120	ABR49080	80
ABR45180	180	ABR46120	120	ABR48180	180	ABR49120	120
Hook & Loop No Holes		ABR46150	150	Plain No Holes		ABR49150	150
		ABR46180	180			Hook & Loop No Holes	
		Plain with 8 Holes					



Application/Material

- Ideal for finishing wood, metal and fibreglass

Features/Benefits

- Designed for orbital sanding
- Premium, top-coated resin abrasive outlasts ordinary sandpaper
- Heavy weight sandpaper reduces tearing and lasts longer

Sanding Blocks

Part No.	Description
ABR70000	Sanding Block 165 x 85 for hand use
ABR70001	Sanding Block 210 x 105 for hand use
ABR70007	Sanding Block 126 x 68mm for hand use
ABR70013	Sanding Block Ergonomic 140 x 90mm for hand use
ABR70014	Sanding Block Ergonomic 122 x 66mm for hand use
SPC10101	Sanding Block Round PSA 5" / 125mm
SPC10102	Sanding Block Round Velcro 6" / 150mm
SPC10103	Hand Sanding Block Round 6" Hook & Loop System



SPC10102



ABR70000



ABR70013



ABR70007

Speed Files

Part No.	Description
ABR70010	Speed File Small (70 x 200mm) for hand use
ABR70011	Speed File Medium (70 x 250mm) for hand use
ABR70012	Speed File Large (70 x 390mm) for hand use



ABR70010



ABR70011




ABR70012



Cabinet Paper

230 x 280mm		
50 Pack	Type	Grits
ABR100060	Coarse	60
ABR100080	Coarse	80
ABR100100	Medium	100
ABR100120	Fine	120
ABR100150	Fine	150
ABR100180	Extra Fine	180
ABR100220	Extra Fine	220




Application

» Ideal for finishing wood & plastics

Premium Waterproof Paper

230 x 280mm		230 x 280mm	
50 Pack	Grits	50 Pack	Grits
ABR960060	60	ABR960360	360
ABR960080	80	ABR960400	400
ABR960100	100	ABR960600	600
ABR960150	150	ABR960800	800
ABR960180	180	ABR961000	1000
ABR960220	220	ABR961200	1200
ABR960240	240	ABR961500	1500
ABR960320	320	ABR962000	2000
		ABR962500	2500



Application

» Ideal for finishing metal & steel
» Use wet or dry

230 x 280mm			
50 Pack	Grits	10 Pack	Grits
ABR103060	60	ABR103060-10	60
ABR103080	80	ABR103080-10	80
ABR103100	100	ABR103100-10	100
ABR103120	120	ABR103120-10	120
ABR103150	150	ABR103150-10	150
ABR103180	180	ABR103180-10	180
ABR103220	220	ABR103220-10	220
ABR103320	320	ABR103320-10	320
ABR103360	360	ABR103360-10	360
ABR103400	400	ABR103400-10	400
ABR103600	600	ABR103600-10	600
ABR103800	800	ABR103800-10	800
ABR1031200	1200	ABR1031200-10	1200

Application

» Ideal for finishing metal & steel
» Use wet or dry
» Kraft backing paper

Non Woven Pads

150 x 230mm				
Part No.	Qty	Part No.	Qty	Description
ABRN001	20	ABRN001-5	5	150 x 230mm Non Grain White
ABRN002	20	ABRN002-5	5	150 x 230mm Ultra Fine Grey
ABRN003	20	ABRN003-5	5	150 x 230mm Super Fine Maroon
ABRN004	20	ABRN004-5	5	150 x 230mm Fine Green
ABRN005	20	ABRN005-5	5	150 x 230mm Medium Black



Application

» Ideal for rust cleaning, stainless steel polishing & wood polishing
» Use wet or dry

Sold in boxes of 20 and packs of 5

Floor Paper Roll

300mm x 1M			
1Metre	50Metre	Type	Grits
ABR102040	ABR102040-50	Coarse	40
ABR102060	ABR102060-50	Medium	60
ABR102080	ABR102080-50	Medium	80
ABR102100	ABR102100-50	Fine	100

Order 50 for a box



Application

» General purpose use on wood, metal, plastic and painted walls

Dura Mesh Sanding Sheets

230mm x 230mm			
Part No.	Grits	Part No.	Grits
DURA040	40	DURA180	180
DURA060	60	DURA220	220
DURA080	80	DURA240	240
DURA100	100	DURA320	320
DURA120	120	DURA400	400
DURA150	150	DURA600	600



Application/Material

» Ideal for dry-walling

Features/Benefits

» Double-sided and non-clogging, silicone carbide grit
» Use wet or dry
» Can be used with vacuum system

Application/Material

» Ideal for wood, fibreglass, paint and metal
» For use with an orbital sander
Features/Benefits
» Double-sided and non-clogging



Durasand Mesh Sanding Sheet

93 x 230mm		
Part No.	Grits	Pk Size
ABR43040	40	10/Pk
ABR43060	60	10/Pk
ABR43080	80	10/Pk
ABR43100	100	10/Pk
ABR43120	120	10/Pk
ABR43180	180	10/Pk
ABR43220	220	10/Pk
ABR43240	240	10/Pk
ABR43320	320	10/Pk
ABR43400	400	10/Pk
ABR43600	600	10/Pk



Tork Craft Pro Quality Angle Grinder Pads

Part No.	Description /Size
TCBP115-1	Pro made for 115 x 22mm Discs M14 x 2 Thread
TCBP115-2	Pro Soft for 115 x 22mm Discs M14 x 2 Thread
TCBP115-3	Pro Hard for 115 x 22mm Discs M14 x 2 Thread
TCBP178-1	Pro MED for 178 x 22mm Discs M14 x 2 Thread



TCBP115-1



TCBP178-1

Rubber Backing Pads

Part No.	Description
TCBP125C	Backing Pad & Arbor 125mm
TCBP150C	Backing Pad & Arbor 150mm



Application/Material

- Flexible rubber backing pads for sanding and/or polishing
- Use with "mm" wool bonnets and "ABR" Peel & Stick Sanding discs

Features/Benefits

- Flexible rubber allows for flat or contour sanding

Paint & Rust Strippers



Part No.	Description
TCFA0205	5 Pce 50mm Paint & Corrosion Removal Kit
TCFA0207	7 Pce 50mm Surface Conditioning Kit
TCFA0307	7 Pce 75mm Surface Conditioning Kit
TCFA702B	Face Off Cup Disc 100mm Bulk for Angle Grinders
TCFA702B-1	Face Off Cup Disc 115mm x M14 Bulk for Angle Grinders
TCFA702C	Face Off Disc 100mm Carded for Drills
TCFA702C-1	Face Off Disc 100mm fitted w/6mm Mandrel Carded for Drills
TCFA0703B	Face Off Disc 125mm Bulk for Drills
TCFA0703C	Face Off Disc 125mm Carded for Drills
TCFA0706	Face Off Disc & Arbor 100mm Carded for Drills
TCFA0707	Face Off Disc & Arbor 125mm for Drills
TCFA02001	10 Pc 50mm Non Woven Disc Screw Type BLUE Fine for Surface Cond.
TCFA02002	10 Pc 50mm Non Woven Disc Screw Type BROWN Coarse for Surface Cond.
TCFA02003	10 Pc 50mm Non Woven Disc Screw Type RED Medium for Surface Cond.
TCFA02010	Plastic Backing Pad Screw Type with Arbor for Surface Conditioning Kit
TCFA02060	10 Pc 50mm Sand Disc Screw Type 60G for Surface Conditioning Kit
TCFA02120	10 Pc 50mm Sand Disc Screw Type 120G for Surface Conditioning Kit
TCFA02180	10 Pc 50mm Sand Disc Screw Type 180G for Surface Conditioning Kit
TCFA02320	10 Pc 50mm Sand Disc Screw Type 320G for Surface Conditioning Kit
TCFA02600	10 Pc 50mm Sand Disc Screw Type 600G for Surface Conditioning Kit



TCFA702B



TCFA0205



TCFA0307

Application/Material

- Strips paint and rust without clogging or damaging the surface
- Use on wood or steel
- Strong nylon mesh for longer life
- With silicone carbide grit for maximum stripping power

Angle Grinder Pin Spanners

Part No.	Description
TCPS3504	Pin Spanner 35 x 4mm Black
TCPS3505	Pin Spanner 35 x 5mm Red
TCPS3506	Adjustable Pin Spanner 15 - 52 x 4mm Black
TCPS3507	Offset Pin Spanner 35 x 4mm for Angle Grinders



Fits most Angle Grinders



See Pg 54 for
Flange Lock Nuts

Polishing & Sanding Machines

Colour of machines may change


POL02 : Angle Sander Polisher

SPECIFICATIONS

Capacity : 180mm
 Rated Voltage : 230V
 Rated Input Power : 1200W
 No Load Speed : 1100 - 3500rpm
 Thread Size : M14
 Weight : 2.54kg

Accessories Included:

- » 1 Pce Velcro backing Pad 180mm
- » 1 Pce 180mm velcro Wool Polishing Bonnet
- » 1 Pce Hex wrench
- » 1 Extra Pair Carbon Brush



CONSTANT SPEED




POL04 : Random Orbital Polisher/Sander

SPECIFICATIONS

Capacity : 150mm
 Rated Voltage : 220V
 Rated Input Power : 800W
 No Load Speed : 2000 - 6400rpm
 Spindle Thread : 5/16F - 24T
 Weight : 2.30kg

Accessories Included:

- » Velcro Polishing Pad 5/16M - 24T 150mm/6"
- » 1 Pce 25mm x 150mm Velcro compound sponge
- » 1 Pce Auxillary Handle
- » 1 Pce Wrench
- » 1 Extra Pair Carbon Brush
- » 1 Pce Hex Wrench



CONSTANT SPEED



POL06-2G : Rotary Polisher 1500W

SPECIFICATIONS


Pad Diameter : 150mm / 180mm
 Rated Voltage : 230V~
 Rated Input Power : 1500W
 No Load Speed : 600 - 3000RPM
 Spindle Thread : M14
 Duty Cycle : S1

Features

- Constant speed
- Lockable trigger
- Soft start
- Gearbox cover for extra comfort & protection.

Accessories Included:

- » Polishing Bonnet
- » 1 Pce Hook & Loop Backing Pad
- » 1 Pce Auxillary Handle
- » 1 Pce Flat Wrench
- » 1 Pair Carbon Brush Set
- » 1 Pce Hex Wrench
- » 1 Pce D-Handle



CONSTANT SPEED

Constant Speed Function
 This is an electronic function that ensures the tool maintains a constant speed that's set while under an operational load.

Sander Pads/Sponges

Part No.	Description
Adaptors	
SPC00051	M14 M x 8mm Spindle
SPC00052	M14 M x M14 F
SPC00053	5/8" M x 5/8" F
SPC00054	M14 M x 5/8" F
SPC00055	5/8" x 5/8"
200mm / 8" Foam Pad	
SPC00100	Foam Pad Yellow Finishing Sponge 200mm/8"
SPC00101	Foam Pad Orange Cutting Pad 200mm/8" Velcro
SPC00102	Foam Pad Red Polishing Pad 200mm/8" Velcro
SPC00103	Foam Pad Black Finishing Pad Sponge 200mm/8"
Microfibre Cloth / Cleaning Sponge	
SPC00104	Microfibre Cloth Blue (400 x 400mm)
SPC00105	Microfibre Cloth Grey (300 x 300mm) Tear-off 20Pc Roll
SPC00300	2Pc Cleaning Sponge Microfibre General Purpose
SPC00320	Microfibre Cloth Dispenser
SPC00321	4Pc Microfibre Cleaning/Drying Cloth Set
Backing Pad	
SPC00106	Backing Pad M14 x 178mm - For 8"/200mm foam pads
SPC00117	100mm x M14 for Stone polishing super pads Hook & Loop
SPC00118	100mm x 5/8" UNC for Stone polishing super pads Hook & Loop
SPC00119	150mm x M14 x 2 for Concave Wool Bonnets Hook & Loop
SPC00120	125mm x M14 Hook & Loop with 8mm Spindle
SPC00121	125mm/5" Sanding & Polishing Kit w/400-600 Grit pads
SPC00122	125mm Hook & Loop with 8mm Spindle
SPC00126	115mm Hook & Loop x M14 with 8mm Spindle
SPC00127	150mm Hook & Loop x M14 with 8mm Spindle
Sander Pad - DA (Dual Action)	
SPC00107	6" Sander Pad 6 holes 5/16 - 24 UNF : Hook & Loop
SPC00108	6" Sander Pad 52 holes 5/16 - 24 UNF : Hook & Loop
SPC00109	6" Sander Pad PSA 5/16 - 24 UNF Medium Soft
SPC00110	6" Sander Pad Hook & Loop 5/16 - 24 UNF Medium Soft
SPC00111	5" Sander Pad PSA 5/16 - 24 UNF Medium Soft
SPC00112	5" Sander Pad Hook & Loop 5/16 - 24 UNF Medium Soft
SPC00113	5" Sander Pad Hook & Loop 5/16 - 24 UNF 8 Hole Med Soft
Polishing Wool Bonnet/Sponge	
SPC00123	125mm 5" Polishing Wool Bonnet Hook & Loop
SPC00125	180mm 7" Concave Polishing Wool Bonnet Hook & Loop
SPC00124	125mm 5" Polishing Sponge Hook & Loop
Interface Cushion Pad	
SPC00129	150mm Hook & Loop No holes
SPC00130	150mm Hook & Loop 6 Holes

Foam Pads Velcro

Part No.	Description
SPC00200	Yellow Sponge 150mm / 6" for heavy cutting
SPC00201	Maroon Sponge 150mm / 6" for heavy compounding
SPC00202	Yellow Sponge 150mm / 6" for Compounding
SPC00203	Orange Sponge 150mm / 6" for light compounding
SPC00204	Blue Sponge 150mm / 6" for heavy polishing
SPC00205	Black Sponge 150mm / 6" for finishing
SPC00206	Green Sponge 150mm / 6" for light finishing
SPC00207	Red Sponge 150mm / 6" for ultra finishing
SPC00208	White Sponge 150mm / 6" for cutting



Compounding Sponge

Order 50 for a box

Part No.	Description	» MAXIMUM RPM 2500
TCCS15014	150mm x M14 Standard Orange	
TCCS15014-1	150mm x M14 Premium White	
TCCS15014-2	150mm x M14 Red	
TCCS15014-3	150mm x M14 Black	
TCCS15014-4	150mm x M14 HARD White	
TCCS15014-5	150mm x M14 Black Waffle SOFT	
TCCS15014-6	150mm x 45mm x M14 Plastic thread Premium White	
TCCS15058	150mm x 5/8 White	



TCCS15014



TCCS15014-1



TCCS15014-2



TCCS15014-3



TCCS15058



TCCS15014-5



TCCS15014-4

Wool Polishing Bonnets

Part No.	Description
MM4	4" 100mm Polishing Wool Bonnet - Tie-on
MM5	5" 125mm Polishing Wool Bonnet - Tie-on
MM6	6" 150mm Polishing Wool Bonnet - Tie-on
MM7	7" 180mm Polishing Wool Bonnet - Tie-on
MM7-2	7" 180mm Polishing Wool Bonnet - Tie-on 100% on Sheepskin
MM8	8" 200mm Polishing Wool Bonnet - Tie-on
MM9	9" 230mm Polishing Wool Bonnet - Tie-on
MM9-2	9" 230mm Polishing Wool Bonnet - Tie-on 100% on Sheepskin
MM10	10" 250mm Polishing Wool Bonnet - Tie-on
MM DS7	7"/180mm Double-sided Wool Buff with M14 F Thread 100% Wool
MM DS7-2	7"/180mm 180mm Double-sided Wool Buff with 5/8" Thread 100%
MM DS9	9" 230mm Double-sided Wool Buff with M14 Thread 100%
MM DS9-2	9" 230mm Double-sided Wool Buff with 5/8" Thread 100%



Application/Material

Tie on wool bonnet
For use with the following
rubber backing pads;
- TCBP125C (125mm) w/arbor
- TCBP150C (150mm) w/arbor
- Flex40310 (225mm) M14 x 2mm
- PG33805 (180mm)
- PG338 (125 x 6mm)

Plastic Spreader

3 Pce Plastic Spreader Set
101, 133 & 158mm

PART NO. BR011

Use with body fillers, fiberglass resin, putty etc. Gives a smooth finish which means less sanding.
REUSABLE...just bend and hardened material will pop off spreader



Buffing & Polishing Compound

INDUSTRIAL	RCC 20 - AB ± 1.2KG	Description: General purpose medium cutting colouring buffing compound for brass, copper & silver. Application: Brick-type buffing compound applied to the surface of the buffing wheel by hand. Specification: Physical state 25°C. Red solid bar. Product contains fatty acids and a mixture of silica and tripoly as an abrasive filler
	RCC 11 - SD ± 1.3KG	Description: A finishing compound for steel, chrome and aluminium Application: Brick-type buffing compound applied to the surface of the buffing wheel by hand. Specification: Physical state 25°C. Grey solid bar. Product contains fatty acids, waxes and mixture of silica and tripoly as an abrasive filler
	RCC G-13	A light green cutting compound for stainless steel, aluminium & alum alloys
INDUSTRIAL	RCC G-14	A dark green finishing compound for all metals
	RCC SW-2000	A yellow cutting compound for coppers, brass, aluminium, brass and steel
	RCC SW-3	A white solid cutting compound for stainless steel

CLEANING & POLISHING
POLISHING BARS



Polishing Buffs



Part No.	Description	INDUSTRIAL
White Stitched Buff		
TCBF100-2W	100mm 2 Section x 20mm ½" Arbor	
TCBF150-2W	150mm 2 Section x 20mm ½" Arbor	
TCBF150-3W	150mm 3 Section x 30mm ½" Arbor	
TCBF200-2W	200mm 2 Section x 20mm ½" Arbor	
TCBF200-3W	200mm 3 Section x 30mm ½" Arbor	
White Buff Unstitched		
TCBF150-50W	150 x 50 Ply x ½" Arbor	
TCBF200-50W	200 x 50 Ply x ½" Arbor	
Colour Stitched Buff		
TCBF150-2C	150mm 2 Section x 30mm ½" Arbor	
TCBF150-3C	150mm 3 Section x 30mm ½" Hole	
TCBF200-2C	200mm 2 x 20mm ½" Arbor	
Buffing Wheel Kits - White & Denim Stitched & Sisal Polishing		
TCBF10030	3 Pce Kit 100mm	
TCBF15030	3 Pce Kit 150mm	
Cotton Buff		
TC801201	Cotton Buff only 75mm Carded	
TC801203	Cotton Buff only 100mm Carded	
TC801707	Cotton Buff White Stitched 75mm x 6mm Shar	
TC801709	Cotton Buff White Stitched 100mm x 6mm Sha	
TC801730	3 Pce White Buff Set	



TCBF150-50W



TCBF150-2W



TC801707



TC801730

Buffing Pads



Part No.	Description
TC872000	Medium 100mm to fit 12.5mm arbor/spindle
TC872100	Medium 150mm to fit 12.5mm arbor/spindle
TC872110	Firm 150mm to fit 12.5mm arbor/spindle



TC872000



TC872110



TC872100

Cleaning & Polishing Kits



TC804901
Buffing & Compound Kit
Order 50 for a box

- » Use to buff and polish all types of steel
- » 5 grits of polish for a perfect finish
- » 1/4" shank fits any drill



TC804904
5 Pce Polishing
Compound Kit



TCW006-1
Polishing, Buffing
& Compound Drill Set
65, 75 & 100mm
Buffing Wheels



TCW006-9
5 Pce Polishing,
Buffing &
Compound Kit
w/Felt Buff for drill

Cleaning & Polishing Compounds



Part No.	No. #	Description/Application
TC871101	1	For heavy duty cleaning of hard materials
TC871401	4	For regular cleaning of precious metals
TC871501	5	For light polishing / light cleaning of all materials
TC871601	6	For high gloss polishing of all materials, including precious metals



Taper Adaptors (Pigtail) for Bench Grinders



Part No.	Description
TCPT012-01	12mm Left-hand
TCPT012-02	12mm Right-hand
TCPT016-01	16mm Left-hand
TCPT016-02	16mm Right-hand



Headlamp Restoration Kit

SPC00128

Headlamp Lens Restoration Kit

Restore the clarity of yellowed, hazed or dull headlight lenses and improve night visibility with this headlight cleaner kit

- Contains no silica, silicone, waxes or clay fillers
- Water based



Polishing and Burnishing Machines

MY3015-2 : Stainless Burnishing Machine

Specifications

Long Handle / 100 x 120mm Discs
Power Input : 800W
No Load Speed: 900 - 2800 R/min
Rated Voltage: 220V - 50Hz

Belts For Machine

MY3015-2-3	80 Grit Flap Grinding Wheels 120mmx100mm
MY3015-2-4	120 Grit Flap Grinding Wheels 120mmx100mm
MY3015-2-5	240 Grit Flap Grinding Wheels 120mmx100mm
MY3015-2-6	80 Grit Nylon Grinding Wheels 120mmx100mm
MY3015-2-7	100 Grit Nylon Grinding Wheels 120mmx100mm
MY3015-2-8	120 Grit Nylon Grinding Wheels 120mmx100mm
MY3015-2-9	240 Grit Nylon Grinding Wheels 120mmx100mm
MY3015-2-10	320 Grit Nylon Grinding Wheels 120mmx100mm
MY3015-2-13	80 Grit Non-woven Wheel & Abrasive Flap
MY3015-2-14	Nylon Abrasive Coated Wheel 115mm x 100mm
MY3015-2-15	Brass Coated Wire Wheel 115mm x 100mm
MY3015-2-16	Stainless Steel Wire Wheel Bruah 115mm x 100mm
MY3015-2-17	Poly Abrasive Wheel 115mm x 100mm
MY3015-2-18	Felt Wheel 115mm x 100mm
MY3015-2-19	Buffing Wheel 115mm x 100mm

INDUSTRIAL



MY3016-2 : Stainless Pipe Polisher

Specifications

Long Handle / Covers 270 Degrees of pipe
Power Input : 800W
Voltage: 220V-50Hz
No Load Speed : 900-2800 R/min
Maximum Belt Length: 760mm
Maximum Belt Width: 40mm
Speed Control

Belts For Machine

MY3016-2-3	60 Grit Zirconia Sanding Belts
MY3016-2-4	80 Grit Zirconia Sanding Belts
MY3016-2-5	1000 Grit Zirconia Sanding Belts
MY3016-2-6	1500 Grit Zirconia Sanding Belts
MY3016-2-7	2000 Grit Zirconia Sanding Belts
MY3016-2-8	Nylon Belt Coarse 40mmx760mm
MY3016-2-9	Nylon Belt Medium 40mmx760mm
MY3016-2-10	Nylon Belt Fine
MY3016-2-11	Fleece Felt Belts



Used for grazing, tarnishing, texturing, polishing and smoothing pipes. Without the use of water .



MY3016-2-11
MY3016-2-5 / 6 / 7
MY3016-2-3
MY3016-2-4
MY3016-2-10
MY3016-2-8
MY3016-2-9
MY3016-2-11

MY3025 : Tube Belt Sander/Polisher

Specifications

Power Input: 1200W
Voltage: 220v-50Hz
No Load Speed: 900-2800 R/min
Maximum Belt Length: 620mm
Maximum Belt Width: 40mm
Quick Tool Free Belt Change
High Stability Pulleys
Front Handle / Speed Control
Trigger Switch / Motor

Belts For Machine

MY3025-2-3	60 Grit Zirconia Sanding Belts 40mm x 620mm
MY3025-2-4	80 Grit Zirconia Sanding Belts 40mm x 620mm
MY3025-2-5	1000 Grit Zirconia Sanding Belts 40mm x 620mm
MY3025-2-6	1200 Grit Zirconia Sanding Belts 40mm x 620mm
MY3025-2-2	1500 Grit Zirconia Sanding Belts 40mm x 620mm
MY3025-2-7	2000 Grit Zirconia Sanding Belts 40mm x 620mm
MY3025-2-8	Nylon Belt Coarse 40mm x 620mm
MY3025-2-9	Nylon Belt Medium 40mm x 620mm
MY3025-2-10	Nylon Belt Fine 40mm x 620mm
MY3025-2-11	Fleece Felt Belts 40mm x 620mm



MY3025-2-5 / 6 / 7
MY3025-2-3 / 4
MY3025-2-11
MY3016-2-8 / 9
MY3025-2-10

Measuring

Part No.	Description	Accuracy
Vernier Caliper		
ME10150	150mm Carbon Steel	±0.02mm
ME10200	200mm Carbon Steel	±0.02mm
ME11150	150mm Stainless Steel	±0.02mm
ME11200	200mm Stainless Steel	±0.02mm
ME11300	300mm Stainless Steel	±0.02mm
Vernier Digital Fractional / ABS Function		
ME12150	150mm Stainless Steel	±0.01mm
ME12200	200mm Stainless Steel	±0.01mm
ME12300	300mm Stainless Steel	±0.01mm
Vernier Digital		
ME13150	150mm Carbon Fibre	±0.1mm
Vernier Digital 4 Key / ABS/Zero Function		
ME14150	150mm Stainless Steel	±0.01mm
ME14200	200mm Stainless Steel	±0.01mm
ME14300	300mm Stainless Steel	±0.01mm
Micrometer Manual		
ME20025	0 - 25mm	±0.01mm
Micrometer Digital		
ME30025	0 - 25mm	±0.01mm
ME30050	25 - 50mm	±0.01mm
ME30075	50 - 75mm	±0.01mm
Memory Hold		
ME15150	0 - 150mm	±0.01mm
Plastic Caliper		
ME17150	0 - 150mm	



Rulers


Part No.	Description	» Metric Sizes
ME01015	Stainless Steel Ruler : 150 x 19 x 0.8mm	
ME01030	Stainless Steel Ruler : 300 x 25 x 1.0mm	
ME01060	Stainless Steel Ruler : 600 x 30 x 1.2mm	
ME01100	Stainless Steel Ruler : 1000 x 35 x 1.5mm	
RULER 01	Stainless Steel Ruler Cork Backed 300mm Red	
RULER 02	Stainless Steel Ruler Cork Backed 300mm Blue	
ME02030	Aluminium Straight Edge Ruler 300 x 50 x 5mm	
ME02060	Aluminium Straight Edge Ruler 600 x 50 x 5mm	
ME02100	Aluminium Straight Edge Ruler 1000 x 50 x 5mm	
ME022120	Aluminium Protective Ruler 1200mm / 48"	
ME022200	Aluminium Protective Ruler 2000mm / 80"	
ME02260	Aluminium Protective Ruler 600mm / 24"	

RULER 01

RULER 02

STAINLESS STEEL

ALUMINIUM



Measuring Tapes

Part No.	Description
ME05316	Measuring Tape Auto Lock 3M x 16mm Rubber Casing Matt finish
ME05519	Measuring Tape Auto Lock 5M x 19mm Rubber Casing Matt finish
ME05825	Measuring Tape Auto Lock 8M x 25mm Rubber Casing Matt finish
ME06316	Measuring Tape Multi Lock 3M x 16mm Rubber Casing Matt finish
ME06519	Measuring Tape Multi Lock 5M x 19mm Rubber Casing Matt finish
ME06525	Measuring Tape Multi Lock 5M x 25mm Long Life Contractor Quality
ME06825	Measuring Tape Multi Lock 8M x 25mm Rubber Casing Matt finish
ME06100	Measuring Tape Multi Lock 10M x 25mm Rubber Casing Matt finish
ME06030	Measuring Tape Fibreglass 30M x 13mm Heavy Duty ABS Case
ME06050	Measuring Tape Steel Blade 50M x 13mm Co-molded Rubber Casing
ME06130	Measuring Tape 1M x 8mm 24Pce in Display Jar
ME07003	Measuring Tape Manual Lock 3M x 16mm Plastic Casing
ME07005	Measuring Tape Manual Lock 5M x 25mm Plastic Casing
ME07008	Measuring Tape Manual Lock 5M x 25mm Plastic Casing
ME07519	Measuring Tape Waterproof 5M x 19mm Stainless Steel Blade



ME05316

ME06519



ME06525

WIDE 25mm blade

ME07008



ME07519

Stainless Steel Blade



ME07003

Nylon Coated Blade
Manual Locking Blade
Belt Clip For Easy Access
Metric Markings



ME05519

ME05825

ME07005

ME06030

Measuring Tape Fibreglass 30M x 13mm

- » Ideal for Contractors & Surveyors
- » Design allows easy cleaning of tape
- » Long winder with easy grip knob facilities & quick rewinding
- » Fiberglass tapes are safe from electrical hazards
- » Heavy duty ABS case and bold numbers for easier reading



ME06050

Measuring Tape Steel Blade 50M x 13mm

- » 6 x High Speed Gear Mechanism: Turn handle once & tape rewinds 6x
- » High carbon steel blade coated w/ acrylic polymers for long life
- » Easy to read bold black numbers on 13mm wide yellow blade
- » Ideal for high precision professional jobs
- » Co-moulded rubber case




6:1

+ Quick release handle
Fast wind in



ME06130

Measuring Tape 1M x 8mm
24 in Display Jar




- ▶ STAINLESS STEEL BLADE
- ▶ RUBBER CASING
- ▶ ON KEY CHAIN
- ▶ COMES IN PLASTIC JAR

Carpenters Pencil

Part No.	Description
PEN07	7 Pce Carpenters Pencil Set : 6 x Pencils & 1 x Sharpener
PEN10	Carpenters Pencil 175mm : 12 per box
» Professional sharpening tool designed specifically for carpenters pencils	
» Gives a clean sharp point, Safer & easier than a utility knife	
» Compact & durable design, 175mm length	
PEN01	Vermont Sales Ballpoint Pen Red & White

Boiler Makers Chalk

Part No.	Description
TCBC001	Boiler Makers Chalk & Holder 1 Pce
TCBC0012	Boiler Makers Chalk 12 Pce
TCBC0144	Boiler Makers Chalk 144 Pce Bulk



Chalk Material : Chalk soapstone
Chalk Dimensions : 125 (L) x 12 (W) x 5mm (H)
Length : 142mm

Pocket
Clip



PEN10

PEN07



PEN040-01
Carpenters
Sharpener
Bulk

Nibbler Sheet Metal Cutter

Part No.	Description	INDUSTRIAL
TC10008	Sheet Metal Nibbler	
TC10009	Nibbler attachment with extended shaft	
TC10010	Nibbler Jigsaw attachment	
TC10011	Spare Cutting Blade Guide TC10010	
TC10012	Spare Cutting Blade for TC10010	
TC10013	Spare Straight & Round Cutting Blade	
TC10014	Table Top Mounting for Nibbler	
TC10015	Circular Nibbler Attachment	
TC10016	Nibbler Attachment Set 3-in-1	
TC YT 160-1	Toolrest Spare part	
TC YT 160-2	Spare Cutter for TC10008	
TC YT 160-3	Spare Cutter for TC10009	
TC YT 160-4	Tabletop Mounting for TC10008	

For circular & irregular shape cutting

- » Unique convenience and durability
- » Excellent cutting speed of 2 metres/min at 3000RPM.
- » Excellent cutting result without any burrs at the cut edges
- » 360° changeable direction while operating
- » Can be fitted to any electric or power drill, max 3000RPM
- » Different cutting shapes available
- » Capacity : Cuts mild steel up to 1.8mm, stainless steel up to 1.2mm, aluminium up to 2mm thick, plastic and plywood up to 2mm
- » Replacement blades easy to change



**NEW
PRODUCT**

Double-sided Short
End Cutters
TC10008



Corrugated
Roof Sheetting

Double-sided Short/Long
End Cutters
TC10009



Corrugated
Roof Sheetting

Double-sided Short/Jigsaw
End Cutters
TC10010



Roof Sheetting & Jigsaw



Paint Marker

Part No.	Description
TCPM0001	Paint Marker Red 1 Pce Bulk
TCPM0002	Paint Marker Yellow 1 Pce Bulk
TCPM0003	Paint Marker White 1 Pce Bulk
TCPM0004	Paint Marker Black 1 Pce Bulk
TCPM0005	Paint Marker Blue 1 Pce Bulk
TCPM0006	Paint Marker Orange 1 Pce Bulk
TCPM0007	Paint Marker Green 1 Pce Bulk
TCPM0008	Paint Marker Purple 1 Pce Bulk
TCPM0009	Paint Marker Bronze 1 Pce Bulk
TCPM0010	Paint Marker Grey 1 Pc Bulk
TCPM0012	12 Pk Paint Markers Red/Yellow/White/Black/Blue
TCPM0036	36 Pce Paint Markers Bulk Tub Red/Yellow/White/Black/Blue



TCPM0036



Stand64
Holds 214 Markers

Hot Melt Glue Guns

TCGG05001

10W, 220V, 7mm, Flow rate 6-8G, 7 Min. Pre-heat

TCGG05002

40W, 220V, 11mm, Flow rate 8-12G, 5 Min. Pre-heat

TCGG05004

80W, 220V, 11mm, Flow rate 14-16G, 5 Min. Pre-heat



- » Use with hot melt glue guns
- » General Purpose - Indoor use & art
- » Bonds PVC, wood, material, paper & more
- » Melting temperature = 80°C
- » Paintable afterwards
- » Transparent colour
- » Non-toxic but not recommended for the food industry
- » Viscosity = 18,000cps
- » Cures in 15 seconds under normal conditions

Hot Melt General Purpose Glue Sticks

Part No.	Description
TCGS07200-01	7 x 200mm, 12Pc EVA 18000CPS
TCGS07200-02	7 x 200mm, 125Pc 1KG EVA 18000CPS
TCGS07300-01	7 x 300mm, 12Pc EVA 18000CPS
TCGS07300-02	7 x 300mm, 82Pc 1KG EVA 18000CPS
TCGS11200-01	11 x 200mm, 12Pc EVA 18000CPS
TCGS11200-02	11 x 200mm, 52Pc 1KG EVA 18000CPS
TCGS11300-01	11 x 300mm, 12Pc EVA 18000CPS
TCGS11300-02	11 x 300mm, 35Pc 1KG EVA 18000CPS

Available:
Both in 200mm and
300mm lengths



Laser Distance Meters

Part No.	Description
TCLDM00S6	Laser Distance Meter

The maximum measuring range	60m
Measuring accuracy	±1.5mm
Measuring units	m / in / ft
Area / Volume Measurement	✓
Addition / Subtraction	✓
Single distance measurement	✓
4-line display with backlight	✓
Continuous distance measurement (Min/Max)	✓
Historical data	20 sets
Auto laser off	30 seconds



- » End-piece & calibrated scale
- » Batteries included
- » Max Distance 60m range
- » Area measurement
- » Volume measurement
- » Shatterproof screen
- » Belt pouch & screwdriver included

Part No.	Description
TCLDM00D110	Laser Distance Meter

Specification	
The maximum measuring range ¹	0.2~20m
Measuring accuracy ²	±3 mm
Measuring units	m
Laser class	Class 2
Laser type	630-670nm, < 1mW
Single / Continuous measurement	✓
Button	Soft rubber buttons
Operating temperature	0°C~40°C
Storage temperature	-10°C~60°C
Battery life	5,000 measurement times
Battery type	AAA 2 x 1.5V
Auto laser off	30 seconds
Dimensions (mm)	100.5*38*24.5

20m RANGE




- » Easily take single & continuous measurements
- » Max Distance 20m range
- » Batteries included

TCRF00PF220 Laser Rangefinder 600m

Field of View	7°
Scope Magnification	6x
Objective Lens Diameter	22mm
Eyepiece Lens Diameter	16mm
Exit Pupil Diameter	3.7mm
Diopter	±5D
Angle Accuracy	±1°
Measuring Accuracy	±0.5m
Measuring Unit	m
Operating Temperature	0°C ~ 40°C
Wavelength	600m

600m RANGE



Part No.	Description
TCLDM00D8	Laser Distance Meter

The maximum measuring range	40m
Measuring accuracy	±2mm
Measuring units	m
Continuous measurement	✓
Min. / max. value	✓
4-line display with backlight	✓
Single distance measurement	✓
Auto laser off	30 seconds



- » Batteries included
- » Area measurement
- » Max Distance 40m range

40m RANGE



Part No.	Description
TCDMD001	Digital Metal Detector

- » MAX SCANNING DEPTH UP TO 80mm
- » Detects materials such as ferrous & non-ferrous metals & wood
- » Indicates specific location of detected material
- » Sound & light alarm
- » Batteries not included

Maximum Scanning Depth	» Ferrous metals : 80mm » Non-ferrous metals (Copper) : 60mm » Copper Conductors (Live)** : 50mm » Wood : 20mm
Automatic switch off after approx.	5min
Operating temperature	-10°C ~ +50°C
Storage temperature	-20°C ~ +70°C
Battery	1 x 9V
Operating lifetime (approx)	6h
Dimensions	199mm x 81.5mm x 20.5mm
Weight	Approx 160g (excluding battery)

* Depends on material and size of objects as material and condition of structure
* Less scanning depth for wires/conductors that are not "live"



Rafter Squares Multi-angle


ME09180 & ME09301
180mm 300mm

- » The squares are made of hard durable ABS plastic
- » Hanging hole for easy storage
- » Easy to read markings
- » Accurate and fast measuring

Features;

Line Scribe Guides
Hip-Val & common markings
Right Angle
Multi Angle : 0°- 90°
Pivot Point
T-Edge
Ruler

ABS



Try Square w/Level & Plumb Vial

300 x 150 mm

ME09300

- » The ruler is made of brushed steel, & the body of durable ABS plastic
- » Hanging hole for easy storage
- » Both vials are accurate for vertical & horizontal use
- » Ledge support has a retractable handle to keep materials in place
- » Ruler thickness 1.5mm



Plastic Squares


Part No.	Description
ME18080	80 x 50 x 12mm
ME18080-1	80 x 50 x 12mm 4Pce Set
ME18100	100 x 100 x 16mm
ME18100-2	100 x 100 x 16mm 4Pce Set
ME18150	150 x 150 x 24mm
ME18200	200 x 200 x 29mm




Made of engineering grade plastics. Match with other fixtures, fast fixed 90 degree angles



Die engraving 22.5° & 45° to facilitate angle measurement & positioning.




Carpenters Square



Part No.	Description
ME03300	Carbon Steel 300 x 200 x 2.0mm
ME03600	Carbon Steel 600 x 400 x 2.0mm

Tri Handle Square




Part No.	Description
ME08150	Aluminium 150mm
ME08200	Aluminium 200mm
ME08300	Aluminium 300mm

Protractor Ruler

ME04800

4 Pce Protractor Ruler
& 2 x Triangle Set




Combination Square

ME09030

Aluminium Handle
Combination Square 300mm



Protractors, Combination Squares & Ruler



TCMP0150 Mitre Saw Level Protractor

Material Protractor:

- ABS Plastic
- Specifications
- Accuracy: $\pm 0.3\text{mm}$ and $\pm 0.5^\circ$
- Arm length 150mm / 6"
- Features
- Engraved graduations of 1mm (metric) $\frac{1}{4}$ " & $\frac{1}{16}$ " (imperial)
- Metric & Imperial measurements.
- Built in round laid level and horizontal level.
- Single cut and mitre cut scale.
- 360° Protractor arm rotation.
- Hanging hole for easy storage.
- Application
- Measuring & marking of angles
- Angle finder & transfer of angles
- Marking and angle verification
- Industry
- DIY, wood working, framers and carpentry.

Direct reading to
the Mitre Saw



Combination Square & Protractor Set



ME09031 3 Pce Combination Square & Protractor Set

Digital Depth Gauge

Me09060

- » To set router cutter or saw blade height
- » Horizontal & vertical measuring
- » Measuring rule w/metric / imperial scale & locking screw
- » Hole depth measuring 50.8mm
- » Self standing for setting cutter depth on router tables
- » Digital display for easy reading
- » Magnets in base
- » 60mm wide aperture

60
mm



Steel Profile Contour Gauge

ME04150

150mm - Max profile depth 45mm

- Fine steel pins for accurate profile copying




Plastic Profile Contour Gauge

ME04200

200mm - Max profile depth 45mm

- Fine plastic pins for accurate profile copying



- Great for tracing irregular shapes for moulds
 - Maximum profile depth 45mm
 - Metric & Imperial measurements
- Pins slide out to give exact shape of measured object
- Multiple uses, woodworking, carpet-fitting & floor laying

Wood Storage Racks

Part No. Description


TCWRA006 6 Level Storage Rack



Portable Saw Horse

TCSH001 : Portable Saw Horse

Durable, rugged high-grade steel
Powder-coated & zinc plated steel
Double foldable legs & locking frame
Load Capacity : 500kg
Working Height : 730mm
Steel body, brackets & legs,
Plastic handle



* Buy 2 Saw Horses
to create a work Table



The Hard Case
Waterproof
Dustproof
Shockproof
Crushproof
Heavy Duty
Impact Proof

*Safe for flying
 (with built in air valve)
 All cases equipped with
 foam for maximum protection*

All Cases come in Black with foam, are water & dust proof and are made from Engineering Polypropylene Plastic



PLC1510
 Hard Case Box
 225x185x115mm



PLC1520
 Hard Case Box
 260x230x185mm



PLC1540
 Hard Case
 for 12.5" Laptop
 345 x 275 x 60mm



PLC1550
 Hard Case
 430 x 370 x 215mm



PLC1570
 Hard Case Box
 420x300x290mm



PLC1580
 Hard Case
 Box 460x350.3x175mm



PLC1590
 Hard Case
 Box 480x410x360mm

Hard Storage Cases

All Cases come in Black with foam, are water & dust proof and are made from Engineering Polypropylene Plastic



PLC1600
Hard Case
Box 570x360x265mm



PLC1610
Hard Case
Box 530x435x257mm



PLC1620
Hard Case
Box 630x485x310mm



PLC1630
Hard Case
Box 670x510x375mm



PLC1640
Hard Case
Box 865x565x340mm



PLC1650
Hard Case
Box 865x565x430mm



PLC1660
Hard Case 417 x 364 x 104mm



PLC1680
Hard Case Visible
w/Night Vision Goggles
460 x 230 x 180mm



PLC1690
Bow Case Visible
w/Pre-cubed breakout foam
1190 x 530 x 210mm



Hard Storage Cases

All Cases come in Black with foam, are water & dust proof and are made from Engineering Polypropylene Plastic



PLC1010
225 x 190 x 170mm OD



PLC1020
250 x 220 x 120mm OD



PLC1030
270 x 245 x 185mm OD



PLC1040
300 x 230 x 270mm OD



PLC1050
310 x 275 x 155mm OD



PLC1060
425 x 370 x 210mm OD



PLC1070
410 x 340 x 220mm OD



PLC1080
490 x 430 x 230mm OD



PLC1090
565 x 355 x 220mm OD



PLC1100
550 x 345 x 245mm OD
on Castors



PLC1120
1190 x 430 x 165mm OD



PLC1130
670 x 515 x 375mm OD



PLC1150
1387.5 x 393.7 x 152.4mm OD Rifle Case



PLC744627
797 x 518 x 313mm OD



PLC1043513
1040 x 350 x 130mm OD Rifle Case

Hard Storage Cases

All Cases come in Black and are made from Engineering Polypropylene Plastic



PLC60000
Plastic Tool Storage Station
3 Tier on Wheels



PLC171305
190 x 170
x 60mm OD



PLC786639
847 x 722 x 432mm OD
Wheels



Storage Cases

Storage/Tool Cases

ALC001	3 in 1 Set of 3 cases : Aluminium
	Contents; Large 46 x 34 x 16.5cm
	Medium 43 x 29.5 x 13cm
	Small 39.8 x 25 x 10.2cm

ALC001



Backpacks

TC996200 Backpack General Purpose

» Overall size -
470 x 330 x 20mm



TC991087 : Tool & Laptop Backpack

» Overall size - 46 x 20 x 45cm
» Integrated padded compartments
for notebooks & laptops
» Heavy duty stitching with bar
tracking on stress points
» 26 storage options
» Max. weight capacity 20kgs



TC991088 : Tool Backpack

» Overall size - 65 x 20 x 40cm
» Extra large main compartment
» Separate padded compartment
for notebooks
» Heavy duty stitching with bar
tracking on stress points
» Max. weight capacity 20kgs
» 20 storage options
» With rubber base



Tool Belts, Pouches, Bags & Knee Pads

Keeps your tools neat & in one place

Part No.	Description
TC991018	2 Pocket Tool Pouch Heavy-duty Nylon with belt clip, resists tearing
TC991052	5 Pocket Nylon Tool Pouch, 3 Main pockets for tools & nails, 2 Small pockets for accessories, 1 Steel hammer loop Padded construction belt for maximum comfort, designed to fit waist 38" - 48"
TC991051	7 Pocket Nylon Tool Pouch, 5 Main pockets for tools & nails, 2 Small pockets for accessories, padded construction belt for maximum comfort, designed to fit waist 38" - 48"
TC991055	8 Pocket Nylon Tool Pouch, 2 Main pockets for tools & nails, 6 Small pockets for accessories, 1 Steel hammer loop 1 Steel fence plier loop, padded construction belt for maximum comfort, designed to fit waist 32" - 42"
TC991012	14 Pocket Nylon Tool Pouch, 50mm Poly-web belt 1000mm adjustable with quick release buckle, 4 main pouches for utility tools and nails, measuring tape holder, 2 Strap loops
TC991260	22 Pockets, Medium Tool Bag, Size 400 x 210 x 310mm with shoulder strap
TC991265	25 Pockets, Small Tool Bag, Size 315 x 230 x 250mm with shoulder strap
TC991340	50 Pockets (incl. external pockets), Large Tool Bag, Size 495 x 265 x 340mm with shoulder strap



TC991018



TC991052



TC991051



TC991055



TC991012



TC991260



TC992008
TorkCraft Knee Pad



TC991340



TC991265



Leather Tool Belts



JT995022

2 Pocket/Pouch Leather Nail Bag
» with Nylon web belt
» Riveted for extra strength



JT995002

11 Pocket/Pouch Leather Tool Belt
» with Large nylon web belt
» Riveted for extra strength



JT995003

5 Pocket Black Leather Tool Belt
» w/Hammer & Tape Measure holder
» with Nylon web belt
» Riveted for extra strength

Anti-Cut Gloves

A5 Material

Features

- * Synthetic Leather Palm with 5mm Padding
- * Bird Eye Mesh Fabric with TPR Knuckle
- * Touch Screen on Thumb and Index Fingertips
- * Protects the hands against cuts or lacerations

Cut-resistant gloves are a type of personal protective equipment (PPE) specifically designed to protect hands from cuts or lacerations due to contact with various cutting machines, equipment, tools, or sharp-edged items such as knives, blades, metals, glass or ceramics.


Cut resistant gloves do not stop punctures from work hazards like needles or tattoo guns. The gloves are NOT heat resistant – do not use for handling hot materials/metals, e.g., when welding. The gloves provide little or no protection from puncture injuries. The use of these gloves requires a trade-off between loss of dexterity and the probability of being cut by a sharp object.

Product complies with ANSI 105-2016 standard

GL100	Small
GL101	Medium
GL102	Large
GL103	X-Large
GL104	2X-Large



Complies with
ANSI 105-2016
standard



Touch screen fingertips

Cut-resistant

A8 Material

Features

- * Full Glove Lining
- * Synthetic Leather Palm with 5mm Padding
- * Bird Eye Mesh Fabric with TPR Knuckle
- * Touch Screen on Thumb and Index Fingertips

Cut-resistant gloves are a type of personal protective equipment (PPE) specifically designed to protect hands from cuts or lacerations due to contact with various cutting machines, equipment, tools, or sharp-edged items such as knives, blades, metals, glass or ceramics.

Cut resistant gloves do not stop punctures from work hazards like needles or tattoo guns. The gloves are NOT heat resistant – do not use for handling hot materials/metals, e.g., when welding. The gloves provide little or no protection from puncture injuries. The use of these gloves requires a trade-off between loss of dexterity and the probability of being cut by a sharp object.

Product complies with ANSI 105-2016 standard

GL110	Small
GL111	Medium
GL112	Large
GL113	X-Large
GL114	2X-Large



Cut-resistant

Touch screen fingertips

Racing Gloves

Features

- * Bright Colour
- * Comfortable fit
- * Hook & Loop closure
- * Good wear resistance
- * Neoprene & Mesh construction
- * Protects the hands against injury
- * Lightweight and comfortable fabric
- * Synthetic leather palm with reinforcement

GL120	Small
GL121	Medium
GL122	Large
GL123	X-Large
GL124	2X-Large



Racing gloves are a type of personal protective equipment (PPE) specifically designed to protect the hands from injury.

The gloves are typically to be used with biking, motocross, supercross, enduro, extreme enduro racing and Karting.

The gloves do not offer any fire protection.

The gloves provide little or no protection from puncture injuries.

Gloves

Part No.	Description	Size	
All Purpose Work Glove			
GL02	All Purpose	M	For hand and power tool
GL03	All Purpose	L	use, automotive & motor-
GL04	All Purpose	XL	cycle mechanics, package
GL05	All Purpose	XXL	handling.
Synthetic Leather Palm Spandex Back			
GL10	Mechanics Glove	S	For hand tool use,
GL11	Mechanics Glove	M	automotive & motor-cycle
GL12	Mechanics Glove	L	mechanics, gardening.
GL13	Mechanics Glove	XL	
GL14	Mechanics Glove	XXL	
GL15	Mechanics Glove	XXXL	
Synthetic Leather Re-inforced Palm - Red RACING EDITION			
GL19	Mechanics Glove	XS	For hand tool & power
GL20	Mechanics Glove	S	tool use, automotive,
GL21	Mechanics Glove	M	motorcycle mechanics,
GL22	Mechanics Glove	L	racing and bike riding.
GL23	Mechanics Glove	XL	
GL24	Mechanics Glove	XXL	
Synthetic Leather Palm Air Mesh Back - Blue RACING EDITION			
GL29	Mechanics Glove	XS	
GL30	Mechanics Glove	S	For hand tool & power
GL31	Mechanics Glove	M	tool use, automotive,
GL32	Mechanics Glove	L	motorcycle mechanics,
GL33	Mechanics Glove	XL	racing and bike riding.
GL34	Mechanics Glove	XXL	
Multi-purpose w/PU Palm Yellow			
GL50	Multi-purpose	S	
GL51	Multi-purpose	M	For hand tool & power
GL52	Multi-purpose	L	tool use, automotive,
GL53	Multi-purpose	XL	motorcycle mechanics.
GL54	Multi-purpose	XXL	
Multi-purpose w/PU Palm Blue			
GL60	Multi-purpose	S	
GL61	Multi-purpose	M	For hand tool & power
GL62	Multi-purpose	L	tool use, automotive,
GL63	Multi-purpose	XL	motorcycle mechanics.
GL64	Multi-purpose	XXL	
Leather Palm			
GL70	Utility Glove	S	
GL71	Utility Glove	M	For hand tool & power
GL72	Utility Glove	L	tool use, automotive,
GL73	Utility Glove	XL	motorcycle mechanics and
GL74	Utility Glove	XXL	rigging.
ULTIMATE FEEL Work Smart Sport RACING EDITION			
GL80	Multi Purpose	XS	
GL81	Multi Purpose	S	For hand tool & power
GL82	Multi Purpose	M	tool use, automotive,
GL83	Multi Purpose	L	motorcycle mechanics,
GL84	Multi Purpose	XL	racing and bike riding.
GL85	Multi Purpose	XXL	
Ladies Slim Fit Gloves			
GL41	Blue	XS	For gardening, general
GL42	Blue	S	sports, household tasks,
GL43	Blue	M	DIY and pet care.
GL44	Black	XS	
GL47	Maroon	XS	
GL48	Maroon	S	
GL49	Maroon	M	
Nitrile Gloves Light Duty			
GL130	Black	M	For auto repairs, painting,
GL131	Black	L	general household tasks,
GL132	Black	XL	DIY and pet care.

GL02 - GL05



GL29 - GL35



GL50 - GL54



GL60 - GL64



GL70 - GL74



GL80 - GL85



Touch panel



Multi Tools & Knives

Part No.	Description	w/Laser Engraved branding
KN3486	Survival Knife Green with LED Light & Fire Starter (in double blister)	XKN3486
KN8126FI	MINI Multi-tool Silver with LED Light & Nylon Pouch (in blister)	XKN8126FI
KN8129S	Multi-tool Silver with LED Light & Nylon Pouch (in blister)	XKN8129S
KN8154	Multi-tool Red with Nylon Pouch (in blister)	XKN8154
KN8155	MINI Multi-tool Red with Nylon Pouch (in blister)	XKN8155
KN004	Foldable Utility Knife Red w/G10 material, handle & belt clip	
KN005	Utility Knife Red Foldable with 5 Spare Stainless Steel Blades (in blister)	
KN006	Utility Knife Red Foldable with Belt Clip & 5 Spare Stainless Steel Blades (in blister)	



KN3486



KN8129S



KN8126FI



KN8154



KN8155



KN004



KN005



KN006

Utility Blades



More cuts



Durable



Super Sharp



Chemical resistant

Part No.	Description	Qty
TCBB100-05	Utility Blade Solid 60 x 19 x 0.6mm	5
TCBB100-10	Utility Blade Solid 60 x 19 x 0.6mm	10
TCBB100-50	Utility Blade Solid 60 x 19 x 0.6mm	50
TCBB100-100	Utility Blade Solid 60 x 19 x 0.6mm	100
TCBB200-03	3Pce Ceramic Solid 60mm x 19mm x 0.6mm	3
TCBB250-03	3Pce Ceramic Snap-Off 100 x 18mm x 0.65mm	3
TCBB110-10	Scraper Blade Single Edge 39 x 19 x 0.25mm	10



Ear Plugs

Part No.	Description
TCEP1000	Ear Plugs Bullet Shape 200/Box
TCEP2000	Ear Plugs 1pc Polybag Corded Bullet Shape 100pairs/Box
TCEPD500	Ear Plug Dispenser c/w 500 pairs of ear plugs
TCEPD500-01	Ear Plug Refill pack 500 Pairs for TCEPD250 & 500
TCEP3000	Ear Muffs



Step 1
Squeeze ear plug



Step 2
Roll to form a
crease-free cylinder



Step 3
Insert & hold in ear
canal until plug expands.
After use, slowly remove
plug with a twisting motion



Safety Eyewear

Part No.	Description	Application & Features	
B5161	Clear in polybag	- General purpose for indoor and outdoor use. - Laboratory • Gardening • Wood Working • Construction • Industrial	 B5161
B5162	Grey in polybag	- For sunny to cloudy weather conditions. - Outdoor • Sport • Cycling • Golf • Hiking • Construction • Industrial	
B5163	Yellow in polybag	- For foggy/hazy, low light conditions. - Driving • Computers/Gaming • Cycling • Hiking • Shooting • Construction • Industrial	
B5164	Clear Ergonomic Design	- General purpose for indoor and outdoor use. - Laboratory • Gardening • Wood Working • Construction • Industrial	
		Ergonomic Design + Impact Resistant Stylish & outstanding protection. Non-slip cushion nosepiece provided comfort. Lightweight nylon frame with length adjustable templates. Wraparound design provides excellent protection. Durable polycarbonate lenses ensure impact resistance & UV 385 protection.	 B5162
B5171	Clear Wraparound	General purpose: For indoor and outdoor use. For sunny to cloudy weather conditions.	
B5172	Grey Wraparound	General purpose for indoor and outdoor use. For sunny to cloudy weather conditions.	
B5231	Clear	General purpose: For indoor and outdoor use.	 B5172
B5232	Smoke	For sunny to cloudy weather conditions.	
B5233	Yellow	For foggy/hazy, low light conditions.	
B5234	Silver Mirror	For sunny to cloudy weather and also glare (water) conditions.	
B5235	Red lens	For sunny to cloudy and bright (snow) conditions.	 B5231
B5531	Yellow mirror	For foggy/hazy, low light conditions.	
Economical safety glasses feature lightweight stylish design with superior wraparound coverage. Padded temple ends reduce pressure. Polycarbonate lenses provide excellent protection from impact and harmful UV rays - 100% UV protection.			 B5231





MX Race Goggles

Part No.	Description
RAC01020B	MX Race Goggles Black & White Adult
RAC01020R	MX Race Goggles Red & Yellow Adult
RAC01033B	MX Race Goggles Black & White Junior
RAC01033R	MX Race Goggles Red & Yellow Junior
RACL1020BAF	Replacement Lens Revo Blue w/Anti-Fog for 1020
RACL1020C	Replacement Lens Transparent w/out Anti-Fog for 1020
RACL1020CAF	Replacement Lens Transparent w/out Anti-Fog for 1020
RACL1020GAF	Replacement Lens Revo Green w/Anti-Fog for 1020
RACL1020GLAF	Replacement Lens Revo Gold w/Anti-Fog for 1020
RACL1020PAF	Replacement Lens Revo Purple w/Anti-Fog for 1020
RACL1020RAF	Replacement Lens Revo Red w/Anti-Fog for 1020
RACL1020SAF	Replacement Lens Smoke w/Anti-Fog for 1020
RACL1020WAF	Replacement Lens White Mercury w/Anti-Fog for 1020
RACL1020Y	Night Vision Enhancement Lens Yellow for 1020
RACL1033BAF	Replacement Lens Revo Blue w/Anti-Fog for 1033
RACL1033C	Replacement Lens Transparent w/out Anti-Fog for 1033
RACL1033CAF	Replacement Lens Transparent w/Anti-Fog for 1033
RACL1033GAF	Replacement Lens Revo Green w/Anti-Fog for 1033
RACL1033GLAF	Replacement Lens Revo Gold w/Anti-Fog for 1033
RACL1033PAF	Replacement Lens Revo Purple w/Anti-Fog for 1033
RACL1033RAF	Replacement Lens Revo Red w/Anti-Fog for 1033
RACL1033SAF	Replacement Lens Smoke w/Anti-Fog for 1033
RACL1033WAF	Replacement Lens White Mercury w/Anti-Fog for 1033
RACL1033Y	Night Vision Enhancement Lens Yellow for 1033
RACR0010	Roll-off System 40mm for 1020
RACR0011	Tearable Film System Reel 40mm
RACT0010	Tear Off Film for 1020 10Pc
RACT0020	Tear Off Film for 1033 10Pc



LED Torches

- » Precision machined high-strength aircraft grade aluminium alloy case
- » Anodized inside and out for improved corrosion resistance & durability
- » Slip-resistant body design



- » 12 Pcs per Box
- » Includes 3 AAA Batteries
- » Long Life LED's
- » Aluminium alloy construction



Camping Lamp

TCFL300
Led Bulb Style Camping Lamp
60 Lumen

	High Mode	Med Mode	Flashing
Effective Range	20 m	25 m	60 m
Power Source	AAA X3	AAA X3	AAA X3
Water resistant	IP20	IP20	IP20
Lumens	60 LUMENS	25 LUMENS	60 LUMENS
Runtime	3-4 hrs	8 hrs	3-4 hrs



- » Ideal for caving, camping & outdoor adventures
- » Comes with hanging hook
- » Use BATLR03-4S AAA Batteries





■ Alkaline ■ Silver Oxide ■ Lithium ■ Zinc-Air

AA Alkaline

1.5 Volt Alk

Part No.	Pack Size
BATLR6-4S	4 Pack Shrink wrapped
BATLR6-4C	4 Pack Carded
BATLR6-VP	8 + 2 FREE Carded



AA

AAA Alkaline

1.5 Volt Alk

Part No.	Pack Size
BATLR03-4S	4 Pack Shrink wrapped
BATLR03-4C	4 Pack Carded
BATLR03-VP	8 + 2 FREE Carded



AAA

Alkaline D

1.5 Volt Alk

Part No.	Pack Size
BATLR20-2S	4 Pack Shrink wrapped
BATLR20-2C	2 Pack Carded



D



3V Lithium

3 Volt Li-ion

Part No.	Pack Size
BATCR123A-1P	1 per card
BATCR123A-2P	2 per card



CR123A

9V Lithium

9 Volt Li-ion

Part No.	Size
BATCR-V9-1P	1 per card



9V

9V Alkaline

9 Volt Alk

Part No.	Size
BATLR-9V-1P	1 per card
BATLR-9V-2P	2 per card

9V

Alkaline C

1.5 Volt Alk

Part No.	Pack Size
BATLR14-2C	2 Pack Carded

C



Hearing Aid

Zn 6x

Part No.	Pack Size
BATPR41	6 per card Brown



Alkaline Coin Battery

1.5 Volt Alk

Part No.	Size	MOQ
BATLR43-5	5 per card	20
BATLR521-5	5 per card	20
BATLR55-5	5 per card	20
BATLR621-5	5 per card	20
BATLR721-5	5 per card	20
BATLR726-5	5 per card	20
BATLR754-5	5 per card	20
BATLR921-5	5 per card	20
BATLR927-5	5 per card	20
BATLR936-5	5 per card	20

Lithium Coin Battery

3 Volt Li-ion

Part No.	Size	MOQ
BATCR1220-5	5 per card	20
BATCR1616-5	5 per card	20
BATCR1620-5	5 per card	20
BATCR1632-5	5 per card	20
BATCR2016-5	5 per card	20
BATCR2025-5	5 per card	20
BATCR2032-5	5 per card	20
BATCR2430-5	5 per card	20
BATCR2450-5	5 per card	20



Rechargeable Battery & Charger



BAT100518651
Rechargeable 18650
Lithium Battery 2200MAH
Carded 1Pc



TCBC18650
Battery Charger
USB 18650Li-Ion AVG
800mAh v/1A

Battery Displays



STAND 76
Tork Craft Floor Battery Centre Stand
20 Hook / 600 x 300 x 120mm



STAND 75
Tork Craft 4 Slot
Battery Counter Stand
230 x 150 x 420mm



BATSET-20
20Pc Coin Battery Set
- 8 Pc LR Alkaline
- 12 Pc CR Lithium



Mini Tool Kits

Fits all standard mini tools

Part No.	Description
TC08070	70 Pce Mini Rotary Accessories Set
TC08872	72 Pce Mini Rotary Tool & Accessories Set w/Flexible Shaft
TC08051	180 Pce Mini Rotary Accessories Set
TC08172	172 Pce Mini Rotary Tool & Accessories Set
TC08208	208 Pce Mini Rotary Accessories Set
TC08245	245 Pce Mini Rotary Tool & Accessories Set



TC08208

TC08070

TC08245



TCMT001

Specifications:

Rated Voltage : 230V

Rated Output Power : 170W

No Load Speed : 8,000 - 32,500rpm

Collet Chuck Capacity : 1.6mm - 3.2mm

Collet Sizes Included : 1.6mm/2.3mm/3.2mm

NB. Colour of machine may vary

Part No.	Description
TCMT001	Mini Tool 220V 170W Rotary
TCMT001-2-3-1	Collet 3.2mm for TCMT001
TCMT001-2-3-2	Collet 2.3mm for TCMT001
TCMT001-2-3-3	Collet 1.6mm for TCMT001
TCMT001DC	Drill chuck 0 - 3.2mm for TCMT001
TCMT001FS	Flexible shaft for TCMT001
TCMT001SS	Mini Rotary Tool Hanging Stand - Telescopic Hanging Hook with desk clamp
TCMT001DA	Mini Rotary Tool Attachment for TCMT001 w/Depth adjustment to 19mm
TCMT006	Cordless Mini Grinder w/11 Pce Set



TCMT001FS



TCMT001DA



TCMT001SS

TCMT006

Cordless Mini Grinder with 11 Pce Accessory Set

Applications: Sanding, Cutting, Grinding,

Cleaning, Polishing & Engraving

» USB Cable included

» Battery Included - (1634) 3,7V 600MAH Li-ion

» Battery charging indicator

» 2 Hour charge time

» Free run time 100 minutes

Accessories included;

» 2 x Sanding Sleeves

» 2 x Grinding Wheels

» 2 x Diamond Points

» 1 x Engraving Point

» 1 x Rubber Sanding Drum

» 1 x Nylon Brush

» 2 x Collets 2.4 & 3.2mm

NB. Colour of machine may vary

TCMT007

Cordless Mini Rotary Tool with 5 Pce Accessory Set

Applications: Small scale projects such as Carving & Engraving

» Battery operated - 2 x AAA batteries Included

» Light weight & slim design

Accessories included;

» 2 x Grinding stones

» 3 x Carving tips

NB. Colour of machine may vary

Use BATLR03-4S AAA Batteries



Cordless Rechargeable



13 000
MAX RPM



FREE!
Batteries



TC08022
22 Pce Cleaning
& Polishing Set



TC08034
34 Pce Sanding
& Grinding Set



TC08050
50 Pce Cutting
& Carving Set



TC08052
52 Pce General
Purpose Set



TC08072
72 Pce Cut-Off
Wheel Set

Electric Engraver 13W

Part No.	Description
TCMT005	TorkCraft Electric Engraver 13W
TCMT005-1	Repl. tips for TCMT005
Includes;	
» 1 x Tungsten Carbide Tip	
» 1 x Letter & Number Stencil	
» 1 x Shape & Symbol Stencil	

Specifications:

Rated Voltage : 220V
 Rated Output Power : 13W
 No Load Speed : 7200rpm
 Stroke Adjustment : 5 x Mode

- » Ideal for precision engraving in metal, glass, wood, plastic, ceramic and leather
- » Stroke adjustment dial for fine lines or deep grooves
- » Soft coated housing provides better comfort and handling
- » Protect your valuables with engraving for easy identification



NB. Colour of machine may vary



Mini Tool Accessories Carded

Part No.	Description
TC08301	Mini High Speed Cutter 6.4mm Ball 3.2mm Shank
TC08302	Mini High Speed Cutter 7.9mm Ball 3.2mm Shank
TC08303	Mini High Speed Cutter 7.9mm Cylindrical 3.2mm Shank
TC08304	Mini High Speed Cutter 6.4mm Reverse Taper 3.2mm Shank
TC08305	Mini High Speed Cutter 6.4mm Cone 3.2mm Shank
TC08306	Mini High Speed Cutter 3.2mm Countersink 3.2mm Shank
TC08307	Mini High Speed Cutter 6.4mm Flame 3.2mm Shank
TC08308	Mini High Speed Cutter 7.9mm Oval 3.2mm Shank
TC08309	Mini High Speed Cutter 6.4mm Point 3.2mm Shank
TC08310	Mini High Speed Cutter 6.4mm Round Point 3.2mm Shank
TC08311	Mini High Speed Cutter 7.9mm Flame 3.2mm Shank
TC08312	Mini High Speed Cutter 2.4mm Flame 3.2mm Shank
TC08313	Mini High Speed Cutter 3.2mm Ball 3.2mm Shank
TC08314	Mini High Speed Cutter 4.8mm Ball 3.2mm Shank
TC08315	Mini High Speed Cutter 2.0mm Reverse Taper 3.2mm Shank
TC08316	Mini High Speed Cutter 3.2mm Cylindrical 3.2mm Shank
TC08317	Mini High Speed Cutter 5.6mm Cylindrical 3.2mm Shank
TC08318	Mini Engraving Cutter 0.8mm Ball 2.4mm Shank



Part No.	Description
TC08320	Mini Engraving Cutter 2.4mm Ball 2.4mm Shank
TC08321	Mini Engraving Cutter 0.8mm Ball 2.4mm Shank
TC08322	Mini Engraving Cutter 2.0mm Reverse Taper 2.4mm Shank
TC08323	Mini Engraving Cutter 2.0mm Reverse Taper 2.4mm Shank
TC08324	Mini Engraving Cutter 0.8mm Cylindrical 2.4mm Shank
TC08325	Mini Engraving Cutter 1.2mm Cylindrical 2.4mm Shank
TC08326	Mini Engraving Cutter 1.6mm Cylindrical 2.4mm Shank



Part No.	Description
TC08327	Mini Diamond Point 2.0mm Ball 2.4mm Shank
TC08328	Mini Diamond Point 4.4mm Ball 2.4mm Shank
TC08329	Mini Diamond Point
TC08330	Mini Diamond Point 6.7mm Disc 2.4mm Shank
TC08331	Mini Diamond Point 2.4mm Cylindrical 2.4mm Shank
TC08333	Mini Diamond Point 0.9mm Point 2.4mm Shank
TC08334	Mini Diamond Point 1.2mm Point 2.4mm Shank



Part No.	Description
TC08335	Mini Tungsten Carbide Cutter 3.2mm Cylindrical 3.2mm Shank
TC08336	Mini Tungsten Carbide Cutter 2.4mm Cylindrical 3.2mm Shank
TC08337	Mini Tungsten Carbide Cutter 3.2mm Cylindrical 3.2mm Shank
TC08338	Mini Tungsten Carbide Cutter 3.2mm Round Point 3.2mm Shank
TC08339	Mini Tungsten Carbide Cutter 3.2mm Ball 3.2mm Shank
TC08340	Mini Tungsten Carbide Cutter 3.2mm Countersink 3.2mm Shank



Mini Tool Accessories Carded

Part No.	Description
TC08344	Mini Rubber Polishing Point 6.4mm Cylindrical 2.4mm Shank
TC08345	Mini Rubber Polishing Point 6.4mm Bullet 2.4mm Shank
TC08346	Mini Rubber Polishing Point 6.4mm Sharp Point 2.4mm Shank



Part No.	Description
TC08347	Mini Felt Polishing Point 12.7mm x 6mm Wheel
TC08348	Mini Felt Polishing Point 9.5mm x 20mm Bullet
TC08349	Mini Felt Polishing Point 25.4mm x 6mm Wheel
TC08350	Mini Emery Polishing Point 22mm x 2.5mm Wheel
TC08351	Mini Felt Polishing Point 9.5mm Cylindrical 3.2mm Shank



Part No.	Description
TC08352	Mini Screw Mandrel Reinforced 3.2mm Shank
TC08353	Mini Pyramidal Mandrel 3.2mm Shank



Part No.	Description
TC08355	Mini Nylon Bristle Brush 19mm Wheel
TC08356	Mini Nylon Bristle Brush 12.7mm Cup
TC08357	Mini Nylon Bristle Brush 3.2mm End
TC08358	Mini Carbon Steel Brush 19mm Wheel
TC08359	Mini Carbon Steel Brush 12.7mm Cup
TC08360	Mini Carbon Steel Brush 4.2mm End
TC08364	Mini Brass Brush 19mm Wheel
TC08365	Mini Brass Brush 12.7mm Cup
TC08366	Mini Brass Brush 3.2mm End
TC08367	Mini Polishing Compound for Metals & Plastics
TC08368	Mini Cut-off Wheel Reinforced 31.8mm x 1.1mm
TC08369	Mini Cut-off Wheel Extra Large 38.1mm x 1.2mm
TC08370	Mini Cut-off Wheel 32.2mm x 1.2mm
TC08371	Mini Cut-off Wheel Reinforced 24mm x 0.6mm
TC08372	Mini Cut-off Wheel Reinforced 31.8mm x 1.6mm
TCW006-4	5 Pce Stainless Steel Mini Brush Set 3.2mm Shaft - Ass. shapes
TCW006-5	5 Pce Brass Mini Brush Set 3.2mm Shaft - Assorted shapes
TCW006-6	5 Pce Nylon Mini Brush Set 3.2mm Shaft - Assorted shapes



Part No.	Description
TC08374	Mini Multi-purpose Drill Bit 3.2mm x 3.2mm Shank
TC08375	Mini Wall Tile Cutting Bit 3.2mm x 3.2mm Shank
TC08376	Mini Grout Removal Bit 1.6mm x 2.4mm Shank
TC08377	Mini Grout Removal Bit 3.2mm



Part No.	Description
TC08378	Mini HSS Drill Bit 0.8mm
TC08379	Mini HSS Drill Bit 1.2mm
TC08380	Mini HSS Drill Bit 3.2mm

Part No.	Description
TC08381	Mini Router Bit 9.5mm Piloted Rabbeting 3.2mm Shank
TC08382	Mini Router Bit 9.5mm Corner Round 3.2mm Shank
TC08383	Mini Router Bit 9.5mm Piloted Cove 3.2mm Shank
TC08384	Mini Router Bit 12.7mm Chamfer 3.2mm Shank
TC08385	Mini Router Bit 6.4mm V-Groove 3.2mm Shank
TC08386	Mini Router Bit 3.2mm Straight 3.2mm Shank
TC08387	Mini Router Bit 4.8mm Straight 3.2mm Shank
TC08388	Mini Router Bit 6.4mm Straight 3.2mm Shank
TC08389	Mini Router Bit 7.9mm Keyhole 3.2mm Shank



Part No.	Description
TC08390	Mini Quick Change Collet Kit 0.8, 1.6, 2.4, 3.2mm
TC08391	Mini Replacement Collet 0.8mm
TC08392	Mini Replacement Collet 1.6mm
TC08393	Mini Replacement Collet 3.2mm
TC08394	Mini Multi Chuck for 0.8 - 3.2mm Shank
TC08395	Mini Collet Wrench
TC08446	Mini Replacement Collet 2.4mm



Mini Tool Accessories Carded

Part No.	Description
TC08396	Mini Grinding Stone 7.1mm Round Point 3.2mm Shank
TC08397	Mini Grinding Stone 3.2mm Bullet 3.2mm Shank
TC08398	Mini Grinding Stone 3.2mm Cylindrical 3.2mm Shank
TC08399	Mini Grinding Stone 6.0mm Cone 3.2mm Shank
TC08400	Mini Grinding Stone 19.8mm Wheel 3.2mm Shank
TC08401	Mini Grinding Stone 10.3mm Wheel 3.2mm Shank
TC08402	Mini Grinding Stone 12.7mm Wheel 3.2mm Shank
TC08403	Mini Grinding Stone 11.0mm Cylindrical 3.2mm Shank
TC08404	Mini Grinding Stone 9.5mm Cylindrical 3.2mm Shank
TC08405	Mini Grinding Stone 13.5mm Cone 3.2mm Shank
TC08407	Mini Grinding Stone 9.5mm Bullet 3.2mm Shank
TC08408	Mini Grinding Stone 6.4mm Cone 3.2mm Shank
TC08409	Mini Grinding Stone 15.9mm Disc 3.2mm Shank
TC08410	Mini Grinding Stone 3.2mm Cone 3.2mm Shank
TC08411	Mini Grinding Stone 6.4mm Cylindrical/Cone 3.2mm Shank
TC08412	Mini Grinding Stone 9.5mm Ball 3.2mm Shank
TC08413	Mini Grinding Stone 14.9mm Cylindrical 3.2mm Shank
TC08414	Mini Grinding Stone 25.4mm Wheel 3.2mm Shank
TC08415	Mini Grinding Stone 4.8mm Cylindrical 3.2mm Shank
TC08416	Mini Grinding Wheel 22.2mm



Part No.	Description
TC08417	Mini Chain Saw Sharpening Stone 4.0mm x 3.2mm Shank
TC08418	Mini Chain Saw Sharpening Stone 4.8mm x 3.2mm Shank
TC08419	Mini Chain Saw Sharpening Stone 5.6mm x 3.2mm Shank



Part No.	Description
TC08420	Mini Abrasive Wheel 25.4mm x 3.2mm Shank
TC08421	Mini Abrasive Point 12.7mm Cone 3.2mm Shank
TC08422	Mini Abrasive Point 12.7mm Round Point 3.2mm Shank
TC08423	Mini Abrasive Point 12.7mm Cylindrical 3.2mm Shank



Part No.	Description
TC08424	Mini Dressing Stone 25.4mm x 9.5mm
TC08425	Mini Sanding Drum 6.4mm x 3.2mm Shank
TC08426	Mini Sanding Drum 12.7mm x 3.2mm Shank
TC08427	Mini Sanding Sleeve 6.4mm 60G
TC08428	Mini Sanding Sleeve 6.4mm 120G
TC08429	Mini Sanding Sleeve 12.7mm 60G
TC08430	Mini Sanding Sleeve 12.7mm 120G
TC08431	Mini Sanding Sleeve 12.7mm 240G
TC08432	Mini Sanding Sleeve 6.4mm 240G
TC08433	Mini Carbide Sanding Drum & Band 12.7mm x 3.2mm Shank
TC08434	Mini Sanding Disc 19.1mm 180G
TC08435	Mini Sanding Disc 19.1mm 220G
TC08436	Mini Sanding Disc 19.1mm 240G
TC08437	Mini Flap Wheel 29.5 x 10 x 3.2mm Shank 120G
TC08438	Mini Flap Wheel 29.5 x 5 x 3.2mm Shank 80G
TC08439	Mini Flap Wheel 29.5 x 10 x 3.2mm Shank 80G
TC08440	Mini Flap Wheel 29.5 x 5 x 3.2mm Shank 120G



Part No.	Description
TC08442	Mini Diamond Saw Blade 22mm
TC08443	Mini Diamond Saw Blade 30mm
TC08444	Mini Diamond Saw Blade 40mm
TC08445	Cotton Yarn Disc 24mm Shank 2.35mm



Lock Mortiser - EG1

Part No.	Description
EG1	Lock Mortising Attachment c/w 17mm Cutter
Accessories:	
EG2	17mm Cutter
EG3	19mm Cutter
EG4	22mm Cutter
EG9	25mm Cutter
EG6	Bearings & Bushes
EG16	Shaft with Mad Bit 17mm
EG2-2	TCT Cutter for EG1 17.15mm



INDUSTRIAL

The very rugged design and simple handling makes the "Lock Mortiser" an ideal machine for local conditions.

Time Saving:

Cuts your slot in less than 1 minute.

Saving on skilled labour:

Once the machine is set it can be handled by almost anybody.

No wrecked doors:

Accurate positioning of your door lock, handle and keyhole.



Lock Mortiser - Souber Tools

<https://www.youtube.com/watch?v=zRvNplgs-Og>



5 minute MORTICER

The choice of locksmiths

Part No.	Description
ST JIG 1C	Lock Morticer cw/18 & 22mm Cutters in plastic case
ST JIG LS	Long Shaft Screw Type
ST JIG SS	Standard Shaft Screw Type
ST DBB KIT	Upgrade Kit 19,22,25mm Cutters, Shaft, Spanners
ST CWB13	Carbide Tipped Cutter 13.2mm
ST CWB15	Carbide Tipped Cutter 14.6mm
ST CWB16	16.2mm Carbide Tipped Cutter for Wood
ST CWB18	17.5mm Carbide Tipped Cutter for Wood
ST CWB19	19mm Carbide Tipped Cutter for Wood
ST CWB20	20mm Carbide Tipped Cutter for Wood
ST CWB21	21mm Carbide Tipped Cutter for Wood
ST CWB22	22mm Carbide Tipped Cutter for Wood
ST CWB23	23mm Carbide Tipped Cutter for Wood
ST CWB24	24mm Carbide Tipped Cutter for Wood
ST CWB25	25mm Carbide Tipped Cutter for Wood
ST CWB29	29mm Carbide Tipped Cutter for Wood
ST10950	Long Wood Drill 10 x 950mm
ST101250	Long Wood Drill 10 x 1250mm

INDUSTRIAL

Part No.	Description
ST AB16	16.2mm Cutter for Aluminium
ST AB19	19mm Cutter for Aluminium
ST AB25	25.4mm Cutter for Aluminium
ST AB32	31.8mm Cutter for Aluminium
ST NAB16	16.2mm Cutter for Aluminium
ST NAB19	19mm Cutter for Aluminium
ST NAB22	22mm Cutter for Aluminium
ST NAB25	25mm Cutter for Aluminium
ST PD18	17.6mm Plunging Cutter for Tubular Latches
ST PD23	23mm Plunging Cutter for Tubular Latches
ST PD25	25mm Plunging Cutter for Tubular Latches
ST DBB-GS	Grub screws for Lock Morticer
ST DBB-HK	Housing Kit Doors up to 55mm
ST DBB-HK-O	Offset Housing Kit
ST DBB-HK-S	Housing Kit Doors over 55mm
ST DBB-LD-A	Long Drill Housing Adaptor
ST DBB-LS	Long Shaft
ST DBB-OB	Standard Bushes - Pair
ST DBB-SB-HK	Small Bore System Housing Kit
ST DBB-SBS	Small Bore System Shaft & Stop
ST DBB-SRK	Slider Repair Kit
ST DBB-SS	Standard Shaft
ST DBB-DS	Depth Stop
ST DBB-SP	Spanner for Mortice Jig
ST DBB-SB-XLS	Small Bore Screw Shaft & Depth Stop for 13/15mm Cutters

INDUSTRIAL

Hollow Square Mortice Chisels

Standard	Industrial	Description
	MC01-1	Mortice Chisel 1/4"
MC02	MC02-1	Mortice Chisel 5/16"
MC03	MC03-1	Mortice Chisel 3/8"
MC04	MC04-1	Mortice Chisel 1/2"
MC05	MC05-1	Mortice Chisel 5/8"



Wood Turning Chisels

Part No.	Description
CH10002	6 Pce HSS Wood Turning Chisel Set in Aluminium Case
CH10003	8 Pce HSS Wood Turning Chisel Set in Aluminium Case
CH10004	8 Pce Wood Turning Chisel Set in Cardboard box
CH10005	5 Pce HSS Wood Turning Chisel Set in Wooden Case
CH10006	5 Pce 27mm HSS Wood Turning Chisel Set in Wood Case
CH20003	6 Pce Wood Carving Chisel Set in Wooden box
CH30001	3 Pce Wood Chisel Set PLUS Wooden Mallet
CH30002	4 Pce Wood Chisel Set
CH30003	12 Pce Wood Carving Chisel Set in Leather Pouch
CH30004	3 Pce Wood Chisel Set 140mm Blade 6, 12, 19 & 25mmw/PVC Handle
CH30005	2 Pce Wood Chisel Set 100mm Blade 12 & 19mmw/PVC Handle
TCWM001	Wooden Mallet 250 x 85mm, 195 - 205gram Beech Wood
TCWM002	Wooden Mallet 300 x 110mm, 290 - 300gram English Beech Wood



CH10002



CH10003



CH10005



CH30004



CH30005



CH30003



CH20003



CH30001



TCWM001

TCWM002

Wood Chisels

Part No.	Size / Description
CH40006	6mm Wood Chisel
CH40008	8mm Wood Chisel
CH40010	10mm Wood Chisel
CH40012	12mm Wood Chisel
CH40014	14mm Wood Chisel
CH40016	16mm Wood Chisel
CH40019	19mm Wood Chisel
CH40022	22mm Wood Chisel
CH40025	25mm Wood Chisel
CH40028	28mm Wood Chisel
CH40030	30mm Wood Chisel
CH40032	32mm Wood Chisel
CH40038	38mm Wood Chisel



Letter & Number Punches

Part No.	Description
TCNP005	Number Punch Set 5mm (0 - 9)
TCNP006	Number Punch Set 6mm (0 - 9)
TCNP008	Number Punch Set 8mm (0 - 9)
TCNP010	Number Punch Set 10mm (0 - 9)
TCLP005	Letter Punch Set 5mm (A - Z), &
TCLP006	Letter Punch Set 6mm (A - Z), &
TCLP008	Letter Punch Set 8mm (A - Z), &
TCLP010	Letter Punch Set 10mm (A - Z), &
TCLP1006	Letter Punch Set 6mm (a - z) Lower Case
TCLP1008	Letter Punch Set 8mm (a - z) Lower Case



Chisel Sets

Part No.	Size / Description
TCPU20207	3 Pce Cold Chisel Set - 16x12x165mm, 12.7x11x150mm, 9.5x8x138mm
TCPU20209	3 Pce Center Punch Set - 6.3x9.5x100mm, 5.4x11x128mm, 8x11x116mm
TCPU20210	3 Pce Long Pin Punch Set - 1.6x6.3x114mm, 2.4x8x140mm, 3.2x8x140mm
TCPU20302	6 Pce Chisel & Punch Set
TCPU20303	6 Pce Pin Punch Set - 10x2.5x150mm, 10x3.5x150mm, 10x4.5x150mm, 10x6x150mm, 12x8x150mm, 12x10x150mm
TCPU20309	3 Pce Cold Chisel Set - 10x8x142mm, 13x10x152mm, 16x13x172mm
TCPU20310	6 Pce Pin Punch set - 1.5, 3, 4, 5, 6, 8mm
TCPU20311	12 Pce Chisel & Punch Set - Cold; 12x15x150mm, 10x11x130mm, Centre Punch; 10x3x120mm, Pin Punch; 10x3x150mm, 10x4x150mm, 10x6x150mm

INDUSTRIAL



TCPU20207



TCPU20303



TCPU20309



TCPU20311

Centre Punches

Part No.	Size / Description
TCPU03100	3 x 10 x 100mm Black Finish
TCPU04100	4 x 10 x 100mm Black Finish
TCPU05100	5 x 10 x 100mm Black Finish
TCPU06125	6 x 10 x 125mm Black Finish
TCPU10003	3 Pce Set 3/4/5 x 10 x 100mm

INDUSTRIAL



TCPU10003



TCPU20310



TCPU20302

Hollow Punches

TCHP009

9Pce Hollow Punch Set
Carbon Steel
Sizes : 2.5 - 10mm




Biscuit Jointing

BJ02 - Biscuit Joiner

» 900W / 11000 RPM

» Cuts slots for #0, #10 & #20 biscuits

» Tungsten tipped blade



Biscuit jointing is stronger and can replace many conventional joining methods



See website for spares
www.torkcraft.com

BIS020

Part No.	Description
PC5551	Biscuits # 0 - 42 x 15 x 4mm (Box of 1000)
PC5551-50	Biscuits # 0 - 42 x 15 x 4mm (x 50)
PC5552	Biscuits # 10 - 53 x 20 x 4mm (Box of 1000)
PC5552-50	Biscuits # 10 - 53 x 20 x 4mm (x 50)
PC5553	Biscuits # 20 - 58 x 23 x 4mm (Box of 1000)
PC5553-50	Biscuits # 20 - 58 x 23 x 4mm (x 50)
BIS020	Biscuits # 20 - 56 x 23 x 4mm (Box of 1000)
	Beech Wood



PC5551



Rounded smooth edges
» for easy handling & inserting
» Recessed & embossed glue surface
» Accurate glue distribution
» Easy insertion into groove
» Diagonal fibre orientation
» Excellent breaking strength

Fluted Wooden Dowels and Dowel Rods

Part No.	Description
DOW06030-50	6 x 30mm (50/Bag)
DOW08040-40	8 x 40mm (40/Bag)
DOW10040-30	10 x 40mm (30/Bag)

For glueing and jointing



TCDW001

Part No.	Description
DOW20043	43 Pce Dowel Kit - 6, 8, 10mm
DOW20634	34 Pce Dowel Kit - 6mm
DOW20827	27 Pce Dowel Kit - 8mm
DOW21022	22 Pce Dowel Kit - 10mm



DOW20043



DOW20634



DOW20827



DOW21022

Clamps

Part No.	Description	Size
GERMAN F-TYPE CLAMP		
CL FCG50-150	German F-Type Clamp	50 x 150mm
CL FCG50-200	German F-Type Clamp	50 x 200mm
CL FCG50-250	German F-Type Clamp	50 x 250mm
CL FCG50-300	German F-Type Clamp	50 x 300mm
CL FCG120-300	German F-Type Clamp	120 x 300mm
CL FCG120-400	German F-Type Clamp	120 x 400mm
CL FCG120-500	German F-Type Clamp	120 x 500mm
CL FCG120-600	German F-Type Clamp	120 x 600mm
CL FCG120-800	German F-Type Clamp	120 x 800mm
CL FCG120-1000	German F-Type Clamp	120 x 1000mm
CL FCG120-1200	German F-Type Clamp	120 x 1200mm
CL FCG120-1500	German F-Type Clamp	120 x 1500mm
CL FCG120-2000	German F-Type Clamp	120 x 2000mm
SASH CLAMP STANDARD		
TCC10600	Sash Clamp Standard	600mm
TCC10900	Sash Clamp Standard	900mm
TCC11200	Sash Clamp Standard	1200mm
TCC11500	Sash Clamp Standard	1500mm
TCC11800	Sash Clamp Standard	1800mm
TCC00001	Spare Jaw Set for standard sash clamps	
G CLAMP HEAVY DUTY		
CL HDCC1	G Clamp Heavy Duty	1"/25mm
CL HDCC2	G Clamp Heavy Duty	2"/50mm
CL HDCC3	G Clamp Heavy Duty	3"/75mm
CL HDCC4	G Clamp Heavy Duty	4"/100mm
CL HDCC5	G Clamp Heavy Duty	5"/125mm
CL HDCC6	G Clamp Heavy Duty	6"/150mm
CL HDCC6-2	Twin Pack	6"/150mm
CL HDCC8	G Clamp Heavy Duty	8"/200mm
CL HDCC10	G Clamp Heavy Duty	10"/250mm
CL HDCC12	G Clamp Heavy Duty	12"/300mm
QUICK CLAMP		
CL NCHB4	Quick Clamp	4"/100mm
CL NCHB6	Quick Clamp	6"/150mm
CL NCHB12	Quick Clamp	12"/300mm
CL NCHB18	Quick Clamp	18"/450mm
CL NCHB24	Quick Clamp	24"/600mm
CL NCHB36	Quick Clamp	36"/900mm
SPRING CLAMPS - NYLON		
CL NSCHB3	Nylon Spring Clamp	3"/75mm
CL NSCHB4	Nylon Spring Clamp	4"/100mm
CL NSCHB6	Nylon Spring Clamp	6"/150mm
CL NSCHB9	Nylon Spring Clamp	9"/230mm
SPRING CLAMPS - STEEL		
CL SPC1	Spring Clamp	1"/25mm
CL SPC2	Spring Clamp	2"/50mm
CL SPC3	Spring Clamp	3"/75mm
C-CLAMP - SETS		
CL CICC3A	C Clamp 3pc Set	1, 2 & 3"
CL CICC3B	C Clamp 3 pc Set	2, 3 & 4"
CL CICC4B	CI Type C Clamp Set 4pc	2, & 4"




Features/Benefits

- Pre-tensioned main bar
- Non-marking pressure pads
- All steel construction
- Wooden handles



Features/Benefits

- Primarily designed for clamping large work pieces during fabrication and glueing in joinery, carpentry and boat building.
- With cast iron heads.



Features/Benefits

- » For use in wood, metal working and other trades



Clamps

CL PCB34

- » Pipe clamp for 19mm pipe
- » Use on standard galvanised 3/4" plumbing pipe



TCV08075
Corner Clamp 80 x 75mm

Suitable for
framing and
light weight
joinery



TCV09568

Corner Clamp 90°
95 x 68mm

- » Swivelling head applies even force
- » Two fixed clamping faces



Drill Stands / Angle Grinder Stand



TC04700

Drill Stand for Portable Drills

Spares:

TC04700B

Main Body for Drill Press TC04700

TC04700P

Press Handle Attachment for TC04700



TC04300

115mm
Angle Grinder Stand



Vices

TCV04043-1

Multi-Angle Precision
Drill Guide
w/10mm Chuck



Vice Jaws - Magnetic Aluminium

Part No.	Size
TCMG8100	2 Pce Prism Face 100mm x 32mm (4")
TCMG8125	2 Pce Prism Face 125mm x 32mm (5")
TCMG8150	2 Pce Prism Face 150mm x 32mm (6")
TCMG8200	2 Pce Prism Face 200mm x 32mm (8")
TCMG9100	2 Pce Rubber Face 100mm x 32mm (4")
TCMG9125	2 Pce Rubber Face 125mm x 32mm (5")
TCMG9150	2 Pce Rubber Face 150mm x 32mm (6")
TCMG9200	2 Pce Rubber Face 200mm x 32mm (8")



Protect your
work pieces
Fits most vices



Mechanics Bench Vice w/Swivel Base

Part No.	Description
TCV10100	100mm
TCV10125	125mm
TCV10150	150mm

Service Kits


TCV10100-SK01	100mm Jaws/Strap/Worm/Handle for TCV10100
TCV10125-SK01	125mm Jaws/Strap/Worm/Handle for TCV10125
TCV10150-SK01	150mm Jaws/Strap/Worm/Handle for TCV10150
TCV001	Replacement Jaws for Bench Vice 100mm
TCV002	Replacement Jaws for Bench Vice 125mm
TCV003	Replacement Jaws for Bench Vice 150mm

Features : Hardened & Tempered Jaws / Replaceable steel jaws
Large anvil for hammering / Horn for shaping / Pipe clamp jaw
Base swivels and locks for versatility

Application : To clamp material or parts when filing or cutting. Securing an object to allow work to be performed on it. For drilling, slotting or shaping. Workshop and automotive. Wood working and construction.



Material:
Graded Grey Iron



CONTRACTOR

Heavy Duty Bench Vice w/Swivel Base

Part No.	Description
TCV11100	100mm
TCV11125	125mm
TCV11150	150mm

Service Kits


TCV11100-SK01	100mm Jaws/Strap/Worm/Handle for TCV11100
TCV11125-SK01	kit 125mm Jaws/Strap/Worm/Handle for TCV11125
TCV11150-SK01	150mm Jaws/Strap/Worm/Handle for TCV11150

Features : Hardened & Tempered Jaws / Replaceable steel jaws
Large anvil for hammering / Horn for shaping / Pipe clamp jaw
Base swivels and locks for versatility

Application : To clamp material or parts when filing or cutting. Securing an object to allow work to be performed on it. For drilling, slotting or shaping. Workshop and automotive. Wood working and construction.



Material:
Spheroidal Graphite Iron Casting



HEAVY DUTY VICE

INDUSTRIAL

Wood Working Vice

Part No.	Description
TCV12175	175mm

Service kits

TCV12175-SK01	175mm Jaws/Worm/Handle for TCV12175
---------------	-------------------------------------


Applications: Wood working shop, wood, plastic and metal. Carpentry and DIY applications. Cutting and drilling.

Features

Can be fitted flush or proud / Toe-in jaws for even clamping on a workpiece
Accurately machined housings for smooth sliding movement
Adjustable front stop / Mounting holes / Quick Release Feature:
Engage quick release arm to move the jaw freely



Material:
Grained Grey Cast Iron
Chrome plated lead screw handle & guide rods



CONTRACTOR

Drill Press Vice

Part No.	Description
TCV13100	100mm
TCV13125	125mm

Service Kits

TCV13100-SK01	100mm Jaws/Worm/Handle for TCV13100
TCV13125-SK01	125mm Jaws/Worm/Handle for TCV13125

Application For drilling, slotting or shaping.


Ideal for metal & wood working, workshop & automotive, wood working & construction.

Features

Quality cast iron construction / Low profile design / V – slot for clamping round objects
Mounting & clamping slots / Hardened & ground jaws / Vice jaws made from steel
Knurled steel handle for optimum grip



Material:
Iron Casting Construction



Precision ground base and vice bed for smooth lateral movement of the locking jaw.

INDUSTRIAL

Shifting Spanners

Part No.	Size
TC52004	4" / 100mm 0 - 12.8mm
TC52006	6" / 150mm 0 - 19.2mm
TC52008	8" / 200mm 0 - 24mm
TC52010	10" / 250mm 0 - 28.8mm
TC52012	12" / 300mm 0 - 33.5mm
TC52015	15" / 375mm 0 - 43.1mm
TC52018	18" / 450mm 0 - 52mm

- » Full body hardened for improved performance
- » Extra wide design for comfortable grip
- » Hardened screw and jaw



Forged Special CrV Steel



Pipe Cutter

Part No.	Size
TC PC330	3 - 30mm
TC PC635	6 - 35mm
TC PC642	6 - 42mm
TCPC001	Spare Blades

- » Cuts Brass, Copper & Steel pipe



TC PC330



TC PC642



TC PC635



TCPC001

Side/Diagonal Cutter

Part No.	Size
TC531160	60 CRV 160mm
TC531190	60 CRV 180mm
TC532160	60 CRV 160mm w/Stripping Notch



Combination Pliers

Part No.	Size
TC530160	60 CRV 160mm
TC530180	60 CRV 180mm
TC530200	60 CRV 200mm



C60 Steel High Leverage



- » Hardened cutting edges
- » Improved cutting & holding force



Combination Pliers

Part No.	Size
TC533160	160mm
TC533180	170mm
TC533200	200mm



Contractor C55 Steel



- » Hardened cutting edges



- » VDE Option available on Pg 67

Side/Diagonal Cutter

Part No.	Size
TC534160	160mm
TC534190	190mm



Long Nose Pliers

Part No.	Size
TC535160	160mm
TC535200	200mm
TC537160	Wire Stripper 160mm



Contractor C55 Steel

» Hardened cutting edges



TC603003 3 Pc Plier Set

- » 200mm Combination Plier
- » 150mm Side cutter
- » 150mm Long Nose Plier

Bent Nose Pliers

Part No.	Size
TC536160	160mm
TC536200	200mm




Pliers

Part No.	Size
TC540250	Water Pump Groove Joint Pliers 250mm
TC550230	Pincer/End-cutting Pliers 230mm
TC560200	Water Pump Box Joint Pliers 200mm
TC560254	Water Pump Box Joint Pliers 254mm
TC560300	Water Pump Box Joint Pliers 300mm
TC570170	Locking Curved Jaw Pliers 170mm
TC570254	Locking Curved Jaw Pliers 254mm
TC570254-1	Locking Curved Jaw Pliers 254mm HD
TC599254	Heavy Duty Fencing Pliers 254mm
TC599300	Heavy Duty Fencing Pliers 300mm



C45 Steel

- » Circlip Pliers / 5 Notch lock 45mm
- » Industrial / hardened cutting edge
- » Industrial pliers / 7 Notch lock 38mm
- » Industrial / Hardened jaw



Circlip Pliers

C45 Steel

Part No.	Size
TC581170	Straight Internal Pliers 170mm
TC582170	Bent Internal Pliers 170mm
TC583170	Straight External Pliers 170mm
TC584170	Bent External Pliers 170mm



TC534160-1
Plastic Flush Cutter
Diagonal/Side
Cutter 160mm

**Best for
Cable Ties**



Mini Pliers

Contractor
C55 Steel

Part No.	Size
TC591120	Mini Combination Plier 120mm
TC592120	Mini Long Nose Plier 120mm
TC593120	Mini Side Cutter Plier 120mm
TC594120	Mini Round Nose Plier 120mm



Spring Loaded

Part No.	Size
TC595120	Mini Bent Nose Plier 120mm
TC596120	Mini Flat Nose Plier 120mm
TC597120	Mini Needle Nose Plier 120mm
TC598120	Mini End Cutting Plier 120mm



Axes

Part No.	Size
TC610800	800G Axe w/Fibreglass Handle 350mm
TC611800	1.8KG Axe w/Fibreglass Handle 860mm

Features;

- » PP coated fibreglass handle
- » Handle/Head epoxy resin & safety fastened
- » Heat treated carbon steel head
- » Tempered striking face
- » TPR Grip absorbs shock



TC603005 Spring Loaded

5 Pce Mini Plier Set with Carry Bag

Includes;

- » 1 x 120mm Mini Side Cutter TC593120
- » 1 x 120mm Mini Combination Plier TC591120
- » 1 x 120mm Mini Long Nose Plier TC592120
- » 1 x 120mm Mini Round Nose Plier TC594120
- » 1 x 120mm Mini End Cutting Plier TC598120



Deep Offset Combination Spanners

Part No.	Size	Part No.	Size
TC51006	6mm	TC51023	23mm
TC51007	7mm	TC51024	24mm
TC51008	8mm	TC51025	25mm
TC51009	9mm	TC51026	26mm
TC51010	10mm	TC51027	27mm
TC51011	11mm	TC51028	28mm
TC51012	12mm	TC51029	29mm
TC51013	13mm	TC51030	30mm
TC51014	14mm	TC51032	32mm
TC51015	15mm	TC51036	36mm
TC51016	16mm	TC51040	40mm
TC51017	17mm	TC51041	41mm
TC51018	18mm	TC51042	42mm
TC51019	19mm	TC51044	44mm
TC51020	20mm	TC51046	46mm
TC51021	21mm	TC51048	48mm
TC51022	22mm	TC51050	50mm




Combination Spanners

Part No.	Size	Part No.	Size
TC50006	6mm	TC50023	23mm
TC50007	7mm	TC50024	24mm
TC50008	8mm	TC50025	25mm
TC50009	9mm	TC50026	26mm
TC50010	10mm	TC50027	27mm
TC50011	11mm	TC50028	28mm
TC50012	12mm	TC50030	30mm
TC50013	13mm	TC50032	32mm
TC50014	14mm	TC50036	36mm
TC50015	15mm	TC50040	40mm
TC50016	16mm	TC50041	41mm
TC50017	17mm	TC50042	42mm
TC50018	18mm	TC50044	44mm
TC50019	19mm	TC50046	46mm
TC50020	20mm	TC50048	48mm
TC50021	21mm	TC50050	50mm
TC50022	22mm		

Combination Ratchet Wrench

Part No.	Size
TC810008	8mm Fixed Head Spanner
TC810010	10mm Fixed Head Spanner
TC810012	12mm Fixed Head Spanner
TC810013	13mm Fixed Head Spanner
TC810014	14mm Fixed Head Spanner
TC810015	15mm Fixed Head Spanner
TC810017	17mm Fixed Head Spanner
TC810019	19mm Fixed Head Spanner



Deep Offset Combination Spanner Sets

Part No.	Size
TC51106	6 Pce Set : 8, 10, 12, 13, 14 & 17mm
TC51108	8 Pce Set : 8, 9, 10, 11, 13, 14, 17 & 19mm
TC51112	12 Pce Set : 6 - 22mm
TC51114	14 Pce Set : 8 - 24mm
TC51126	26 Pce Set : 6 - 32mm

Combination Spanner Sets

Part No.	Size
TC50106	6 Pce Set : 8, 10, 12, 13, 14 & 17mm
TC50108	8 Pce Set : 8, 9, 10, 11, 13, 14, 17 & 19mm
TC50112	12 Pce Set : 6 - 22mm
TC50114	14 Pce Set : 8 - 24mm
TC50226	26 Pce Set : 6 - 32mm Deep Offset Jumbo Rack



TC51126



Impact Sockets - 1/2" Drive Standard + Long Series

INDUSTRIAL



TCIM20008-
TCIM20010



TCIM20011-
TCIM20014



TCIM20015-
TCIM20016



TCIM20017-
TCIM20021



TCIM20022-
TCIM20025



TCIM20026-
TCIM20032

1/2"

Part No.	Size	Description
TCIM20008	8mm	1/2" Drive 6pt Impact Socket
TCIM20009	9mm	1/2" Drive 6pt Impact Socket
TCIM20010	10mm	1/2" Drive 6pt Impact Socket
TCIM20011	11mm	1/2" Drive 6pt Impact Socket
TCIM20012	12mm	1/2" Drive 6pt Impact Socket
TCIM20013	13mm	1/2" Drive 6pt Impact Socket
TCIM20014	14mm	1/2" Drive 6pt Impact Socket
TCIM20015	15mm	1/2" Drive 6pt Impact Socket
TCIM20016	16mm	1/2" Drive 6pt Impact Socket
TCIM20017	17mm	1/2" Drive 6pt Impact Socket
TCIM20018	18mm	1/2" Drive 6pt Impact Socket
TCIM20019	19mm	1/2" Drive 6pt Impact Socket
TCIM20020	20mm	1/2" Drive 6pt Impact Socket

Part No.	Size	Description
TCIM20021	21mm	1/2" Drive 6pt Impact Socket
TCIM20022	22mm	1/2" Drive 6pt Impact Socket
TCIM20023	23mm	1/2" Drive 6pt Impact Socket
TCIM20024	24mm	1/2" Drive 6pt Impact Socket
TCIM20025	25mm	1/2" Drive 6pt Impact Socket
TCIM20026	26mm	1/2" Drive 6pt Impact Socket
TCIM20027	27mm	1/2" Drive 6pt Impact Socket
TCIM20028	28mm	1/2" Drive 6pt Impact Socket
TCIM20029	29mm	1/2" Drive 6pt Impact Socket
TCIM20030	30mm	1/2" Drive 6pt Impact Socket
TCIM20031	31mm	1/2" Drive 6pt Impact Socket
TCIM20032	32mm	1/2" Drive 6pt Impact Socket



TCIM21010-
TCIM21014



TCIM21015-
TCIM21021



TCIM21022-
TCIM21026



TCIM21027-
TCIM21032

1/2"

Part No.	Size	Description
TCIM21010	10mm	1/2" Drive 6pt deep Impact Socket
TCIM21011	11mm	1/2" Drive 6pt deep Impact Socket
TCIM21012	12mm	1/2" Drive 6pt deep Impact Socket
TCIM21013	13mm	1/2" Drive 6pt deep Impact Socket
TCIM21014	14mm	1/2" Drive 6pt deep Impact Socket
TCIM21015	15mm	1/2" Drive 6pt deep Impact Socket
TCIM21016	16mm	1/2" Drive 6pt deep Impact Socket
TCIM21017	17mm	1/2" Drive 6pt deep Impact Socket
TCIM21018	18mm	1/2" Drive 6pt deep Impact Socket
TCIM21019	19mm	1/2" Drive 6pt deep Impact Socket
TCIM21020	20mm	1/2" Drive 6pt deep Impact Socket

Part No.	Size	Description
TCIM21021	21mm	1/2" Drive 6 pt deep Impact Socket
TCIM21022	22mm	1/2" Drive 6 pt deep Impact Socket
TCIM21023	23mm	1/2" Drive 6 pt deep Impact Socket
TCIM21024	24mm	1/2" Drive 6 pt deep Impact Socket
TCIM21025	25mm	1/2" Drive 6 pt deep Impact Socket
TCIM21026	26mm	1/2" Drive 6 pt deep Impact Socket
TCIM21027	27mm	1/2" Drive 6 pt deep Impact Socket
TCIM21028	28mm	1/2" Drive 6 pt deep Impact Socket
TCIM21029	29mm	1/2" Drive 6 pt deep Impact Socket
TCIM21030	30mm	1/2" Drive 6 pt deep Impact Socket
TCIM21032	32mm	1/2" Drive 6 pt deep Impact Socket

Part No.	Description
TCIM29010	10PC 1/2" (10.11.13.14.17.19.21.22.24.27)
TCIM29015	15PC 1/2"(10 - 27 + 2 X Adaptors 3/8 x 1/2 & 1/2 x 3/8)

Part No.	Size	Description
TCIM22004	H4	1/2" Drive Impact Bit Socket (43mml)
TCIM22005	H5	1/2" Drive Impact Bit Socket (43mml)
TCIM22006	H6	1/2" Drive Impact Bit Socket (43mml)
TCIM22007	H7	1/2" Drive Impact Bit Socket (43mml)
TCIM22008	H8	1/2" Drive Impact Bit Socket (43mml)
TCIM22010	H10	1/2" Drive Impact Bit Socket (43mml)
TCIM22012	H12	1/2" Drive Impact Bit Socket (43mml)
TCIM22014	H14	1/2" Drive Impact Bit Socket (43mml)
TCIM22017	H17	1/2" Drive Impact Bit Socket (43mml)
TCIM22019	H19	1/2" Drive Impact Bit Socket (43mml)



TCIM29010



TCIM29015



TCIM22004-TCIM22019

Impact Sockets - 3/4" Drive Standard + Long Series

INDUSTRIAL



TCIM30017-
TCIM30022

TCIM30023-
TCIM30024

TCIM30025-
TCIM30028

TCIM30029-
TCIM30030

TCIM30031-
TCIM30043

TCIM30044-
TCIM30053

TCIM30054-
TCIM30070

Part No.	Size	Description
TCIM30017	17mm	3/4" Drive 6pt Impact Socket
TCIM30018	18mm	3/4" Drive 6pt Impact Socket
TCIM30019	19mm	3/4" Drive 6pt Impact Socket
TCIM30020	20mm	3/4" Drive 6pt Impact Socket
TCIM30021	21mm	3/4" Drive 6pt Impact Socket
TCIM30022	22mm	3/4" Drive 6pt Impact Socket
TCIM30023	23mm	3/4" Drive 6pt Impact Socket
TCIM30024	24mm	3/4" Drive 6pt Impact Socket
TCIM30025	25mm	3/4" Drive 6pt Impact Socket
TCIM30026	26mm	3/4" Drive 6pt Impact Socket
TCIM30027	27mm	3/4" Drive 6pt Impact Socket
TCIM30028	28mm	3/4" Drive 6pt Impact Socket
TCIM30029	29mm	3/4" Drive 6pt Impact Socket
TCIM30030	30mm	3/4" Drive 6pt Impact Socket
TCIM30031	31mm	3/4" Drive 6pt Impact Socket
TCIM30032	32mm	3/4" Drive 6pt Impact Socket
TCIM30033	33mm	3/4" Drive 6pt Impact Socket
TCIM30034	34mm	3/4" Drive 6pt Impact Socket
TCIM30035	35mm	3/4" Drive 6pt Impact Socket
TCIM30036	36mm	3/4" Drive 6pt Impact Socket
TCIM30037	37mm	3/4" Drive 6pt Impact Socket
TCIM30038	38mm	3/4" Drive 6pt Impact Socket
TCIM30039	39mm	3/4" Drive 6pt Impact Socket

Part No.	Size	Description
TCIM30040	40mm	3/4" Drive 6pt Impact Socket
TCIM30041	41mm	3/4" Drive 6pt Impact Socket
TCIM30042	42mm	3/4" Drive 6pt Impact Socket
TCIM30043	43mm	3/4" Drive 6pt Impact Socket
TCIM30044	44mm	3/4" Drive 6pt Impact Socket
TCIM30045	45mm	3/4" Drive 6pt Impact Socket
TCIM30046	46mm	3/4" Drive 6pt Impact Socket
TCIM30047	47mm	3/4" Drive 6pt Impact Socket
TCIM30048	48mm	3/4" Drive 6pt Impact Socket
TCIM30049	49mm	3/4" Drive 6pt Impact Socket
TCIM30050	50mm	3/4" Drive 6pt Impact Socket
TCIM30051	51mm	3/4" Drive 6pt Impact Socket
TCIM30052	52mm	3/4" Drive 6pt Impact Socket
TCIM30053	53mm	3/4" Drive 6pt Impact Socket
TCIM30054	54mm	3/4" Drive 6pt Impact Socket
TCIM30055	55mm	3/4" Drive 6pt Impact Socket
TCIM30056	56mm	3/4" Drive 6pt Impact Socket
TCIM30057	57mm	3/4" Drive 6pt Impact Socket
TCIM30058	58mm	3/4" Drive 6pt Impact Socket
TCIM30059	59mm	3/4" Drive 6pt Impact Socket
TCIM30065	65mm	3/4" Drive 6pt Impact Socket
TCIM30070	70mm	3/4" Drive 6pt Impact Socket



TCIM31017-
TCIM31022

TCIM31023-
TCIM31027

TCIM31028-
TCIM31033

TCIM31034-
TCIM31041

TCIM31042-
TCIM31055

Part No.	Size	Description
TCIM31017	17mm	3/4" Drive 6pt Deep Impact Socket
TCIM31018	18mm	3/4" Drive 6pt Deep Impact Socket
TCIM31019	19mm	3/4" Drive 6pt Deep Impact Socket
TCIM31020	20mm	3/4" Drive 6pt Deep Impact Socket
TCIM31021	21mm	3/4" Drive 6pt Deep Impact Socket
TCIM31022	22mm	3/4" Drive 6pt Deep Impact Socket
TCIM31023	23mm	3/4" Drive 6pt Deep Impact Socket
TCIM31024	24mm	3/4" Drive 6pt Deep Impact Socket
TCIM31025	25mm	3/4" Drive 6pt Deep Impact Socket
TCIM31026	26mm	3/4" Drive 6pt Deep Impact Socket
TCIM31027	27mm	3/4" Drive 6pt Deep Impact Socket
TCIM31028	28mm	3/4" Drive 6pt Deep Impact Socket
TCIM31029	29mm	3/4" Drive 6pt Deep Impact Socket
TCIM31030	30mm	3/4" Drive 6pt Deep Impact Socket
TCIM31031	31mm	3/4" Drive 6pt Deep Impact Socket
TCIM31032	32mm	3/4" Drive 6pt Deep Impact Socket
TCIM31033	33mm	3/4" Drive 6pt Deep Impact Socket
TCIM31034	34mm	3/4" Drive 6pt Deep Impact Socket
TCIM31035	35mm	3/4" Drive 6pt Deep Impact Socket

Part No.	Size	Description
TCIM31036	36mm	3/4" Drive 6pt Deep Impact Socket
TCIM31037	37mm	3/4" Drive 6pt Deep Impact Socket
TCIM31038	38mm	3/4" Drive 6pt Deep Impact Socket
TCIM31039	39mm	3/4" Drive 6pt Deep Impact Socket
TCIM31040	40mm	3/4" Drive 6pt Deep Impact Socket
TCIM31041	41mm	3/4" Drive 6pt Deep Impact Socket
TCIM31042	42mm	3/4" Drive 6pt Deep Impact Socket
TCIM31043	43mm	3/4" Drive 6pt Deep Impact Socket
TCIM31044	44mm	3/4" Drive 6pt Deep Impact Socket
TCIM31045	45mm	3/4" Drive 6pt Deep Impact Socket
TCIM31046	46mm	3/4" Drive 6pt Deep Impact Socket
TCIM31047	47mm	3/4" Drive 6pt Deep Impact Socket
TCIM31048	48mm	3/4" Drive 6pt Deep Impact Socket
TCIM31049	49mm	3/4" Drive 6pt Deep Impact Socket
TCIM31050	50mm	3/4" Drive 6pt Deep Impact Socket
TCIM31051	51mm	3/4" Drive 6pt Deep Impact Socket
TCIM31052	52mm	3/4" Drive 6pt Deep Impact Socket
TCIM31054	54mm	3/4" Drive 6pt Deep Impact Socket
TCIM31055	55mm	3/4" Drive 6pt Deep Impact Socket

Impact Sockets - 3/4" Drive Standard + Long Series

INDUSTRIAL

Part No.	Size	Description
Drive impact bit sockets 3/4"		
TCIM32017	H17	3/4" Drive Impact Bit Socket (100mm)
TCIM32019	H19	3/4" Drive Impact Bit Socket (100mm)
TCIM32021	H21	3/4" Drive Impact Bit Socket (100mm)
TCIM32022	H22	3/4" Drive Impact Bit Socket (100mm)
TCIM32024	H24	3/4" Drive Impact Bit Socket (100mm)



TCIM32017-TCIM32024

3/4"

Part No.	Size	Description
Drive budd wheel impact socket 3/4"		
TCIM34017	17mm	3/4" Drive 4pt Budd Wheel Impact Socket
TCIM34019	19mm	3/4" Drive 4pt Budd Wheel Impact Socket
TCIM34020	20mm	3/4" Drive 4pt Budd Wheel Impact Socket
TCIM34021	21mm	3/4" Drive 4pt Budd Wheel Impact Socket



TCIM34017-TCIM34021

Part No.	Size	Description
Drive budd wheel deep impact socket 3/4"		
TCIM35017	17mm	3/4" Drive 4pt Budd Wheel Deep Impact Socket
TCIM35019	19mm	3/4" Drive 4pt Budd Wheel Deep Impact Socket
TCIM35020	20mm	3/4" Drive 4pt Budd Wheel Deep Impact Socket
TCIM35021	21mm	3/4" Drive 4pt Budd Wheel Deep Impact Socket



TCIM35017-TCIM35021

Impact Sockets - 1" Drive Standard + Long Series

1"



TCIM50019-
TCIM50027



TCIM50030-
TCIM50032



TCIM50035-
TCIM50038



TCIM50040-
TCIM50050



TCIM50052-
TCIM50065



TCIM50070-
TCIM50075

Part No.	Size	Description
Drive impact sockets 1"		
TCIM50019	19mm	1" Drive 6pt Impact Socket
TCIM50020	20mm	1" Drive 6pt Impact Socket
TCIM50021	21mm	1" Drive 6pt Impact Socket
TCIM50022	22mm	1" Drive 6pt Impact Socket
TCIM50024	24mm	1" Drive 6pt Impact Socket
TCIM50027	27mm	1" Drive 6pt Impact Socket
TCIM50030	30mm	1" Drive 6pt Impact Socket
TCIM50032	32mm	1" Drive 6pt Impact Socket
TCIM50035	35mm	1" Drive 6pt Impact Socket
TCIM50036	36mm	1" Drive 6pt Impact Socket
TCIM50038	38mm	1" Drive 6pt Impact Socket
TCIM50040	40mm	1" Drive 6pt Impact Socket

Part No.	Size	Description
Drive deep impact sockets 1"		
TCIM51030	30mm	1" Drive 6pt Deep Impact Socket
TCIM51032	32mm	1" Drive 6pt Deep Impact Socket
TCIM51033	33mm	1" Drive 6pt Deep Impact Socket
TCIM51034	34mm	1" Drive 6pt Deep Impact Socket

Part No.	Size	Description
Drive impact sockets 1"		
TCIM50042	42mm	1" Drive 6pt Impact Socket
TCIM50044	44mm	1" Drive 6pt Impact Socket
TCIM50045	45mm	1" Drive 6pt Impact Socket
TCIM50050	50mm	1" Drive 6pt Impact Socket
TCIM50052	52mm	1" Drive 6pt Impact Socket
TCIM50054	54mm	1" Drive 6pt Impact Socket
TCIM50055	55mm	1" Drive 6pt Impact Socket
TCIM50060	60mm	1" Drive 6pt Impact Socket
TCIM50065	65mm	1" Drive 6pt Impact Socket
TCIM50070	70mm	1" Drive 6pt Impact Socket
TCIM50075	75mm	1" Drive 6pt Impact Socket



TCIM51030-TCIM51034

Impact Sockets - Adaptor + Extensions

INDUSTRIAL

Part No.	Size
Ball impact adaptor	
TCIM90001	1/2" F x 3/8" M
TCIM90002	1/2" F x 3/4" M
TCIM90003	3/4" F x 1/2" M
TCIM90004	1/2" F x 1/2" M
TCIM90005	1" F x 3/4" M
TCIM90006	1/2" F x 1/2" M Uni. Swivel
Drive impact extension bar	
TC88076	3/8" x 76mm
TC88150	3/8" x 150mm
TCIM91001	2" x 1/2"
TCIM91002	3" x 1/2"
TCIM91003	5" x 1/2"
TCIM91004	6" x 1/2"
TCIM91005	10" x 1/2"
TCIM92001	4" x 3/4"
TCIM92002	6" x 3/4"
TCIM92003	7" x 3/4"
TCIM92004	8" x 3/4"
TCIM92005	10" x 3/4"
TCIM92006	12" x 3/4"
TCIM93004	4" x 1"
TCIM93006	6" x 1"
TCIM93008	8" x 1"



Drive impact Hex	Non-Impact
TCIMH70082146	46mm x 1" CRV Socket
TCIMH70082150	50mm x 1" CRV Socket
TCIMH70082155	55mm x 1" CRV Socket
TCIMH70082160	60mm x 1" CRV Socket
TCIMH70082165	60mm x 1" CRV Socket
TCIMH70082170	65mm x 1" CRV Socket
TCIMH70082175	70mm x 1" CRV Socket
TCIMH70082180	75mm x 1" CRV Socket



Part No.	Size
Extension Bar 1" Non-Impact	
TCIMH70081008	200mm x 1"
TCIMH70081016	400mm x 1"
Ratchet Handle 1" Non-Impact	
TCIMH3082471	660mm Forward & Reverse
Sliding T-Bar	
TCIMH70061220	1" Drive 550mm
TCIMH70081222	1" Drive 550mm
TC74150	3/8" Drive x 150mm
TC74250	1/2" Drive x 250mm



Slogging Spanner Open End CrV

Part No	Description
TC770024	24mm
TC770025	27mm
TC770026	30mm
TC770027	32mm
TC770028	34mm
TC770029	36mm
TC770030	38mm
TC770031	41mm
TC770032	46mm
TC770033	50mm
TC770034	55mm
TC770035	60mm
TC770036	65mm
TC770037	70mm
TC770038	75mm
TC770039	80mm
TC770040	85mm

CrV
CHROME
VANADIUM

Features
+ Anti-slip design
+ Open ended profile
+ Heavy duty enabling the use of great force
+ Ideal for tight spaces

Application
Automotive
DIY
Construction
Engineering
Manufacturing



Slogging Spanner Ring End CrV

Part No	Description
TC780024	24mm
TC780025	27mm
TC780026	30mm
TC780027	32mm
TC780028	34mm
TC780029	36mm
TC780030	38mm
TC780031	41mm
TC780032	46mm
TC780033	50mm
TC780034	55mm
TC780035	60mm
TC780036	65mm
TC780037	70mm
TC780038	75mm
TC780039	80mm
TC780040	85mm

CrV
CHROME
VANADIUM

**SUPER
DRIVE
BROAD**

Features
+ Anti-slip design
+ Ring ended profile, 12 point Heavy duty enabling the use of great force
+ Ideal for tight spaces

Application
Automotive
DIY
Construction
Engineering
Manufacturing



Industrial Socket Sets 3/4" & 1" Drive



TCIMH006039

Contents & Sizes:

- Sockets - 19, 21, 22, 24, 27, 30, 32, 36, 38, 41, 46 & 50mm
- 1 Pce 3/4" Drive Ratchet Handle, 24T
- 1 Pce 3/4" Drive Universal Joint
- 3 Pce 3/4" Drive Extension Bars, 4", 8" & 16"
- 1 Pce 3/4" Drive Sliding T-Bar, 20"
- 2 Pce Adaptors, 3/4" F x 1/2" M & 3/4" F x 1" M



TCIMH008043

Contents & Sizes:

- Sockets - 46, 50, 55, 60, 65, 70, 75, 80mm
- 2 Pce 1" Drive Extension Bars, 8" & 16"
- 1 Pce 1" Drive Sliding T-Bar, 20"
- 1 Pce 1" Drive Ratchet Handle, 24T



TCIMH006042

Contents & Sizes:

- Sockets - 22, 24, 27, 30, 32, 36, 38, 41, 46 & 50mm
- 2 Pce 3/4" Drive Extension Bars, 8" & 16"
- 1 Pce 3/4" Drive Sliding T-Bar, 20"
- 1 Pce 3/4" Drive Ratchet Handle

Hand Steel Files & Wood Rasps

Part No.	Description
TCHF1001	5Pce Steel File Set Flat/Round/Tri-angle/Half Round
TCHF1002	200mm Flat 2nd Cut
TCHF1003	200mm Round 2nd Cut
TCHF1004	200mm Half-round 2nd Cut
TCHF1005	200mm Tri-angel 2nd Cut
TCHF1006	200mm Square 2nd Cut
TCHF2001	200mm Wood Rasp Flat
TCHF2002	200mm Wood Rasp Half-round
TCHF3001	6pc Needle File Set Flat/Round/Square/Tri-Angle/Taper Flat/Half Round - Mini Set



Specification

- File length: 8" (200mm)
- Steel Grit (Cut): 2nd cut
- Wood Rasp Grit (Cut): Bastard HRC: 60-66

Features

- Plastic and soft rubber grip handle.
- T12 steel, hardened and tempered for durability.
- Double cut files for effortless filing and also give good surface finish.

Tin Snips

Part No.	Size
TCTS001	260mm Straight & Shape Cut - Yellow
TCTS002	260mm Left & Straight Cut Red
TCTS003	260mm Right & Straight Cut Green



Features

- Cutting blades hardness: 56-62HRC
- Handle lock
- Versatile cutting applications by hand
- Allows for precise straight or curved cuts
- Ergonomic long rubber grip handles allow for greater force when cutting metals
- Micro-serrated jaws for anti-slip cutting
- Anti-slip handle guard
- Auto spring opening handle

Application

Automotive repair, DIY, Roofing, Sheet metal fabrication, Aviation

Application Materials

- Stainless Steel sheet up to 0.7mm
- Cold rolled sheet metal up to 1.2mm
- Galvanized sheet steel up to 1.2mm
- Aluminum/Copper up to 1.6mm




galvanized steel



rolled steel

Anti-Slip Serrated Blade



TCHF1001 Set

- 1 x Flat steel
- 1 x Round steel
- 1 x Half round steel
- 1 x Tri-angle steel
- 1 x Half round wood

TCHF3001

- 1 x Flat steel
- 1 x Round steel
- 1 x Square steel
- 1 x Half round steel
- 1 x Tri-angle steel
- 1 x Taper flat wood



Socket & Ratchet Sets



- TC75040**
40 Pce Socket & Ratchet Drive Set
1/4" DR CRV 12 Point in Plastic Case
 1 x 4/4.5/5/5.5/6/7/8/9/10/11/12/13/14mm
 20 x Socket Bits - SL 3, 4, 5, 6mm
 PH #1, #2, #3 / PZ #1, #2, #3
 HEX 3, 4, 5, 6mm
 TORX 10, 15, 20, 25, 30, 40
 1 x Quick release ratchet handle 72 teeth
 1 x Screwdriver Handle 150mm
 1 x Sliding T-Bar 120mm
 1 x Universal Joint 1/4"



TC75035
34 Pce Socket & Ratchet Set
1/4" DR CRV

12 Point in Metal Case

- 1 x 4/4.5/5.5/6/7/8/9/10/11/12/13/14mm sockets
 12 x Socket Bits - SL 4.6mm, PH #0, #1, #2, #3,
 HEX 3, 4, 5, 6, 7, 8mm / 3 x HEX 1.5, 2, 2.5mm
 2 x Extension bars 76.2mm (3") & 152.4mm (6")
 1 x Quick release ratchet handle 72 teeth
 1 x Screwdriver Handle 150mm
 1 x Sliding T-Bar 120mm
 1 x Universal Joint 1/2"



TC75027
27 Pce Socket & Ratchet Set 1/2" DR CRV
12 Point in Metal Case



- 1 x 8/9/10/11/12/13/14/15/16/17/
 18/19/20/21/22/23/24/27/30/32mm
 2 x Spark plug sockets 1/2" x 16 & 21mm
 1 x Quick release ratchet handle 72 teeth
 1 x 3/8" F x 1/2" M 3-way adapter
 2 x Extension bars 125mm (5")
 & 250mm (10")
 1 x Universal Joint 1/2"




TC75012
12 Pce Socket & Ratchet Set 1/2" DR CRV
12 Point on Hanging Tag

- 1 x 10/11/12/13/14/15/16/17/19/22mm
 1 x 1/2" Quick release ratchet handle
 1 x Extension bar 125mm (5")

Deep Tube Sockets

Part No.	Description
TC84007	Set 8/9/10/11/12/13/14/15/16/17/18/19mm & T-Rod
TC84008	T-Rod Handle 10mm x 190mm
TC84809	8mm x 9mm
TC841011	10mm x 11mm
TC841213	12mm x 13mm
TC841415	14mm x 15mm
TC841617	16mm x 17mm
TC841819	18mm x 19mm
TC842022	20mm x 22mm
TC842122	21mm x 22mm



Extension Bars

Part No.	Description
TC68050	1/4" x 50mm
TC68075	1/4" x 75mm
TC68100	1/4" x 100mm
TC69075	1/2" x 75mm
TC69125	1/2" x 125mm
TC69250	1/2" x 250mm



TC68003
 3Pce Set 1/4"
 50/75/100mm



TC69003
 3Pce Set 1/2"
 75/125/250mm



TC73010
 10Pce Adaptor &
 Extension Bar Set
 1/4", 3/8" & 1/2"

Stubby Ratchet

Part No.	Description
TC671090	90mm / 1/4" Drive Steel Handle
TC672140	140mm / 1/2" Drive Steel Handle
TC673110	110mm / 3/8" Drive Steel Handle
TC673200	200mm / 3/8" Drive Steel Handle



TC82300
 Adjustable Spud Wrench
 300mm x 0 - 33mm

Deep Sockets 12 Point CRV



Part No	Size
TC63006	6mm
TC63007	7mm
TC63008	8mm
TC63009	9mm
TC63010	10mm
TC63011	11mm
TC63012	12mm
TC63013	13mm
TC63014	14mm
TC65007	7mm
TC65008	8mm
TC65009	9mm
TC65010	10mm
TC65011	11mm
TC65012	12mm
TC65013	13mm
TC65014	14mm

1/4" Drive



Part No	Size
TC85006	6mm
TC85007	7mm
TC85008	8mm
TC85009	9mm
TC85010	10mm
TC85011	11mm
TC85012	12mm
TC85013	13mm
TC85014	14mm
TC85015	15mm
TC85016	16mm
TC85017	17mm
TC85018	18mm
TC85019	19mm
TC85020	20mm
TC85021	21mm
TC85022	22mm
TC85023	23mm
TC86010	10mm
TC86011	11mm
TC86012	12mm
TC86013	13mm
TC86014	14mm
TC86015	15mm
TC86016	16mm
TC86017	17mm
TC86018	18mm
TC86019	19mm

3/8" Drive



Socket Adaptors

Part No.	Description
TC73001	1/4" F x 3/8" M
TC73002	3/8" F x 1/4" M
TC73003	3/8" F x 1/2" M
TC73004	1/2" F x 3/8" M
TC73005	3/4" F x 1/2" M
TC73006	1/2" F x 3/4" M



Part No	Size
TC64008	8mm x 21.8mm
TC64009	9mm x 21.8mm
TC64010	10mm x 21.8mm
TC64011	11mm x 21.8mm
TC64012	12mm x 21.8mm
TC64013	13mm x 21.8mm
TC64014	14mm x 21.8mm
TC64015	15mm x 21.8mm
TC64016	16mm x 21.8mm
TC64017	17mm x 23.8mm
TC64018	18mm x 24.8mm
TC64019	19mm x 25.8mm
TC64020	20mm x 27.8mm
TC64021	21mm x 27.8mm
TC64022	22mm x 29.8mm
TC64023	23mm x 31.8mm
TC64024	24mm x 31.8mm
TC64025	25mm x 33.8mm
TC64026	26mm x 41.8mm
TC64027	27mm x 35.8mm
TC64028	28mm x 41.8mm
TC64029	29mm x 41.8mm
TC64030	30mm x 39.8mm
TC64032	32mm x 41.8mm

1/2" Drive



Spark Plug Sockets

Part No	Size
TC72016	16mm x 1/2" Drive
TC72021	21mm x 1/2" Drive
TC90016	16mm x 65mm x 3/8" Drive
TC90021	21mm x 65mm x 3/8" Drive

3/8" Drive



Socket Bits HEX S2

Part No	Size
TC93002	H2
TC930025	H2.5
TC93003	H3
TC93004	H4
TC93005	H5
TC93006	H6
TC93008	H8
TC94008	T8
TC94009	T9
TC94010	T10
TC94015	T15
TC94020	T20
TC94025	T25
TC94027	T27
TC94030	T30
TC94040	T40

1/4" Drive

Part No	Size
TC95006	H6
TC95007	H7
TC95008	H8
TC95010	H10
TC95012	H12
TC95014	H14
TC96040	T40
TC96045	T45
TC96050	T50
TC96055	T55

1/2" Drive

Part No	Size
TC96060	T60
TC97005	M5
TC97006	M6
TC97008	M8
TC97009	M9
TC97010	M10
TC97012	M12
TC98001	PH1
TC98002	PH2
TC98003	PH3

1/2" Drive

Socket Bits Sets

Part No	Contents
TC631007	7pc 1/4" Set 7/8/9/10/12/13/14mm Standard Depth
TC632007	7PC HEX Set H3/H4/H5/H6/H7/H8/H10
TC633009	9pc TORX Set T8/T9/T10/T15/T20/T25/T27/T30/T35
TC641007	7pc 1/2" Set 10/12/13/14/17/19/21mm Standard Depth
TC642007-1	7pc HEX Set H4/H5/H6/H8/H10/H12/H15 Long Length
TC642009	9PC HEX Set H3/H4/H5/H6/H7/H8/H10/H12/H14
TC643009	9pc 1/2" TORX Set T20/T25/T27/T30/T40/T45/T50/T55/T60
TC644008	8pc Spline Set M5/M6/M8/M10/M12/M15/M20/M25 Standard Length
TC645009	9pc Female TORX Set E10/E11/E12/E14/E16/E18/E20
TC661007	7pc 1/4" Set 10/12/13/14/17/19/21mm Deep Socket



Tool Trolleys

TC620040

7 Drawer Roller Cabinet on Castors

Empty - no tools included



Features;

- » Trolley Size : 780 x 465 x 970mm
- » Drawers : 3 x Small 545 x 395 x 45mm
3 x Medium 545 x 395 x 125mm
- » Anti-shock protection on all four corners
- » Integrated ergonomic handle within the worktop
- » Central locking with two reversible keys providing security
- » Full extension ball bearing drawer sides open & close easily
- » Optimised storage, compatible with the modular storage system
- » Drawer release mechanism incorporated within the handle

TC620050

6 Drawer Roller Cabinet on Castors

Includes 184 Pce of Stock in 4 Tool Modules

Specifications:

- » 1 x Side lockable cabinet door
- » 2 x Deep lockable Drawers
- » 4 x Standard Lockable Drawers
- » Cut-out foam inserts
- » 35mm ball bearing drawer Slides
- » Storage Divider Top Compartment
- » Powder Coated with plastic panels
- » Large drawer lock release button
- » 2 x fixed and 2 x Swivel Casters




Comes with 4 modules

184 PCS



TC620060
6 Drawer
Roller Cabinet
on Castors
EMPTY

196 PCS



TC620030
7 Drawer Roller Cabinet
on Castors

Includes 196 Pce of Stock
in 15 Tool Modules

Features;

- » Trolley Size : 780 x 465 x 970mm
- » Drawers : 3 x Small 545 x 395 x 45mm
3 x Medium 545 x 395 x 125mm
- » Anti-shock protection on all four corners
- » Integrated ergonomic handle within the worktop
- » Central locking with two reversible keys providing security
- » Full extension ball bearing drawer sides open & close easily
- » Optimised storage, compatible with the modular storage system
- » Drawer release mechanism incorporated within the handle

HD Plastic Tool Box w/Organiser Red & Black



This durable and practical tool box is designed to meet the demands of any handyman or professional. Constructed from high-quality, heavy-duty plastic, it provides robust protection for your tools against bumps and drops. Storage for accessories, hand tools and power tools. Automotive / Mechanical / Electrical workshops Construction / Home projects / Household Garage / Industrial organization / DIY



TC620100
Metal Storage Unit
2,000 x 1,200mm Empty
Cupboard/Pegboard/Work Bench
w/3 drawers

Cantilever Tool Boxes



TCTB071
71 Pce Cantilever Compact Tool Box
 » 365 x 265 x 255mm



Contents;
 » Lockable
 » 3 Tray storage space
 » Chrome vanadium for long life
 » Double handle for carrying & opening
 » Steel construction

TCTB001
5 Tray Cantilever Tool Box
 » Empty
 » 468 x 218 x 203mm
 » Double handle for carrying & opening
 » Lockable
 » Steel construction



TCTB002
4 Drawer & Top Tray
 » Empty
 » 660 x 310 x 380mm



TCTB003
3 Drawer & Top Tray Track Box
 » Empty
 » 535 x 255 x 315mm
 » Double handle for carrying & opening
 » Lockable & Steel construction



TCTB004
5 Tray Cantilever Tool Box
 » Empty



TCTB005
3 Drawer & Top Tray Track Box 2.0
 » Empty
 » 600 x 250 x 320mm



TCTB127
127 Pce Racebox Mechanics Tool Set
 » 600 x 250 x 320mm
 » Chrome vanadium for long life
 » 3 Drawers and top tray



TCTB154
154 Pce Trackbox Mechanics Tool Set
 » 535 x 255 x 315mm
 » Chrome vanadium for long life
 » 3 Drawers and top tray



TCTB254
254 Pce Top Box Mechanics Tool Set
 » 660 x 310 x 380mm
 » Chrome vanadium for long life
 » 3 Drawers and top tray

Power Bars

Part No	Description
TC76150	1/4" Drive 150mm Swivel Head Steel Handle
TC76250	3/8" Drive 250mm Swivel Head Steel Handle
TC76380	1/2" Drive 380mm Swivel Head Steel Handle
TC76450	1/2" Drive 450mm Swivel Head Steel Handle



Ratchet Steel Handle

TC67151	150mm 1/4" Drive
TC67210	190mm 3/8" Drive
TC67211	210mm 3/8" Drive
TC67261	250mm 1/2" Drive



Pipe Wrenches

Part No.	Size
TC602300	Heavy Duty Pipe Wrench 300mm
TC602300-01	Replacement Jaw Set for TC602300
TC602350	Heavy Duty Pipe Wrench 350mm
TC602350-01	Replacement Jaw Set for TC602350
TC602450	Heavy Duty Pipe Wrench 450mm
TC602450-01	Replacement Jaw Set for TC602450
TC602600	Heavy Duty Pipe Wrench 600mm
TC602600-01	Replacement Jaw Set for TC602600

CrV
CHROME
VANADIUM

VPA
GS
Genuine
Sintered



Bolt Cutters

Part No.	Size
TC601350	Bolt Cutter 350mm
TC601450	Bolt Cutter 450mm
TC601600	Bolt Cutter 600mm
TC601750	Bolt Cutter 750mm
TC601900	Bolt Cutter 900mm

CrV
CHROME
VANADIUM

VPA
GS
Genuine
Sintered



Spare Jaw Sets

TC601350-1	for Bolt Cutter 350mm
TC601450-1	for Bolt Cutter 450mm
TC601600-1	for Bolt Cutter 600mm
TC601750-1	for Bolt Cutter 750mm
TC601900-1	for Bolt Cutter 900mm



Torque Wrenches - Digital

Part No	Description
TCTQ12060M	½" x 60NM Mini Torque Wrench
TCTQ12100M	½" x 100NM Mini Torque Wrench
TCTQ12135	½" x 6.75 - 135NM 2% Acc. 0.01 Res. 36 x Gear
TCTQ12135C	½" x 13.5 - 135NM 2% Acc. 0.01 Res. 36 x Gear
TCTQ12200	½" x 10 - 200NM 2% Acc. 0.01 Res. 36 x Gear
TCTQ12200C	½" x 20 - 200NM 2% Acc. 0.01 Res. 36 x Gear
TCTQ12340	½" x 17 - 340NM 2% Acc. 0.01 Res. 36 x Gear
TCTQ12340C	½" x 34 - 340NM 2% Acc. 0.01 Res. 36 x Gear
TCTQ14030	¼" x 1.5 - 30NM 2% Acc. 0.01 Res. 36 x Gear
TCTQ14030C	¼" x 3 - 30NM 2% Acc. 0.01 Res. 36 x Gear
TCTQ14030M	¼" x 30mm Mini Torque Wrench
TCTQ34500	¾" x 25 - 500NM 2% Acc. 0.01 Res. 36 x Gear
TCTQ3860M	¾" x 60NM Mini Torque Wrench
TCTQ38060	¾" x 2.0 - 60NM 2% Acc. 0.01 Res. 48 x Gear
TCTQ38060C	¾" x 3.0 - 60NM 2% Acc. 0.01 Res. 36 x Gear
TCTQ38100M	¾" x 100mm Mini Torque Wrench
TCTQ38135	¾" x 6.75 - 135NM 2% Acc. 0.01 Res. 36 x Gear



Torque Wrenches - Mechanical

Part No.	Description
TCTQ1425-01	¼" x 5 - 25NM
TCTQ3830-01	¾" x 5 - 30NM
TCTQ3860-01	¾" x 5 - 60NM
TCTQ12110-01	½" x 10 - 110NM
TCTQ12210-01	½" x 20 - 210NM
TCTQ12350-01	½" x 65 - 350NM
TCTQ12400-01	½" x 70 - 400NM



Torque wrenches are common place across a variety of industrial processes, commercial garages & homes wherever there is precision assembly process utilising threaded fasteners.

Storing your torque wrench : When a torque wrench is in regular use it does not need to be wound back. However, when storing a torque wrench for an extended period of time, users should always wind it down to the minimum scale setting and never to zero.

For accurate results, one click is enough : Users often allow torque wrenches to click multiple times, without being aware of the additional torque being applied to the bolts. Operate your torque wrench in a smooth & steady manner, one click is enough.

Using your wrench on an anticlockwise thread : Many torque wrenches will only indicate in the clockwise direction. It is necessary for users to always check the wrench's specification before using it on an anti-clockwise thread to ensure the tool is suitable and, prevent a loss of torque control.

Adjusting your torque wrench : Equipment manufacturers will always provide the required torque for any given piece of equipment and so when adjusting your torque wrench, it is important to ensure that these levels are met.

Using marked loading points for accurate results : Most torque wrenches are length dependent and feature a marked loading point on the handle. For accurate results, most torque wrenches have to be operated with your hand centered over the marked load point.

Using torque wrenches for undoing : So long as users operate with caution and do not exceed the maximum torque, most torque wrenches can be used for undoing. However, if

the bolt will not free within the maximum torque of the wrench, another tool should be used instead. **NB!** Users should never put a pipe or any other kind of extension onto a torque wrench handle as doing so can seriously damage the tool and make it inaccurate, never mind the potential safety hazard.

Locking it in : It can be all too easy to accidentally adjust the settings of a wrench during use so, if your torque wrench is fitted with an adjustment lock, you should always apply it before operating the wrench in order to avoid any unintended changes.


Torque Gauge Adaptor - Digital

Part No.	Description
TCTQA12030	ANC - 0.9 - 30NM ½" Drive
TCTQA12135	ANC - 4 - 135NM ½" Drive
TCTQA12200	ANC - 6 - 200NM ½" Drive
TCTQA12340	ANC - 10 - 340NM ½" Drive



Torque Wrench Sets

Part No.	Description
TCTQGM711	11pc Spoke Set w/160mm wrench 0 - 8Nm
TCTQGM732	34pc Bike Repair Set 5 - 25Nm



4 Way Wheel Spanners

TC79002 17/19/21/23mm 12" (300mm)
TC79001 17/19/21/23mm 14" (350mm)
TC79003 17/19/21/23mm 16" (400mm)
 For use on most car wheel nuts in metric

Hammers



Part No.	Size
TC604450	Claw Hammer 450G (16oz) fibreglass handle 295mm & full polished head
TC604570	Claw Hammer 570G (20oz) fibreglass handle 295mm & full polished head
TC604700	Claw Hammer 700G (24oz) fibreglass handle 295mm & full polished head
TC605450	Claw Hammer 450G (16oz) wooden handle 280mm & full polished head
TC605570	Claw Hammer 570G (20oz) wooden handle 280mm & full polished head
TC605700	Claw Hammer 700G (24oz) wooden handle 280mm & full polished head
TC606450	Claw Hammer 450G (16oz) all steel w/ergonomic grip & full polished head
TC606570	Claw Hammer 570G (20oz) all steel w/ergonomic grip & full polished head
TC606700	Claw Hammer 700G (24oz) all steel w/ergonomic grip & full polished head
TC607450	Ball Pein Hammer 450G (16oz) fibreglass handle 310mm & full polished head
TC607700	Ball Pein Hammer 700G (24oz) fibreglass handle 310mm & full polished head
TC607900	Ball Pein Hammer 900G (32oz) fibreglass handle 310mm & full polished head
TC608011	Club Hammer 1.1KG (2.5lb) fibreglass handle 215mm
TC608018	Club Hammer 1.8KG (4lb) fibreglass handle 220mm
TC609036	Sledge Hammer 3.6KG (8lb) fibreglass handle 900mm
TC609045	Sledge Hammer 4.5KG (10lb) fibreglass handle 900mm
TC609063	Sledge Hammer 5.4KG (12lb) fibreglass handle 900mm
TC612450	Mason Hammer 450G (16oz) fibreglass handle
TC612700	Mason Hammer 700G (24oz) fibreglass handle
TC613450	Rubber Mallet Hammer 450mm (16oz) fibreglass handle
TC613900	Nylon Installing Mallet Hammer 35mm fibreglass handle
TC613950	Replacement white nylon hammer heads
TC613951	Installing hammer replacement head 35mm Copper
TC613952	Installing hammer replacement head 35mm Brass
TC61400	Dead Blow Hammer 1.3KG (3LB) Black
TC615100	Machinist Hammer 1.0KG Fibreglass 370mm Handle
TC615300	Machinist Hammer 300G Fibreglass 320mm Handle
TC615500	Machinist Hammer 500G Fibreglass 340mm Handle
TC616750	Chipping Hammer 750G Fibreglass 335mm Handle
TC616750-01	Chipper Hammer replacement blade double-sided carbon steel

Sledge Hammer

TC609036

TC609045

Features;

- » PP coated fibreglass handle
- » Handle/Head tapered slip-on
- » Heat treated carbon steel head
- » Tempered striking face
- » TPR Grip absorbs shock

Machinist Hammer

TC615100

TC615300

TC615500

Features;

- » Bevelled square striking face
- » Taper peen for splitting applications
- » Fibreglass handle for durability

Chipping Hammer

TC616750

Replacement Heads

TC616750-01 : 1Pc

TC616750-02 : 10Pc

TC616750-03 : 100Pc

Features;

- » Single-sided mason chipping
- » Typically used for cleaning, dressing & shaping brick & stonework
- » Slot for holding replaceable double-sided Scutch/chipping comb
- » Fibreglass handle for durability

Claw Hammer

TC604450

TC604570

TC604700

Features;

- » PP coated fibreglass handle
- » Fully polished head
- » TPR Grip absorbs shock
- » Heat treated carbon steel head
- » Tempered striking face & nail puller
- » Handle/Head epoxy resin fastened

Claw Hammer

TC605450

TC605570

TC605700

Features;

- » Hard wood handle
- » TPR Grip absorbs shock
- » Fully polished head
- » Heat treated carbon steel head
- » Handle and head steel wedged fastened
- » Tempered striking face & nail puller

Claw Hammer

TC606450

TC606570

TC606700

Features;

- » Fully polished head
- » Medium carbon steel grade handle
- » Handle/Head solid 1-piece
- » Heat treated carbon steel head
- » Tempered striking face & nail puller
- » TPR Grip absorbs shock

Ball Pein Hammer

TC607450

TC607700

TC607900

Features;

- » PP coated fibreglass handle
- » Handle/Head epoxy resin & safety fastened
- » Heat treated carbon steel head
- » Tempered striking face
- » TPR Grip absorbs shock
- » Fully polished head

Club Hammer

TC608011

TC608018

Features;

- » PP coated fibreglass handle
- » TPR Grip absorbs shock
- » Heat treated carbon steel head
- » Tempered striking face & nail puller
- » Handle/Head epoxy resin fastened

Mason Hammer

TC612450

TC612700

Features;

- » PP coated fibreglass handle
- » Handle/Head epoxy resin & safety fastened
- » Heat treated carbon steel head
- » Tempered striking face & nail puller
- » TPR Grip absorbs shock

Rubber Mallet

TC613450

Features;

- » Non-marring
- » PP coated fibreglass handle
- » Handle/Head epoxy resin & safety fastened
- » Rubber head
- » TPR Grip absorbs shock

Nylon Mallet

TC613900

Features;

- » PP coated fibreglass handle
- » Handle/Head epoxy resin & safety fastened
- » Chrome plated steel & nylon head
- » TPR Grip absorbs shock

Copper Club Hammer

TC6170900 900g

TC6171800 1.8kg

TC6176300 6.3kg

Sledge

Hand Saws

Part No.	Size
TCSAW001	450mm Hand Saw 7tpi 0.9mm w/tempered blade & ABS handle
TCSAW002	550mm Hand Saw 7tpi 0.9mm w/tempered blade & ABS handle
TCSAW005	550mm Hand Saw 7tpi 0.9mm w/tempered blade & ABS handle
TCSAW010	300mm Back Saw 12tpi 0.7mm w/tempered blade & ABS handle
TCSAW011	Back Saw Mitre Box Set Multi-angle 300mm
TCSAW012	150mm Job Saw 7tpi w/tempered blade & ABS handle
TCSAW020	3pc Saw Set w/Hand Saw, Back Saw & Job Saw (Blister)
TCSAW021	3pc Saw Set w/Hand Saw, Back Saw & Job Saw (Nylon bag)



**Hand Saw
TCSAW001**

Features;

- » Special tooth design for ripping & crosscut applications
- » Suitable for cutting both hard & soft wood and plastic
- » Ideal for quick & rough cutting



TCSAW005

Features;


- » Special tooth design for ripping & crosscut applications
- » Suitable for cutting both hard & soft wood and plastic
- » Ideal for quick & rough cutting



**Back Mitre Saw
TCSAW011**

Features;

- » Multi-angle



**Hand Saw
TCSAW002**

Features;

- » Special tooth design for ripping & crosscut applications
- » Suitable for cutting both hard & soft wood and plastic
- » Ideal for quick & rough cutting



**Back Saw
TCSAW010**

Features;


- » Ideal for crosscut applications in wood
- » This stiff blade allows for better control and finer wood working
- » Ideal for cutting mitres and tennon joints



**Job Saw
TCSAW012**

Features;

- » Great for usage around the home and garden or construction site. Also suitable for drywall
- » Ideal for most small wood sawing applications
- » Ideal for quick & rough cutting



TCSAW020 : 3 Pce Set in blister
Contains a Hand Saw, Job Saw & Back Saw

Features;

- » Ideal for ripping & crosscut applications
- » Suitable for both hard & soft wood
- » Ideal for quick & rough cutting



Hand Saw:



Back Saw:



Job Saw:



TCSAW021

3 Pce Set

Contents;

1 x Hand Saw

1 x Job Saw

1 x Back Saw

Features;

- » In Nylon bag
- » Ideal for ripping & crosscut applications
- » Suitable for both hard & soft wood
- » Ideal for quick & rough cutting



Hacksaw Blades

100/Pack	2pc Carded	Description
TC925018	TC925018-2	Bi-Metal 14T x 300mm
TC925019	TC925019-2	Bi-Metal 18T x 300mm
TC925020	TC925020-2	Bi-Metal 24T x 300mm
TC925021	TC925021-2	Bi-Metal 32T x 300mm
Part No.	Description	
TC925002	Junior Hacksaw Blade 150mm for TCHS003	
TC925002-10	10Pc Junior Hacksaw Blade 150mm for TCHS003	
TC925003	Hacksaw Blade Flexible Double Edge 300 x 25mm Carbon Steel for TCHS001	
TC925004	Carbon Steel 14T x 300mm	
TC925005	Carbon Steel 18T x 300mm	
TC925006	Carbon Steel 24T x 300mm	
TC925007	Carbon Steel 32T x 300mm	



Hacksaws

Part No.	Description
TCHS001	Aluminum Alloy Hacksaw Frame 300mm C/w Flexible Double Edge Blade
TCHS002	Aluminum Alloy Hacksaw Frame 300mm C/w 1 + 3 Free Blades Tork Craft
TCHS003	Aluminium Alloy Junior Hacksaw Frame 150mm
TCHS004	Hacksaw Combo Set 1 x TCHS002 + 1 x TCHS003
TCHS005	Hacksaw Frame Aluminium 300mm Mini c/w Blade - One-handed



- Unique frame shape and ergonomic handle design
- 2 choices of angles - allows both straight and angled cutting 45° & 90°
- With a 300mm flexible double-sided hacksaw blade, one side carbon steel 24tpi and one side wood 8tpi
- Frame can accommodate most standard 12mm and 25mm double-sided blades
- Designed for cutting steel pipe, PVC, ABS, Wood, Drywall, Styrofoam & other materials



- Unique frame shape and ergonomic handle design
- Unique blade storing compartment within handle - stores up to 6 spare blades.
- 2 choices of angles - allows both straight and angled cutting 90° & 180°
- With a 300mm flexible single sided carbon steel 24tpi
- Designed for cutting steel pipe, PVC, ABS, Wood, Drywall, Styrofoam & other materials



Picture Framing Clamps

Part No. TC01590

Band Clamp - 4m web plus corners



Magnetic Welding Holders

- » Multiple angles to hold piece at the correct angle
- » Strong powerful magnets
- » Used in welding, soldering, assembly, marking-off, pipe installation & demagnetising



Demagnetise
& Magnetise

Small

medium

large

Centre hole
for lifting

**TCMG6001
MAGNETIC
Welding Holder**
11.4kg Pull Force
45, 90 & 135°
Multi Angle

**TCMG6002
MAGNETIC
Welding Holder**
22.7kg Pull Force
45, 90 & 135°
Multi Angle

**TCMG6003
MAGNETIC
Welding Holder**
34kg Pull Force
45, 90 & 135°
Multi Angle



**TCMG6007
4Pce MAGNETIC
Welding Holder**
5kg Pull Force
30, 45, 60, 75,
90 & 135°
Multi Angle



**TCMG6004
MAGNETIC
Welding Holder**
9kg Pull Force
15, 60, 90 & 120°
Multi Angle

**TCMG6005
MAGNETIC
Welding Holder**
9kg Pull Force
45, 67, 90, 112 & 135°
Multi Angle


**TCMG6008
6Pce MAGNETIC
Welding Holder**
5kg Pull Force
30, 45, 60, 75,
90 & 135°
Multi Angle



Magnetic Tool Organiser

TCMG7018

3 Pce Magnetic Tool Organiser & Holder
200, 305 & 460mm Bar Length



- » Keeps tools neatly organised in the kitchen, garden shed, garage or workshop
- » A great addition for any toolshop or storage area
- » Powerful magnets can hold random metal tools in place
- » Comes with installation screws

Magnetic Inspection Tools

**TCMG7030
3 Pce MAGNETIC
Inspection Tool Set**
Contents;

- » 1 x Telescopic Magnet
1.5kg pick-up
- » 1 x Round Inspection Mirror Ø30
- » 1 x Elliptoid Inspection Mirror
25 x 50mm



KEEP TOOLS ORGANISED



**ASSORTED
POWER TOOL
KITS AVAILABLE**



Cordless Power Tools

Tork Crafts 20V Platform is compatible with all tools in the 20V range



TC20001 Drill Driver Dd10 - 10mm

Voltage : 20V Lithium-Ion
Speed Settings : 2
Setting 1 : 0 - 400rpm
Setting 2 : 0 - 1100rpm
Maximum Torque : 35N.m
Chuck Capacity : 10mm

Accessories:

2Ah Battery (TC20 BAT20) & Charger (TC20VABC-01)
Wood Drill bits: Size 2, 3, 4, 5, 6 & 8mm
Steel Drill Bits: Size 2, 3, 4, 5, 6mm
Insert Bit set: 32 Pcs 25mm Bits
1 x Magnetic Bit Holder
Blow Moulded storage and carry case



TC20002 Drill & Impact Driver Twin Pack with Charger & 2 x 2AH Batteries

Voltage : 20V Lithium-Ion
No Load Speed
Settings : 2x
Setting 1 : 0 - 400rpm
Setting 2 : 0 - 1100rpm
Maximum Torque : 35N.m
Chuck Capacity : 10mm
Colour box with carry bag



CONTRACTOR

TC20030 Impact Drill Driver Id13 - 13mm

Voltage : 20V Lithium-Ion
No Load Speed
Settings : 2x
Setting 1 : 0 - 500rpm / Setting 2 : 0 - 1800rpm
Maximum Torque : 50N.m
Chuck Capacity : 13mm
Impact Rate: (IPM = Impacts Per/Min)
Speed Setting 1 : 0 - 9000ipm / Speed Setting 2 : 0 - 32400ipm
Drill Capacity : Wood : 32mm / Steel : 13mm

Tool Features:

LED Light / Metal Belt Hook / Impact Function / 19x Torque/Clutch Settings / Drill and Impact Drill Settings

Accessories:

2 x 2Ah Batteries (TC20 BAT20)
Charger (TC20VABC-01)
Masonry Drill bits: Size 4, 6, 8, 10mm / Steel Drill Bits: Size 2, 3, 4, 5, 6, 8, 10mm (Fully Ground Steel)
Insert Bit set: 32x pcs 25mm Bits (S2 Metal) & 1x Magnetic Bit Holder
Blow Moulded storage and carry case



INDUSTRIAL

TC20060 Impact Drill Brushless ID13B - 13mm

Voltage : 20V Lithium-Ion
Motor : Brushless 20v
No Load Speed Settings : 2x
Setting 1 : 0 - 500rpm / Setting 2 : 0 - 1800rpm
Maximum Torque : 50N.m
Chuck Capacity : 13mm
Impact Rate : (IPM = Impacts Per/Min)
Speed Setting 1 : 0 - 9000ipm / Speed Setting 2 : 0 - 32400ipm
Drill Capacity : Wood: 32mm / Steel 13mm

Tool Features: LED Light / Metal Belt Hook / Impact Function / 19x Torque/Clutch Settings / Drill and Impact Drill Settings / Full metal, single sleeve, keyless chuck with auto-lock

Accessories:

2 x 2Ah Batteries (TC20 BAT20)
1 x Fast Charger (TC20VABC-01)
Masonry Drill bits: Size 4, 6, 8, 10mm / Steel Drill Bits: Size 2, 3, 4, 5, 6, 8, 10mm (Fully grounded)
Insert Bit set: 32x pcs 25mm Bits & 1x Magnetic Bit Holder (S2 Material)
Blow Moulded storage and carry case



BRUSHLESS

Cordless Power Tools

Tork Crafts 20V Platform is compatible with all tools in the 20V range

BRUSHLESS



INDUSTRIAL

TC20110 (Tool only) Angle Grinder Brushless AG115B

NB: Recommended to be used with 4Ah battery for longer runtime

Voltage : 20V Lithium-Ion
Motor : Brushless 20v
No Load Speed Settings : 1x
Setting 1 : 7000rpm
Capacity : 115mm discs, pads & blades
M14 Threaded Shaft

Tool Features :

Ergonomic side handle with TPR grip & built-in arbor nut spanner
3x threaded holes for various handle positions
Heavy duty brushless motor and gearbox.

Accessories:

Blow Moulded storage & carry case with slots for 2x 4Ah Batteries and Charger - NB Batteries not included

TCFN1001

Quick Lock

Angle Grinder Lock Nut



Quick Lock



TCFN1002

Self Lock

Angle Grinder Lock Nut



Self Lock, Quick release



TC20190 (Tool only) Rotary Hammer RH500

NB: Recommended to be used with 4Ah or larger battery for longer runtime



INDUSTRIAL

Voltage : 20V Lithium-Ion
No Load Speed Settings : 1x
Setting 1 : 0 - 1500rpm
Maximum Torque : 50N.m
Chuck Capacity : SDS+
Impact Rate : IPM 0 - 5500ipm
Impact Frequency : 1.8J
Drill Capacity : Wood: 26mm / Steel: 13mm / Concrete: 20mm

Tool Features:

LED Light / 4 Functions / Chisel / Drill / Impact & Drill / Free rotation chisel / SDS+ chuck

Accessories:

Ergonomic side handle with TPR grip and with easy rotate & release mounting system
Quick release & adjust depth stop
Blow Moulded storage and carry case with slots for 2x 4Ah Batteries not included



1/2"

TC20171 (Tool only) Impact Driver Brushless

BRUSHLESS

Specifications:

- Max RPM:
1: 1200
2: 1600
3: 2300
- Impact rate (IPM): 0 – 3400
- Max Torque: 450Nm
- 1/2" Square drive anvil with friction ring
- Motor: Brushless

Features:

- Rated Voltage: 20V Lithium-Ion
- Built-in LED work light
- Variable speed control trigger
- Digital mode and speed selection
- Auto-stop reverse function

Included In The Kit:

- (x1) IW450 Cordless Impact Wrench
- (x1) Blow Mould Case
- (x1) Belt clip

3x Speed
Impact Setting



TC20090 (Tool only) Impact Driver 20V Id110

Charger Voltage 100-240 V / 50-60 Hz
Rated Voltage 20 V (Li-ion battery)
Rated Speed 0-2,600
Impact Frequency 0-3,400 t/min
Max Torque 110N.m
Chuck Capacity 6.35 mm (1/4")
Recommended Battery TC20 BAT20/TC40 BAT40
1/4" quick-connect chuck
Metal gear box
Up to 110N.m of torque delivers maximum driving power



Metal belt clip (removable)
Wrist strap at the back of the tool
Built-in LED worklight illuminates area

Cordless Power Tools

Tork Crafts 20V Platform is compatible with all tools in the 20V range

TC20180 Reciprocating Saw Brushless 20V - Bare Tool



Rated voltage : 20V (Li-ion battery)
No Load Speed : 2,800SPM (strokes/min) 25.4mm
Stroke length : 25.4mm
Cutting Capacity wood : 115mm
Cutting Capacity soft metal : 10mm
Recom. batteries : 4.0 Ah & 6.0Ah
Recom. charger : 5.0Ah Smart charger

Tool free universal chuck

Features

- Dual direction for blade fitment.
 - Adjustable pivoting stroke foot.
 - Safety switch for easy trigger lock.
 - Variable speed trigger gives increased control and maximises versatility.
 - High output brushless motor for increased power & lifespan over traditional motors.
 - Ergonomically designed handle with high durability TPE grip for maximised efficiency
- Demolition & Renovating Projects.
Used for sawing & cutting Metal, Wood & Plastics..

INDUSTRIAL

Includes:

- 1 x 8TPI Sabre Saw Wood Blade
- 1 x 4mm Hex Key



TC20321 165mm Circular Saw Brushless 20V - Bare Tool



Rated Voltage : 20V (Li-ion battery)
No Load Speed : 5,200/min
Arbor Diameter : 16/20mm
Cutting Capacity 90° : 57mm
Cutting Capacity 45° : 38mm
Depth of cut adj. lever : 0 - 55mm
Mitre cut adjustment : 0 - 45°
Maximum Blade Size : 165mm
Recom. batteries : 4.0 Ah & 6.0Ah
Recom. charger : 5.0Ah Smart charger

Features

- Spindle lock button.
- Retractable lower guard.
- Safety switch for easy trigger lock.
- Quick adjust levers for depth & angle.
- Trigger Switch for control & max versatility.
- LED light illuminates the line of cut.
- High output brushless motor for increased power & lifespan over traditional motors.
- Ergonomically designed handle with high durability TPE grip for maximised efficiency.

CONTRACTOR

Includes:

- 1 x Parallel Guide
- 1 x 5mm Hex Key



Batteries & Chargers for Cordless Power Tools



TC20 BAT20 - BATTERY 20V 2.0AH LI-ION

Voltage : 20V Lithium-Ion
Capacity : 2000mah (2Ah)



TC20 BAT40 - BATTERY 20V 4.0AH LI-ION

Voltage : 20V Lithium-Ion
Capacity : 4000mah (4Ah)



TC20 BAT60 - BATTERY 20V 6.0AH LI-ION

Voltage : 20V Lithium-Ion
Capacity : 6000mah (6Ah)

Features :

- LED capacity indicator Lights
- Vents for cooling function with
- Smart airflow Charger TC20VABC-02

TC12VABC-01

12V Battery Car Charger
for 20V Batteries 23A 0.8m Cable



TC20VABC-01

Battery Charger Smart 2.3A - 5A
2.0AH Li-ion Battery A-Series

Tool Features :

- LED charge status indicator
- Voltage : 220V
- Plug : 2 pin standard



TC20VABC-02

Battery Charger Smart 2.3A - 5A
4.0AH Li-ion Battery A-Series



TC20VABC-03

Battery Charger Smart 20V 4.5A
Dual Port 220V

LED Indicator Lights

Power on	→	●
Charging	⚡	●
Fully charged	100%	●
Faulty battery	⚠	●



Angle Grinders



CONTRACTOR

TCAG0115

Power Rating - 900W
Voltage - 220V~ 240V (50Hz)
Max RPM - 11000RPM
Spindle Thread - M14
Safety Class: Class II

3x
Accessories
included
Included

Hex & Pin Wrench in one x1
Blade Protection Guard x1
Auxiliary Handle x1



CONTRACTOR

TCAG0230

Power Rating - 2400W
Voltage - 220V~ 240V (50Hz)
Max RPM - 6600RPM
Spindle Thread - M14
Trigger handle rotatable
Safety Class: Class II

4x
Accessories
included
Included

Pin Wrench x1
Hex Wrench x1
Blade Guard x1
Auxiliary handle x1

Rotary Hammer Corded

TCRH0800

Rotary Hammer 800W 26mm SDS Plus
w/4 Functions



- » Drilling : mainly for drilling into various masonry materials using various concrete drill bits
- » Chiselling : for chiselling into various masonry materials using various chiselling points

SPECIFICATIONS;

Max RPM 0 - 1,200RPM
Chuck Type SDS Plus
Drilling Capacity: Wood 30mm
Steel 13mm
Concrete 26mm
Max Impact Rate 0 - 5,500IPM
Impact Energy 2.8 J
Motor Brushed
Voltage 230V

7 x Accessories Included;

- » 1 x Auxiliary Handle
- » 1 x Depth Rod
- » 2 x Chisels
- » 3 x SDS Bits



INDUSTRIAL

Rotary Hammer Corded

TCRH1500

Rotary Hammer 1500W 32mm SDS Plus w/4 Functions

- » Drilling : mainly for drilling into various masonry materials using various concrete drill bits
- » Chiselling : for chiselling into various masonry materials using various chiselling points

SPECIFICATIONS;

Max RPM	0 - 850RPM
Chuck Type	SDS Plus
Drilling Capacity:	Wood 40mm
	Steel 13mm
	Concrete 32mm
Max Impact Rate	0 - 4,500IPM
Impact Energy	6.0 J
Motor	Brushed
Voltage	220V - 240V 50 - 60Hz

10 x Accessories Included;

- » 1 x Auxiliary Handle
- » 1 x Depth Rod
- » 2 x Chisels
- » 1 x Grease Container
- » 1 x Grease Core Pin Wrench
- » 3 x SDS Plus Bits Masonry 8/10/12mm
- » 1 x Dust Cover



**MAX
IMPACT
SYSTEM**

INDUSTRIAL



4 Functions
Hammer Drilling
Drilling
Bit Rotation
Chisel

Features

- Drilling: Mainly for drilling into various masonry materials using various masonry drill bits.
- Chiseling: For chiseling into various masonry materials using various chiseling points.

Circular Saw Corded

TCCS0185

1500W 185mm Circular Saw

Specifications

Max RPM	: 5500 /min
Max Blade Diameter	: 185mm
Max Cutting depth at 90°	: 60mm
Max Cutting depth at 45°	: 45mm
Power Input	: 1500W
Voltage	: 220-240V (50Hz)
Miter cut adjustment	: 0 - 48°
Depth of cut adj lever	: 0 - 60mm
Arbor diameter	: 20mm

Features

- Lockable trigger.
- Retractable protection guard.
- Spindle lock button.
- Easy accessible carbon brush ports.
- Cut-line guide marks for 0° and 45°.
- Comfortable grip and handle for added control.
- Quick adjust levers for depth and angle adjustments.



x5 Accessories Included

- 1x 13MM HEX WRENCH
- 1x PARALLEL GUIDE
- 1x STORAGE BAG
- 1x DUST COLLECTION BAG
- 1x VACUUM ADAPTER

CONTRACTOR

Cut-Off Saw Corded

TCCS0355

2700W 355mm Cut-Off Saw

Ideal for steel cutting:
Round & Square Tubing



at 0° Ø127mm
at 45° Ø127mm



at 0° 120 x 120mm
at 45° 90 x 90mm



at 0° 180 x 90mm
at 45° 120 x 90mm

Specifications

Voltage	: 220-230V
Wattage	: 2700W
Max RPM	: 4200 /min
Motor Type	: Brushed
Arbor Size	: 25.4mm
Max blade capacity	: Ø355mm
Max cutting	
Round tubing at 0° & 45°	: Ø127mm
Square tubing at 0°	: 120 x 120mm
Square tubing at 45°	: 90 x 90mm
Rectangular tubing at 0°	: 180 x 90mm
Rectangular tubing at 45°	: 120 x 90mm
Max. vice clamping cap.	: 180mm

Features:

- Trigger safety button
- Extra-large handle for comfort & workability
- Easily accessible brush ports
- Easily accessible arbor lock for quick and safe disc change
- Adjustable spark deflector to protect the user & improve work ability
- Disc guard auto retracts during cutting.
- Increased clamping range with dual miter fence mounting point
- Depth stops adjustable for setting cutting depth
- Plunge lock for easier transport and storage
- Multi angle miter adjustment
- Rubber feet for extra grip
- 2m Cable Length

x3 Accessories Included

- 1x WRENCH
- 1x HEX WRENCH
- 1x FREE CARBON BRUSH SET



CONTRACTOR

Impact Drills

INDUSTRIAL



TCID0850

Power Rating - 850W
 Voltage - 220V~ 240V (50Hz)
 Max RPM - 3000RPM
 Impact Rating 0 - 44800 BPM
 Chuck Type - Keyed
 Chuck capacity - 13mm
 Drill Setting - Drill + Hammer

3x

Accessories included

Chuck Key x1
 Depth Stop x1
 Auxiliary Handle x1



Box Qty : 8

INDUSTRIAL



TCID1100

Power Rating - 1100W
 Voltage - 220V~ 240V (50Hz)
 Max RPM - 0-1200 RPM / 0 - 3200 RPM
 Impact Rating 0 - 19200 BPM / 0 - 44800 BPM
 Chuck Type - Keyed
 Chuck capacity - 13mm
 Drill Setting - Drill + Hammer

3x

Accessories included

Chuck Key x1
 Depth Stop x1
 Auxiliary Handle x1



Box Qty : 5



Putty Knives



Part No.	Description
TCPK0025	25mm Stainless Steel Blade W/soft Grip
TCPK0038	38mm Stainless Steel Blade W/soft Grip
TCPK0050	50mm Stainless Steel Blade W/soft Grip
TCPK0075	75mm Stainless Steel Blade W/soft Grip
TCPK0100	100mm Stainless Steel Blade W/soft Grip
TCPK0125	mm Stainless Steel Blade W/soft Grip

- Flexible stainless steel blade.
- Comfortable grip handle with hammer cap.
- Hole in handles allows for easy storage.
- Mostly used for spreading adhesive, tar, roof caulking, wood putty and other difficult to clean materials



3 Pce Putty Knife Set Plastic
Sizes : 38, 76 & 100mm
BR009

15-in-1 Multi-Purpose Scraper Tool

BR007

15-in-1 Multi-Purpose Tool 2½" (6.4cm)



- » Paint can opener
- » Bottle opener
- » Crack cleaner
- » Spackle knife
- » Nail setter
- » Rasp tool
- » ¼" wrench
- » ⅜" wrench
- » Flat screwdriver
- » Paint scraper
- » Compound spreader
- » Radius scraper
- » Utility cutter
- » Roller cleaner
- » Nail puller
- » Window putty tool

Razor Scraper Jar

MINI Razor Scraper Set
60/Candy Jar
5 Assorted colours
BR008



Replacement Blades
100Pcs Single edge
Stainless Steel
Fits TorkCraft BR008
& most mini scrapers
BR012



Mortar & Grout Gun

TCMG1570

Mortar & Grout Gun

- » 1000ml
- » 310mm 2000N
- » C/w 2 x Nozzles & Mixer



Polyurethane Foam Guns



TCFG0705
Polyurethane Foam Gun
Nickel Plated



TCFG1425
Polyurethane Foam Gun
Teflon Coated Non Stick

Oil Can

TCGG02000

Oil can

- » 500ml
- » 175mm spout
- » Powder coated finish
- » Steel pump mechanism



Caulking Guns

TCCG0928 Non-Drip Silicone Caulk Gun

- » Heavy duty plastic
- » Max. pushing power 1300N
- » Capacity; 310ml single cartridge
- » Nozzle cutter / Non-drip function



TCCG0931 One-hand Silicone Caulk Gun

- » Heavy duty plastic
- » Max. pushing power 1300N
- » Capacity; 310ml single cartridge
- » Single hand operation design



TCCG1331 Silicone Caulk Gun

- » Aluminium handle and trigger
- » Max. pushing power; 4500N
- » Capacity; 310ml Single cartridge



TCCG1360 Chemical Anchor Caulk Gun

- » Aluminium handle and trigger
- » Max. pushing power; 4000N
- » Capacity; 380ml coaxial two component cartridge



TCCG1363 Chemical Anchor Caulk Gun

- » Aluminium handle and trigger
- » Max. pushing power; 4000N
- » Capacity; 200ml two component cartridge




Caulking Tool Set

PART NO. TCCG0100 4 Pce Caulking Tool Set

8 CORNERS

- » Standard
- » 5/8" Round
- » 5/8"
- » 25/64"
- » 5/16"
- » 13/64"
- » 90°
- » Grout



Plastic Mechanic Creeper with 6 Wheels

TCMC001

FEATURES

- 2x Built-in small trays for parts storage
- Cushion padding for neck/head support
- Sturdy wheels for maneuverability and support
- Built-in carry handle can be used to hang the item for storage
- Light weight and durable plastic body
- Increased comfort during Inspection and maintenance

SPECIFICATIONS

- Swivel castors: 6 x 75mm
- Ground clearance: 35mm
- Maximum capacity: 150kg

APPLICATION

- Increased maneuverability while working underneath a car
- Automotive
- Construction
- Inspection and maintenance



1020 x 480 x 115mm



2-in-1 Mechanic Creeper/Chair Metal Frame Padded w/6 Wheels

TCMC002

FEATURES



- Easily converted from seat to creeper
- Strong metal frame and light weight
- Locking seat pin
- Centre support wheel
- Cushion padding for back support

SPECIFICATIONS

- Swivel castors: 6 x 65mm & 1 x 50mm
- Ground clearance: 50mm
- Maximum capacity: 150kg

APPLICATION

- Increased maneuverability while working underneath a car
- Automotive
- Construction
- Inspection and maintenance



920 x 120 x 440mm

Mechanic Chair w/Round Seat & Tool Tray

TCMC003

FEATURES

- Padded round seat
- Large segmented pan storage tray
- Single gas strut for height adjustment
- 5x smooth-rolling swivel castors
- Height adjustable & easy to maneuver

SPECIFICATIONS

- Swivel castors: 5 x 60mm
- Seat diameter and thickness: 320mm x 50mm
- Height: 430 - 590 mm
- Ground clearance: 80mm
- Maximum capacity: 120kg

APPLICATION


- Increased maneuverability while working underneath a car
- Automotive
- Construction
- Inspection and maintenance



380 x 380 x 590mm

Hose Clamps

Part No.	Description
HC6-17	6 - 17mm ea (10/Box GM4)
HC6-22	6 - 22mm ea (10/Box GM6)
HC8-27	8 - 27mm ea (10/Box GM7)
HC11-20	11 - 20mm ea (10/Box K6)
HC11-23	11 - 23mm ea (10/Box K8)
HC14-27	14 - 27mm ea (10/Box KM10)
HC17-32	17 - 32mm ea (10/Box K12)
HC19-38	19 - 38mm ea (10/Box K16)
HC21-44	21 - 44mm ea (10/Box K20)
HC27-51	27 - 51mm ea (10/Box K24)
HC33-57	33 - 57mm ea (10/Box K28)
HC40-64	40 - 64mm ea (10/Box K32)
HC46-70	46 - 70mm ea (10/Box K36)
HC52-76	52 - 76mm ea (10/Box K40)
HC59-83	59 - 83mm ea (10/Box K44)
HC65-89	65 - 89mm ea (10/Box K48)
HC71-95	71 - 95mm ea (10/Box K52)
HC78-102	78 - 102mm ea (10/Box K56)
HC103-127	103 - 127mm ea (10/Box)
HC6-17P	6 - 17mm ea (2Pce Packaged GM4)
HC6-22P	6 - 22mm ea (1Pce Packaged)




Band, housing and screw made from AISI 101 Stainless Steel



Heavy Duty Hose Clamps

Part No.	Description
HCHD17-19	17 - 19mm (10/bag)
HCHD20-22	20 - 22mm (10/bag)
HCHD23-26	23 - 26mm (10/bag)
HCHD26-28	26 - 28mm (10/bag)
HCHD29-31	29 - 31mm (10/bag)
HCHD32-35	32 - 35mm (10/bag)
HCHD36-39	36 - 39mm (10/bag)
HCHD40-43	40 - 43mm (10/bag)
HCHD44-47	44 - 47mm (10/bag)
HCHD48-51	48 - 51mm (10/bag)
HCHD52-55	52 - 55mm (10/bag)
HCHD56-59	56 - 59mm (10/bag)
HCHD60-63	60 - 63mm (10/bag)
HCHD64-67	64 - 67mm (10/bag)
HCHD68-73	68 - 73mm (10/bag)
HCHD74-79	74 - 79mm (10/bag)
HCHD80-85	80 - 85mm (10/bag)
HCHD86-91	86 - 91mm (10/bag)
HCHD92-97	92 - 97mm (10/bag)
HCHD98-103	98 - 103mm (10/bag)
HCHD104-112	104 - 112mm (10/bag)
HCHD113-121	113 - 121mm (10/bag)
HCHD122-130	122 - 130mm (10/bag)
HCHD131-139	131 - 139mm (10/bag)
HCHD140-148	140 - 148mm (10/bag)
HCHD149-161	149 - 161mm (10/bag)



Band and housing made from AISI 101 Stainless Steel and screw 5/16" made from zinc plated carbon steel



Soft Hose Clamps - Round Edge

Part No.	Description
HCSH8-12	8 - 12mm Bulk
HCSH10-16	10 - 16mm Bulk
HCSH12-20	12 - 20mm Bulk
HCSH12-22	12 - 22mm Bulk
HCSH16-25	16 - 25mm Bulk
HCSH16-27	16 - 27mm Bulk
HCSH20-32	20 - 32mm Bulk
HCSH25-40	25 - 40mm Bulk
HCSH32-50	32 - 50mm Bulk
HCSH40-60	40 - 60mm Bulk
HCSH50-70	50 - 70mm Bulk
HCSH60-80	60 - 80mm Bulk
HCSH70-90	70 - 90mm Bulk
HCSH80-100	80 - 100mm Bulk
HCSH90-110	90 - 110mm Bulk
HCSH100-120	100 - 120mm Bulk

Double Ear Clamps

Part No.	Description
EC9-12	Carbon Steel 9 - 11mm (10pce / pack)
EC11-13	Carbon Steel 11 - 13mm (10pce / pack)
EC13-15	Carbon Steel 13 - 15mm (10pce / pack)
EC15-18	Carbon Steel 15 - 18mm (10pce / pack)
EC17-20	Carbon Steel 17 - 20mm (10pce / pack)



Use
crimp plier
to fasten

Stainless Steel Hose Clamps

Part No.	Description	Part No.	Description
HCSS11-20	11 - 20mm Bulk	HCSS33-57	33 - 57mm Bulk
HCSS11-23	11 - 23mm Bulk	HCSS40-64	40 - 64mm Bulk
HCSS14-27	14 - 27mm Bulk	HCSS46-70	46 - 70mm Bulk
HCSS17-32	17 - 32mm Bulk	HCSS65-89	65 - 89mm Bulk
HCSS19-38	19 - 38mm Bulk	HCSS71-95	71 - 95mm Bulk
HCSS21-44	21 - 44mm Bulk	HCSS78-102	78 - 102mm Bulk
HCSS27-51	27 - 51mm Bulk		



Made from
300 Stainless Steel

Rubber Lined Hose Clamps

Part No.	Description
HCRL006	6mm x 12mm B/width Bulk
HCRL008	8mm x 12mm B/width Bulk
HCRL010	10mm x 12mm B/width Bulk
HCRL012	12mm x 12mm B/width Bulk
HCRL013	13mm x 12mm B/width Bulk
HCRL016	16mm x 12mm B/width Bulk
HCRL018	19mm x 12mm B/width Bulk
HCRL022	22mm x 12mm B/width Bulk
HCRL028	28mm x 12mm B/width Bulk



TC534160-1
Plastic Flush Cutter
Diagonal/Side
160mm




Nylon Cable Ties



2.5 x 100mm 3.5 x 150mm 4.8 x 300mm 7.8 x 400mm

Part No.	Description	Part No.	Description
TCCT25100-100W	2.5mm x 100mm White 100 Pack	TCCT48300-50B	4.8mm x 300mm Black 50 Pack
TCCT35150-100W	3.5mm x 150mm White 100 Pack	TCCT48400-100B	4.8mm x 400mm Black 100 Pack
TCCT48200-100W	4.8mm x 200mm White 100 Pack	TCCT48400-10B	4.8mm x 400mm Black 10 Pack
TCCT48200-50W	4.8mm x 200mm White 50 Pack	TCCT48400-50B	4.8mm x 400mm Black 50 Pack
TCCT48300-100W	4.8mm x 300mm White 100 Pack	TCCT78400-10G	7.6mm x 400mm Green 10 Pack
TCCT48300-10W	4.8mm x 300mm White 10 Pack	TCCT78400-10R	7.6mm x 400mm Red 10 Pack
TCCT48300-50W	4.8mm x 300mm White 50 Pack	TCCT78400-10Y	7.6mm x 400mm Yellow 10 Pack
TCCT48400-100W	4.8mm x 400mm White 100 Pack	TCCT78400-100B	7.6mm x 400mm Black 100 Pack
TCCT48400-10W	4.8mm x 400mm White 10 Pack	TCCT78400-10B	7.6mm x 400mm Black 100 Pack
TCCT48400-50W	4.8mm x 400mm White 50 Pack	TCCT78400-50B	7.6mm x 400mm Black 10 Pack
TCCT78400-100W	7.8mm x 400mm White 100 Pack	TCCT35150-100G	3.5mm x 150mm Green 100 Pack
TCCT78400-10W	7.8mm x 400mm White 10 Pack	TCCT35150-100R	3.5mm x 150mm Red 100 Pack
TCCT78400-50W	7.8mm x 400mm White 50 Pack	TCCT35150-100Y	3.5mm x 150mm Yellow 100 Pack
TCCT25100-100B	2.5mm x 100mm Black 100 Pack	TCCT35150-100BL	3.5 mm x 150mm Blue 100 Pack
TCCT35150-100B	3.5mm x 150mm Black 100 Pack	TCCT35150-25B	3.5mm x 150mm Black 25 Pack
TCCT48200-100B	4.8mm x 200mm Black 100 Pack	TCCT48300-25B	4.8mm x 300mm Black 25 Pack
TCCT48200-50B	4.8mm x 200mm Black 50 Pack	TCCT78400-25B	7.6mm x 400mm Black 25 Pack
TCCT48200-50G	4.8mm x 200mm Green 50 Pack	TCCT25100-300AS	2.5mm x 150mm Assorted
TCCT48200-50R	4.8mm x 200mm Red 50 Pack	TCCT88610-50B	8.8mm x 610mm Black 50 Pack
TCCT48200-50Y	4.8mm x 200mm Yellow 50 Pack	TCCT88610-50W	8.8mm x 610mm White 50 Pack
TCCT48300-100B	4.8mm x 300mm Black 100 Pack	TCCTH001	Cable Tie Holder 38mm
TCCT48300-10B	4.8mm x 300mm Black 10 Pack		

TCCTH001
Cable Tie Holder
c/w Carabiner Clip
Lumin Material
50 Pce Ass. Cable



Temporary fix it or simply just tie it together to keep things neat and organized. Tork Craft's range of nylon cable ties are available in five color options, black, white, yellow, red & green, ranging in different lengths and widths for smaller, lighter to bigger, tougher demands. Whether in or around the home, in the office, toolshed, garden or even on site, these incredibly useful cable ties can be the way to get the job done. Tork Craft – tools for every job.



Tork Craft Socks

Part No.	Description
TCSOCK100	Spot Design - Medium
TCSOCK101	Spot Design - Large
TCSOCK102	Spot Design - X-Large
TCSOCK200	Striped Design - Medium
TCSOCK201	Striped Design - Large
TCSOCK203	Striped Design - X-Large
TCSOCK300	Speckled Design - Medium
TCSOCK301	Speckled Design - Large
TCSOCK302	Speckled Design - X-Large



Vermont Caps » One size fits all » Colours may vary

Part No.	Description
TC00108	Baseball Cap Blue with Torkcraft logo embroidery
TC00109	Baseball Cap Red with TorkCraft logo embroidery
TC00107	TorkCraft Beanie Red
XTC00137	TorkCraft Camo Cap
TC00138	TorkCraft Beanie Black



Bottled Water

WATER500
Premium Still Water
Bottled 500ml
with TORK CRAFT & other logos



Tork Craft™

Tools for every job

Power tools



Trolleys

Empty and
with stock
options
available



Cantilevers



Vices

and more!

